

TENDER ENQUIRY NO. FCS/NSR/TE/024/26

PRICE TERM SHEET							
01	02	03	4	5	6	7	8
S. NO.	DESCRIPTION	Quantity	Unit	UNIT PRICE F.O.R. (without GST)	TOTAL PRICE F.O.R. (without GST)	GST @18%	TOTAL VALUE F.O.R. (Including GST)
1	Foam Sheet 6' x 4' x 4", Durable	12	Num				
2	Canvas Turpal Size: 30' x 36' Water Proof	2	Num				
3	G.I Roller 01 Hole	6	Num				
4	Water Cooler Cap.70 Ltr	7	Num				
5	Water Cooler Cap.50 Ltr	4	Num				
6	Hand Valve 2" With Adopter Brass Made	12	Num				
7	Pipe Lifting Belt Capacity 25 Ton vertical working load limit (WLL). Length 8 meters. Width 12 inches 4-ply thickness. 100% Polyester webbing. Anti Slip, Strong Grip, Durable, Washable Safety Factor Ratio 7:1,	1	Num				
8	Web Sling Belt Capacity 25 Ton WLL. Length 8 meters. Width 4-ply (Qaud wall). 100% Polyester webbing Anti Slip, Strong Grip, Durable, Washable Safety Factor Ratio 7:1, Light Weight	1	Num				
9	Lowering Belt Capacity: 15 Ton WLL. Length: 8 meters. Material: 100% Polyester	1	Num				
10	Ice Box (non-electrical) Size: 3' x 1-1/2' x 1-1/2' Capacity: 100 litres Outer & Inner Shell	6	Num				
11	Field Coil 2400 Watt for Dewalt Original 99.99% Copper	12	Num				
12	Cutting Set Complete With Regulator, Cutting Tips and Nozzle	2	Num				

13	Brass Hammer: Solid forged Brass. Purpose: to prevent scratches and damage to metal or surface being worked on as it is softer than steel. Spark-less hits for safety. Handle made of shock absorbing fiberglass or tough oak wood for a comfortable, non-slip grip. Weight: 05 Kg weight.	5	Num				
14	LED Light 100 Watt 24 Hour Warranty Water Proof High Pure Fins Material	2	Num				
15	Kassi With Handle Heavy Duty	12	Num				
16	Water Cooler (Non-electrical type) Capacity: 50 liters Body: a. Outer layer: High-density-polyethylene (HDPE), b. Middle Layer: Insulation made of injected Polyurethane (PU) Foam Filling c. Inner Bucket (Liner): Molded from 100% Virgin Food-Grade Plastic (BPA-Free Polypropylene). Tap / Spout (Toti): fabricated from heavy-duty ABS (Acrylonitrile Butadiene Styrene) Plastic featuring rubber washers to prevent leakage under regular rotational stress. Anti Fungal	5	Num				
17	Canvas Turpal Size 20' x 40' (Water Proof)	5	Num				
18	G.I.Box Size 6 ft (Length) × 3 ft (Width) × 3 ft (Height) Sheet Thickness: 22 Gauge (approx. 0.79 mm or 0.0312 inches in steel thickness) Strong handles for lifting on either side. Locking strip on front. fine/heavy-duty stitching (welded and riveted edges).	6	Num				
19	Welding Canopy Attested size: 36' x 36' Material: Heavy-gauge, Fire-Retardant Vinyl-Coated PVC. Weight & Thickness: Minimum 18 oz. per square yard; thickness ≥ 20 mils. Water Proof: 24 hours resistance Standards Compliance: ANSI/FM 4950 Seams: All panel junctions must feature double-lock stitched hems sewn exclusively with high-heat Kevlar / Aramid thread or be continuous heat-welded. Grommets: Heavy-duty, rustproof #4 brass or stainless steel grommets placed at maximum 24-inch intervals along all perimeter hems. Corners: Double-layer webbing reinforcement pads at all four major corner junctions	4	Num				
20	Ganti With Handle	12	Num				
21	Shoval With Handle	12	Num				

22	White Paint Marker Oil-based marker with strong odour and quick drying Weather resistant for outdoor applications Required for marking/writing on pipes	12	Num				
23	Silky Scarf (Romal) Size: 54"x 54 " Purpose: To be worn by welders on head and around neck under protective gear/equipment/cap Material: Soft Cloth, Silk & Fiber Mix (7/8 Micron)	78	Num				
24	Safety Cone Large Size	24	Num				
25	Canvas Turpal (Tarpaulin) Size: 30' x 50' Material: Cotton-Polyester blend for durability Weight: 20 oz per square yard Treatment: wax treated for water proofing (minimum 24 hour water proof) Features: rust-resistant brass grommets (eyelets) spaced every 24 to 36 inches along the perimeter, with double-stitched lock seams for reinforcement.	2	Num				
26	Measuring Wheel with digital counter Wheel diameter: 12 inches	2	Num				
27	Gas Cutting Hose Pipe Twin Pair Size ½" dia 300 PSI	100	Fts				
28	Gas Cutting Torch Set With Tip Cleaner, DA & Oxygen Gauges Set	2	Num				
29	Gas Cutting Tip/Nozzel	6	Num				
30	Ice Box GI Size 3' x 2'	2	Num				
31	Insulation Tap F/Q	24	Num				
32	Screw Driver Star Set	2	Num				
33	Hand Level 24" F/Q	2	Num				
34	Steel Wire Rope Size ¾", Hooks Pressed on Both Ends, Length 20 Feet	2	Num				
35	Chain Boomer (Hand Puller) Cap.5 Ton	1	Num				
36	Web Sling (safety Belt Cap. 05 Ton) 8 Mtr Length 100% Polyester	2	Num				

37	Chain Block (Chain Pully) Cap. 5 Ton	1	Num				
38	Wire Brush Wooden	6	Num				
TOTAL RS.					-	-	-