

BOQ
PRICE SCHEDULE-1
PROCUREMENT, SUPPLY & PLACEMENT OF IRON CASH CAGES WITH TRIPLE LOCK SYSTEM FOR NBP
BRANCHES UNDER RO SIALKOT (0403)
TICKET NO.97727

Sr. No.	Description		Qty.	Rate in word & figure	Unit	Amount
1	Supply & Fixing of Steel Cash Cages Cabinet of Dimension 6 (ft) H x 4ft (W) x 1.5 (D) Having Total 03 horizontal shelves with triple locks system as per approved NBP/SBP Standards		7		Each Set	
	Frame	Complete Frame 6ft x4f tx1.5ft be fabricated of 2"x 2"-6mm Angle Iron including partitions fitted with equally distributed MS polished rod dia 12mm fitted vertically from four sides front/back/02 sides) with jali /steel net fitted at four sides				
	Shelves	Three shelves fabricated of equal size fabricated of angle iron 2"x 2"-6mm angle				
	Doors	02 Doors having 2"x 2"-6mm Angle Iron frame with equally distributed MS polished rod dia 12mm fitted vertically into doors with side bracing plates 6mm plates at all sides				
	Locks	Triple Lock system for cash cages, 1 x lock lower with 3 No x keys, 1 x lock middle with 4 Nos x keys & 1 x lock upper with 3 No x keys Note: 1 x cash cage with 3 x Lock including 10 x keys				
	Hinges	High profile Hinges fabricated of MS Polished rod				

	Paint	inside & outside powder coated with best quality paint/spray painted with enamel hammer finished. Thickness of paint not less than 120 micron				
	Jali/net	Complete Frame including doors be fitted with Jali/ Net of 16 SWG or as per standards				
	Standards	work be done as per best engineering standard approved SBP & NBP				
		Loading/unloading, placement charges are included to Designated Room at Branch. Transportation charges, all other Tools & plants require to complete the work in all respect are included.				

Amount in Words (RS. _____)

- The quoted rates / amount shall be inclusive of all applicable Federal/Provincial Govt. Taxes/Duties and charges for inland transportation and other related services etc. as specified in the Clause 16 or 17 of the BDS.
- The Items upon delivery at the site should be got verified from the Bank Engineer; prior to its installation at site. Otherwise, Bank Engineer reserves the right to replace the same without incurring any liability or payment of any charges to the bidder.