Technical Evaluation Report

(Under Rule 35 of Public Procurement Rules, 2004)

Procuring Agency Name	Bahria University Health Sciences Campus, Karachi
Procurement Title	Procurement and Complete Installation of SMD Screen at IBN-E-SINA Auditorium at Bahria University Health Sciences Campus Karachi
Procurement Reference Number	P94090
Procurement Type	Goods
Procurement Procedure	Single Stage-Two Envelope
Evaluation Criteria	Least Cost Based Selection (LCBS)
Date & Time (Bid Closing)	Tuesday, September 15, 2026 11:00 AM
Date & Time (Bid Opening)	Tuesday, September 15, 2026 11:30 AM
No. of Bids Received	02
Report Preparation Date	Wednesday, September 16, 2026 10:13 AM
Report Publish Date	Wednesday, September 16, 2026 11:34 AM

BIDDER NAME	ELIGIBILITY	TECHNICAL MARKS: 100 PASSING: 100	REMARKS UNDER 35(2) OF PUBLIC PROCUREMENT RULES, 2004
Digi Watch Solutions Sole Proprietorship	Eligible	70 Weightage : ((70 / 100 x 100) x 100% = 70)	Technically Disqualified for failing to achieve the minimum passing score of 100.

BIDDER NAME	ELIGIBILITY	TECHNICAL MARKS: 100 PASSING: 100	REMARKS UNDER 35(2) OF PUBLIC PROCUREMENT RULES, 2004
Arista Solutions Sole Proprietorship	Eligible	100 Weightage : ((100 / 100 x 100) x 100% = 100)	

Items and Lots

SMD SCREEN 20FT X 10FT *(INDIVIDUAL ITEM)* UNSPSC: PROJECTION SCREENS OR DISPLAYS	REMARKS UNDER 35(2) OF PUBLIC PROCUREMENT RULES, 2004
Arista Solutions Sole Proprietorship	Qualified

PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA) EPADS