

Standard Bidding Document

Purchase of Electro-Medical Equipment for Surgery Department under
PSDP project for financial year 2025-26 & 2026-27.

(Goods)

National

Single Stage-Two Envelope



April 20, 2026

*FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-
PGMI)), Joint Executive Director
FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory
Phone: +92-333-550-9275, Email: jed@fgpc.gov.pk*

Table of Contents

Instructions to Bidders	3
Bid Data Sheet	23
Bids Data Sheet (BDS)	24
Eligibility Criteria	28
Evaluation Criteria	30
Items/Lots	33
Related Services of Goods:	44
Items/Lot Specification	46
Price Schedule	116
General Conditions of Contract	118
Special Conditions of Contract	129
Bid Securing Declaration	135
Contract Form	137
Integrity Pact	140
Performance Guarantee Form	142
Annexure	144
Under taking on Judicial paper	145
Arbitration & FORCE MAJEURE	146
Procurement Forms	147
Past Experience and Completed Contracts	1
Historical Contract Non-Performance, and Pending Litigation and Litigation History	1

Current Contracts and Their Progress	1
Financial Capacity and Net Worth Evaluation Form	1
Average Annual Turnover	1
Additional Forms and Documents	150

INVITATION TO BIDS PROCUREMENT OF GOODS

1. The **FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI))** has reserved Funds for the procurement planned for FY **2025-26**. The **FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI))** intends to apply part of the proceeds of this Fund to cover eligible payments under the contract for the "**Purchase of Electro-Medical Equipment for Surgery Department under PSDP project for financial year 2025-26 & 2026-27.**".
2. The **FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI))** invites E-bids from eligible Bidders for procurement of goods described in the bidding documents on **EPADS v2.0**.
3. **Single Stage-Two Envelope** will be used by adopting **Least Cost Based Selection (LCBS)** Technique for the subject procurement, in line with the Public Procurement Rules, 2004 and any Regulations, Regulatory Guides, Procurement Guidelines or Instructions issued by the Authority from time to time.
4. All Bids must be accompanied by a Bid Security amounting described in Bid Security Section in Bidding Document in the form of **Pay Order, Call at Deposit**. Where **Bid Security** is not required by the **Procuring Agency**, Bidders are required to furnish **Bid Security Declaration** as specified in Bidding Document.
5. E-Bidding documents, containing detailed terms & conditions, specifications and requirements etc. are available on **e-Pak Acquisition and Disposal System (EPADS)** at <https://vendors.epads.gov.pk/>.
6. Bidder(s) are required to get themselves registered on **EPADS v2.0** on or before **Tuesday, May 5, 2026 11:00 AM**. E-bids will be opened using **EPADS v2.0** on the same day at **Tuesday, May 5, 2026 11:30 AM**. Manual submission of Bids shall not be entertained. Those vendors who have not yet registered on the new version of **EPADS v2.0**, may register themselves on <https://vendors.epads.gov.pk/>. A tutorial to explain the registration process is

available at <https://www.youtube.com/watch?v=MNW6T38v7tc>

7. In terms of Rules 48 of Public Procurement Rules, 2004 Grievance Redressal Committee (GRC) is notified for the subject procurement and notification copy is available on the procuring agency's website and on Authority's website at (www.ppra.org.pk).

FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI)), Joint Executive Director
FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory
+92-333-550-9275
jed@fgpc.gov.pk





Instructions to Bidders

A. Introduction

1. Scope of Bids

1.1 The Procuring Agency (PA), as indicated in the **Bids Data Sheet (BDS)** invites Bids **through EPADS v2.0** for the provision of Goods for as specified in the BDS and **in Section V - Evaluation Criteria, Specifications & Schedule of Requirements**. The name, identification, and number of items/deliverables are provided in the **BDS**. The successful Bidders will be expected to provide the goods within the specified period and timeline(s) as stated in the **BDS**.

2. Source of Funds

2.1 Source of funds is referred in Clause-1 of Invitation for Bids.

3. Eligible Bidders

3.1 A Bidder may be natural person, company or firm or public or semi-public agency of Pakistan or any foreign country, or any combination of them with a formal existing agreement (on Judicial Papers) in the form of a joint venture, consortium, or association. In the case of a joint venture, consortium, or association, all members shall be jointly and severally liable for the execution of the Contract in accordance with the terms and conditions of the Contract. The joint venture, consortium, or association shall nominate a Lead Member as nominated in the BDS, who shall have the authority to conduct all business for and on behalf of any and all the members of the joint venture, consortium, or association during the Bidding process, and in case of award of contract, during the execution of the contract.

3.2 Verifiable copy of the agreement that forms a joint venture, consortium or association shall be required to be submitted as part of the Bid.

3.3 The appointment of Lead Member in the joint venture, consortium, or association shall be confirmed by submission of a valid Power of Attorney to the Procuring Agency.

3.4 Any bid submitted by the joint venture, consortium or association shall indicate the part of proposed contract to be performed by each party and each party shall be evaluated (or post qualified if required) with respect to its contribution only, and the responsibilities of each party shall not be substantially altered without prior written approval of the Procuring Agency and in line with

any instructions issued by the Authority.

(The limit on the number of members of JV or Consortium or Association may be prescribed in BDS, in accordance with the guidelines issued by the PPRA).

3.5 The invitation for Bids is open to all prospective suppliers, manufacturers, or authorized agents / dealers subject to any provisions of incorporation or licensing by the respective national incorporating agency or statutory body established for that particular trade or business. Procuring agencies shall specify the registration/licensing requirements for the foreign bidders keeping in view the requirement of that business.

3.6 A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to have a conflict of interest with one or more parties in this Bidding process, if they:

1. are associated or have been associated in the past, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring Agency to provide consulting services for the preparation of the design, specifications and other documents to be used for the procurement of the Goods to be purchased under this Invitation for Bids.
2. have controlling shareholders in common; or
3. receive or have received any direct or indirect subsidy from any of them; or
4. have the same legal representative for purposes of this Bid; or
5. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bids of another Bidder, or influence the decisions of the Procuring Agency regarding this Bidding process; or
6. Submit more than one Bid in this Bidding process.

3.7 A Bidder may be ineligible if –

1. he is declared bankrupt or, in the case of company or firm, insolvent;
2. payments in favor of the Bidder is suspended in accordance with the judgment of a court of law other than a judgment declaring bankruptcy and resulting (in accordance with the national laws) in the total or partial loss of the right to administer and dispose of its property;

3. the Bidder is convicted, by a final judgment, of any offence involving professional conduct;

4. the Bidder is blacklisted locally or by international organizations and hence debarred due to involvement in corrupt and fraudulent practices, or performance failure or due to breach of Bid securing declaration.

3.8 As and when required, bidders shall provide to the Procuring Agency evidence of their eligibility, proof of compliance with the necessary legal requirements to carry out the contract effectively.

3.9 Bidders shall submit Bids relating to the nature, conditions and modalities of sub-contracting wherever the sub-contracting of any elements of the contract amounting to more than ten (10) percent of the Bid price is envisaged.

4. Eligible Goods and Related Services

4.1 All goods and related services to be supplied under the contract shall have their origin in eligible source countries, and all expenditures made under the contract will be limited to such goods and services. For purpose of this Bid, ineligible countries are the countries declared ineligible by the Federal Government.

5. One Bid per Bidder

5.1 A bidder shall submit only one Bid, in the same bidding process, either individually as a Bidder or as a member in a joint venture or any similar arrangement.

5.2 The Bidder shall not engage a subcontractor for any portion of the contract if the value of such subcontracting exceeds thirty percent (30%) of the total contract amount.

6. Cost of Bidding

6.1 Any cost incurred by the bidder relating to the preparation and submission of its Bid shall be borne by the bidder, and the Procuring Agency shall in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

B. Bidding Documents

7. Contents of Bidding Document

7.1 The Goods required, Bidding procedures, and terms and conditions of the contract are prescribed in the Bidding Documents. In addition to the Invitation for Bids, the Bidding documents which should be read in conjunction with any addenda issued in accordance with **ITB 9.1** include:

Section I -Invitation to Bids

Section II Instructions to Bidders (ITB)

Section III Bid Data Sheet (BDS)

Section IV Evaluation Criteria, Specifications, Schedule of Requirements

Section V Bid Forms

Section VI General Conditions of Contract (GCC)

Section VII Special Conditions of Contract (SCC)

Section VIII Contract Forms

7.2 The Bidder is expected to examine all instructions, forms, terms and specifications in the Bidding documents. Failure to furnish all the information required in the Bidding documents through **EPADS v2.0** will be at the Bidder's risk and may result in the rejection of his Bids.

8. Clarification of Bidding documents

8.1 A prospective Bidder requiring any clarification of the Bidding documents may notify the Procuring Agency through **EPADS v2.0**.

8.2 The Procuring Agency will within three (3) working days after receiving the request for clarification, respond to any request for clarification through **EPADS v2.0** provided that such request is received not later than three (03) days prior to the deadline for the submission of Bids as prescribed in **ITB 22**

8.3 Copies of the Procuring Agency's response will be forwarded to all identified Prospective Bidders through **EPADS v2.0**, including a description of the inquiry, but without identifying its source.

8.4 Should the Procuring Agency deem it necessary to amend the Bidding document as a result of a clarification, it shall do so following the procedure under **ITB 9**.

8.5 If indicated **in the BDS**, the Bidder's designated representative is invited at the Bidder's cost to attend a pre-Bid meeting at the place, date and time mentioned **in the BDS**. During this pre-Bid meeting, prospective Bidders may request clarification of the schedule of requirement, the Evaluation Criteria or any other aspects of the Bidding document.

8.6 Minutes of the pre-Bid meeting, if applicable, including the text of the questions asked by Bidders, including those during the meeting (without identifying the source) and the responses given, together with any responses prepared after the meeting will be uploaded on **EPADS v2.0**. Any modification to the Bidding documents that may become necessary as a result of the pre-Bid meeting shall be made by the Procuring Agency exclusively through the use of an Addendum pursuant to **ITB 9**. Non-attendance at the pre-Bid meeting will not be a cause for disqualification of a Bidder.

9. Amendment of Bidding documents

9.1 Before the deadline for submission of Bids, the Procuring Agency for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder or Pre-Bid meeting may modify the Bidding documents by issuing addenda through **EPADS v2.0**.

9.2 The Procuring Agency shall promptly publish the addendum through **EPADS v2.0**.

9.3 Any addendum issued including the notice of any extension of the deadline shall also be communicated through EPADS v2.0 to all the bidders who have already submitted their bids. Such bidders shall have the right to withdraw their already submitted bid and re-submit the revised bid prior to the original or extended bid submission deadline.

9.4 To give prospective Bidders reasonable time in which to take an addendum/corrigendum into account in preparing their Bids, the Procuring Agency may, at its discretion, extend the deadline for the submission of Bids through **EPADS v2.0**:

Provided that the Procuring Agency shall extend the deadline for submission of Bids, if such an addendum is issued within last three (03) days of the Bids submission deadline.

C. Preparation of Bids

10. Language of Bid

10.1 The Bid prepared by the bidder, as well as all correspondence and documents relating to the Bids exchanged by the Bidder and the Procuring Agency shall be written in the English language unless otherwise specified in the BDS. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant pages in the English language unless otherwise specified in the **BDS**, in which case, for purposes of interpretation of the Bidder, the translation shall govern.

11. Documents and samples Constituting the Bid

11.1 The Bid prepared by the Bidder shall constitute the documents required in the **BDS**.

Details of sample(s) where applicable and requested in the BDS.

1. Documentary evidence established in accordance with ITB that the Bidder is eligible and/or qualified for the subject bidding process;
2. Documentary evidence establish that the Bidder has been authorized by the manufacturer to deliver the goods into Pakistan, where required and where the supplier is not the manufacturer of those goods;
3. Documentary evidence establish that the goods and related services to be supplied by the Bidder are eligible goods and services, and conform to the Bidding Documents;
4. Bid security or Bid Securing Declaration furnished in accordance with **ITB 18**.

12. Documents Establishing Eligibility of the Goods and Conformity to Bidding documents

12.1To establish the conformity of the bidder to the Bidding document, the Bidder shall furnish as part of its Bids the documentary evidence that Goods provided conform to the technical specifications and standards.

13. Documents Establishing Eligibility and Qualification of the Bidder

13.1 The Bidder shall furnish, as part of its Bid, all those documents establishing the Bidder's eligibility to participate in the Bidding process and/or its qualification to perform the contract if its Bid is accepted.

14. Form of Bids

14.1 The Bidder shall fill the Form of Bid furnished in the Bidding documents. The Bids Form must be completed without any alterations to its format and no substitute shall be accepted.

15. Bids Prices

15.1 The Bids Prices quoted by the Bidder in the Form of Bid and in the Price Schedules shall conform to the requirements specified below or exclusively mentioned hereafter in the Bidding documents.

15.2 All items in the Schedule of Requirement must be listed and priced separately in the Price Schedule(s). If a Price Schedule shows items listed but not priced and neither explicitly denied, their prices shall be construed to be included in the prices of other items.

15.3 Items not listed in the Price Schedule shall be assumed not to be included in the Bid, and provided that the Bid is still substantially responsive in their absence or due to their nominal nature, the corresponding average price of the respective item(s) of the remaining substantially responsive Bidder(s) shall be construed to be the price of those missing item(s)

15.4 The Bid price to be quoted in the Form of Bid in accordance with **ITB 14.1** shall be the total price of the Bid.

15.5 The Bidder shall indicate on the appropriate Price Schedule, the unit prices (where applicable) and total Bid price of the Goods it proposes to provide under the contract.

15.6 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation on any account. A Bid submitted with an adjustable price will be treated as non-responsive and shall be rejected.

16. Bids Currencies

16.1 Prices shall be quoted in Pakistani Rupees unless otherwise specified in the BDS in accordance with Rule 30(2) of the Public Procurement Rules, 2004.

17. Bids Validity Period

17.1 Bids shall remain valid for the period specified in the **BDS** after the Bid submission deadline prescribed by the Procuring Agency. A Bid valid for a shorter period shall be rejected by the Procuring Agency as non-responsive. The period of Bid validity will be determined from the complementary Bid securing instrument, i.e. the expiry period of Bid Security or Bids Securing Declaration as the case may be.

17.2 The procuring agency shall ordinarily be under an obligation to process and evaluate the bid and to issue letter of award within the stipulated bid validity period.

17.3 Under exceptional circumstances, prior to the expiration of the initial Bid validity period, the Procuring Agency may request the Bidders' consent to an extension of the period of validity of their Bids only once through **EPADS v2.0**, for the period not more than the period of initial bid validity. The Bid Security provided under **ITB 18** shall also be suitably extended. A Bidder may refuse the request without forfeiting its Bid security or causing to be executed its Bid Securing Declaration. A Bidder agreeing to the request will not be required nor permitted to modify its Bid, but will be required to extend the validity of its Bid Security or Bid Securing Declaration for the period of the extension.

18. Bid Security or Bid Securing Declaration

18.1 The Bidder shall furnish as part of its Bid, a Bid Security in accordance with Rule 25 of the Public Procurement Rules, 2004.

18.2 The original Bid Security shall be enclosed within the sealed envelope and to be submitted physically before closing time for submission of bids. Whereas, scanned copy of bid security shall be uploaded electronically through EPADS v2.0 before closing hours for submission of bids.

18.3 The Bidder who failed to submit the original Bids security before the submission deadline shall be disqualified straightaway.

18.4 The Bid Security or Bid Securing Declaration is required to protect the Procuring Agency against the risk of Bidder's conduct which would warrant the security's forfeiture, pursuant to **ITB 18.7**.

18.5 The Bid Security shall be denominated in the local currency, and it shall be a Bank Draft in the name of the Procuring Agency and valid for twenty-eight (28) days beyond the end of the validity of the Bid. This shall also apply if the period

for Bids/Bid Validity is extended. In either case, the form must include the complete name of the Bidder.

18.6 The Bid Security shall be payable promptly upon written demand by the Procuring Agency in case any of the conditions listed in **ITB 18** are invoked.

18.7 Unsuccessful Bidders' Bid Security will be discharged or returned as promptly as possible, however in no case later than thirty (30) days after the expiration of the period of Bids Validity prescribed by the Procuring Agency pursuant to **ITB 17**. The Procuring Agency shall make no claim to the amount of the Bid Security, and shall promptly return the Bid Security document, after whichever of the following that occurs earliest:

1. the expiry of the Bid Security;
2. the entry into force of a procurement contract and the provision of a Performance Guarantee, for the performance of the contract if such a guarantee, is required by the Bid documents;
3. the rejection by the Procuring Agency of all Bids;
4. the withdrawal of the Bids prior to the deadline for the submission of Bids, unless the Bids documents stipulate that no such withdrawal is permitted.

18.8 The successful Bidder's Bids Security will be discharged upon the Bidder signing the contract, or furnishing the Performance Guarantee.

18.9 The Bid Security may be forfeited or the Bid Securing Declaration executed:

1. if a Bidder:
 2. withdraws its Bid during the period of Bid Validity as specified by the Procuring Agency, and referred by the Bidder on the Form of Bids except as provided for in **ITB 17.2**; or
 3. does not accept the correction of errors; or
 4. in the case of a successful Bidder, if the Bidder fails:
 5. to sign the contract; or
 6. to furnish Performance Guarantee.

19. Withdrawal, Substitution, and Modification of Bid

19.1 Before Bid submission deadline, any Bidder may withdraw, substitute, or modify its Bid after it has been submitted through EPADS v2.0. Bids requested to be withdrawn, shall be returned unopened to the Bidders through **EPADS v2.0**.

20. Format and Signing of Bid

20.1 The Bidder shall prepare and submit Bids with due diligence after carefully reading all the terms and condition **before bid submission deadline** through EPADS v2.0.

D. Submission of Bids

21. Submission of Bids through EPADS v2.0

21.1 The Technical and Financial Bids if required to submitted, shall be submitted on **EPADS v2.0**.

22. Deadline for Submission of Bids

22.1 Bids shall be received by the Procuring Agency through **EPADS v2.0** before bid submission deadline.

22.2 The Procuring Agency may, under exceptional circumstances, extend the deadline for the submission of Bids, after recording reasons in writing and in an equal opportunity manner.

In such case, all rights and obligations of the Procuring Agency and the Bidders that were previously governed by the original deadline shall thereafter be subject to the revised deadline.

E. Opening and Evaluation of Bids

23. Opening of Bids

23.1 The Bid Evaluation Committee of the Procuring Agency shall open all Bids through the EPADS v2.0, on the date and time specified in the Bid Data Sheet (BDS).

23.2 The Bid Evaluation Committee **shall generate minutes through EPADS v2.0 containing brief details of bid opening process.** The record of the Bid opening shall include, as a minimum: the name of the Bidder, the Bid price if applicable, and the presence or absence of a Bid Security or Bid Securing Declaration.

23.3 The procuring agency shall live broadcast the opening of bids on national media or on their website or digital channels, if the volume of procurement exceeds five hundred million rupees in case of goods and services and one thousand million rupees in case of works.

23.4 In case the date of opening of bid has been declared as public holiday or the procuring agency fail to open bid due to any EPADS v2.0 related issues, the submission and opening of bids shall be shifted to the next working day on the same time.

23.5 In case of Single Stage One Envelope Procedure, the Bidders names, the Bid prices, the total amount of each Bid and, the presence or absence of Bid Security, Bid Securing Declaration and such other details as the Procuring Agency may consider appropriate, will be announced by the Bid Evaluation Committee.

24. Clarification of Bids

24.1 To assist in the examination, evaluation and comparison of Bids of the Bidders, the Procuring Agency may, ask any Bidder for a clarification of its Bid including breakdown of prices.

24.2 The request for clarification and the response shall be sought through EPADS v2.0 **before three days prior to the deadline for submission of bids.** No change in the prices or substance of the Bids shall be sought, offered, or permitted.

24.3 The alteration or modification in the BIDS which in any way affect the following parameters will be considered as a change in the substance of a Bids:

1. evaluation & qualification criteria;
2. required scope of work or specifications;
3. all securities requirements;
4. tax requirements;

5. terms and conditions of Bidding documents.

6. change in the ranking of the Bidder

24.4 From the time of Bids opening to the time of Contract award if any Bidder wishes to contact the Procuring Agency on any matter related to the Bids it should do so through **EPADS v2.0**.

25. Preliminary Examination of Bids

25.1 Prior to the detailed evaluation of Bids, the Procuring Agency will determine whether each Bid:

1. meets the eligibility criteria defined in **ITB 3**;
2. has been prepared as per the format and contents defined by the Procuring Agency in the Bidding documents;
3. is accompanied by the required securities; and
4. is substantially responsive to the requirements of the Bidding documents.

25.2 The Procuring Agency's determination of a Bid's responsiveness will be based on the contents of the Bid itself.

25.3A substantially responsive Bid is one which conforms to all the terms, conditions, and specifications of the Bidding documents, without material deviation or reservation. A material deviation or reservation is one that: -

1. affects in any substantial way the scope, quality, or performance of the Goods;
2. limits in any substantial way, inconsistent with the Bidding documents, the Procuring Agency's rights or the Bidders obligations under the Contract; or
3. if rectified, would affect unfairly the competitive position of other Bidders presenting substantially responsive Bids.

25.3 If a Bids is not substantially responsive, it will be rejected by the Procuring Agency and may not subsequently be evaluated for complete technical responsiveness.

26. Examination of Terms and Conditions; Technical Evaluation

26.1 The Procuring Agency shall examine the Bids to confirm that all terms and conditions specified in the **GCC** and the **SCC** have been accepted by the Bidder without any material deviation or reservation.

26.2 The Procuring Agency shall evaluate the technical aspects of the Bids submitted, to confirm that all requirements specified in Schedule of Requirements and Technical Specifications of the Bidding documents have been met without material deviation or reservation.

26.3 If after the examination of the terms and conditions and the technical evaluation, the Procuring Agency determines that the Bid is not substantially responsive in accordance with **ITB 25.2**, it shall reject the Bid.

27. Correction of Errors

27.1 Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows: -

1. if there is a discrepancy between unit prices and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the total price shall be corrected, unless in the opinion of the Procuring Agency there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;
2. if there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected; and
3. where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.
4. Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of Bids, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.

27.2 The amount stated in the Bid will, be adjusted by the Procuring Agency in accordance with the above procedure for the correction of errors and, with the concurrence of the Bidder, shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount, its Bid will then be rejected, and the Bid Security may be forfeited or the Bids Securing Declaration may be executed.

28. Conversion to Single Currency

28.1 To facilitate evaluation and comparison, the Procuring Agency will convert all Bids prices expressed in the amounts in various currencies in which the Bids prices are payable. For the purposes of comparison of bids quoted in different currencies, the price shall be converted into a single currency specified in the bidding documents. The rate of exchange shall be the selling rate prevailing on the date of opening of financial bids specified in the bidding documents, in accordance with weighted average customer exchange rates list issued by the State Bank of Pakistan on that day.

29. Evaluation of Bids

29.1 The Bids, quotations, or proposals shall be evaluated by the respective evaluation committees as per evaluation criteria described in the Bidding Documents in accordance with Rule 29 and 30 of the Public Procurement Rules, 2004.

1. Least Cost Based Selection (LCBS)

After meeting the requirements of eligibility, qualification and substantial responsiveness, the bid in compliance with all the mandatory (technical) specifications/requirements and/or requisite quality threshold (if any), and having lowest evaluated cost (or financial proposal) shall be considered Successful Bid.

2. Quality and Cost Based Selection (QCBS)

In such combination, there shall be some specific weightage of both the technical features and financial aspects of the proposal. The financial marks shall be awarded on the basis of inverse proportion calculations. The successful bid shall be declared, on the basis of combined evaluation.

3. Quality Based Selection (QBS)

After meeting the requirements of eligibility, qualification and substantial responsiveness the bid in compliance with all the mandatory (technical) specifications/requirements and attaining highest marks in the Technical Evaluation considering all other qualitative and/or quantitative parameters (or point rated criteria) for technical proposal(s) such as working methodology, implementation plan, resource allocation, additional functionalities, risk management approach, knowledge transfer techniques, post implementation methodology etc. shall be treated as highest ranked bid. Later on, the financial proposal of highest ranked bidder shall be opened, however, in case of failure to proceed further with such a bidder, the procuring agency may resort to second

highest bidder and so on.

29.2 In case of tie of bids, the bidders shall be provided an opportunity to offer their best and final monetary offer through EPADS v2.0. However, in no case the rates shall be higher than the original financial bids.

30. Domestic Preference

30.1 The procuring agency shall evaluate and compare bids, allow for preference to domestic bidders, while competing with the international bidders in accordance with the policies of Federal Government.

The percentage of preference, to be accorded shall be clearly mentioned in the bidding documents under the bid evaluation criteria.

31. Determination of Successful Bid

31.1 Selection technique will be adopted for determining the Successful Bid in accordance with the criteria referred in the BDS or prescribed in the separate section titled as Evaluation Criteria.

31.2 In case where the Procuring Agency adopts the Cost Based Evaluation Technique and, the Bid with the lowest evaluated price from amongst those which are eligible, compliant and substantially responsive shall be the Successful Bid.

31.3 The Procuring Agency may adopt the Quality & Cost Based Selection Technique due to the following two reasons:

1. Where the Procuring Agency knows about the main features, usage and output of the products; however not clear about the complete features, technical specifications and functionalities of the goods to be procured and requires the bidders to submit their proposals defining those features, specifications and functionalities; or
2. Where the Procuring Agency, in addition to the mandatory requirements and mandatory technical specifications, requires parameters specified in EvaluationCriteria to be evaluated while determining the quality of the goods.

31.4 In such cases, the Procuring Agency may allocate certain weightage to these factors as a part of Evaluation Criteria, and may determine the ranking of the bidders on the basis of combined evaluation in accordance with provisions of Rule 2(1)(h) of the Public Procurement Rules, 2004.

32. Abnormally Low Financial Bids

32.1 Where the Bid price is considered to be abnormally low, the Procuring Agency shall perform price analysis either during determination of Successful Bids or as a part of the post-qualification process.

32.2 The Procuring Agency may reject an Abnormally low financial bids.

32.3 In order to identify the Abnormally Low Bids (ALB) following approaches can be considered to minimize the scope of subjectivity:

1. Comparing the Bids price with the cost estimate;
2. Comparing the Bids price with the Bids offered by other Bidders submitting substantially responsive Bids; and
3. Comparing the Bids price with prices paid in similar contracts in the recent past either government- or development partner-funded.

32.4 The Procuring Agency will determine to its satisfaction whether the Bidder that is selected as having submitted the successful bid is qualified to perform the contract satisfactorily.

32.5 The determination will take into account the Bidder's financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, as well as such other information as the Procuring Agency deems necessary and appropriate. Factors not included in these Bidding documents shall not be used in the evaluation of the Bidders' qualifications.

32.6 Procuring Agency may seek "Certificate for Independent Price Determination" from the Bidder and the results of reference checks may be used in determining an award of contract.

Explanation: The Certificate shall be furnished by the Bidder. The Bidder shall certify that the price is determined keeping in view of all the essential aspects such as raw material, its processing, value addition, optimization of resources due to economy of scale, transportation, insurance and margin of profit etc.

32.7 An affirmative determination will be a prerequisite for award of the contract to the Bidder. A negative determination will result in rejection of the Bidder's Bids, in which event the Procuring Agency will proceed to the next ranked Bidder to make a similar determination of that Bidder's capabilities to perform

satisfactorily.

F. Award of Contract

33. Criteria of Award

33.1 The Procuring Agency will award the Contract to the Bidder whose Bids has been determined to be substantially responsive to the Bidding documents and who has been declared as Most Advantageous Bidder.

34. Negotiations

34.1 The procuring agency shall not engage in negotiations with respect to scope and price with the bidder except when the procuring agency conducts a procurement using direct **or negotiated** contracting or a request for proposals with evaluation based on quality alone.

34.2 The procuring agency may negotiate with the most advantageous bid with a view to streamline the work or task execution, at the time of contract finalization on methodology, work plan, staffing, finalizing payment arrangements, delivery arrangements, minor amendments to the special conditions of the contract.

35. Procuring Agency Right to reject all bids

35.1 The Procuring Agency reserves the right to reject all bids or proposals at any time prior to the issuance of the Letter of Award, without incurring any liability, in accordance with Rule 33 of the Public Procurement Rules, 2004.

36. Procuring Agency's Right to Vary Quantities at the Time of Award

36.1 The Procuring Agency reserves the right at the time of contract award to increase or decrease the **quantity of** Goods originally specified in these Bidding documents provided this does not exceed **by** 15%, without any change in unit price or other terms and conditions of the Bids and Bidding documents.

37. Notification of Award

37.1 Prior to the award of contract, the procuring agency shall announce and publish the result of bid evaluation on **EPADS v2.0** in accordance with Rule 35

of the Public Procurement Rules, 2004.

37.2 The Bidder whose Bids has been accepted will be notified of the award by the Procuring Agency prior to expiration of the Bids/Bid Validity period. The Letter of Award will state the sum that the Procuring Agency will pay the successful Bidder in consideration for the delivery of Goods as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price).

37.3 The Letter of award will constitute the formation of the Contract, subject to the Bidder furnishing the Performance Guarantee and signing of the contract.

38. Signing of Contract

38.1 Promptly after issuance of Letter of award, Procuring Agency shall send the successful Bidder the draft Contract, incorporating all terms and conditions as agreed by the parties to the contract.

38.2 Immediately after the Redressal of grievance by the GRC (if any), mandatory standstill period in accordance with Rule 35 of the Public Procurement Rules, 2004 and **after fulfillment of all condition's precedent** of the Contract Form, the successful Bidder and the Procuring Agency shall sign the Contract.

39. Corrupt & Fraudulent Practices

39.1 Procuring Agencies (including beneficiaries of Government funded projects and procurement) as well as Bidders/Contractors under Government financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts, and will avoid to engage in any corrupt and fraudulent practices.

F. Grievance Redressal & Complaint Review Mechanism

40. Constitution of Grievance Redressal

40.1 The Grievance Redressal Committee shall address the grievance, if any submitted by any party, including the bidder, in accordance with Rule 48 of the Public Procurement Rules, 2004 to be read with Redressal of Grievances Regulations, 2021.

40.2 In case if any party or the bidder is not satisfied with the decision of the GRC or if it fails to decide within ten days, the bidder or the party may file an appeal before the Appellate Committee of the Authority in accordance with Rule 48 of the Public Procurement Rules, 2004 to be read with Redressal of Grievances Regulations, 2021.

G. Mechanism of Blacklisting

41. Mechanism of Blacklisting

41.1 The Procuring Agency shall initiate blacklisting proceedings against any bidder, supplier, or contractor in accordance with the Mechanism for Blacklisting Regulations, 2024, read with Rule 19 of the Public Procurement Rules, 2004.

41.2 The blacklisted/debarred bidder may file the review petition before the Authority in accordance with Rule 19 of the Public Procurement Rules, 2004 to be read with Procedure of filing and disposal of Review Petitions Regulations, 2021.





Bid Data Sheet

Bids Data Sheet (BDS)


The following specific data for the procurement of Goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

BDS Clause Number	ITB Number	Amendments of, and Supplements to, Clauses in the Instruction to Bidders
A. Introduction		
1	1.1	<p>Name of Procuring Agency: FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI))</p> <p>The subject of procurement is: Purchase of Electro-Medical Equipment for Surgery Department under PSDP project for financial year 2025-26 & 2026-27.</p> <p>Expected commencement date: Thursday, July 16, 2026</p>
2.	2.1	<p>Financial year for the operations of the Procuring Agency: 2025-26</p> <p>Name and identification number of the Contract: P22463</p>
3.	3.1	<p>JV/Consortium or Association Allowed: No</p> <p>Number of JV/Consortium Members: Nil</p> <p><i>see section of eligibility criteria.</i></p>
B. Bidding Documents		

4.	8.1	The Bidders may seek clarifications through EPADS v2.0 : Clarification Date: Wednesday, April 29, 2026
C. Preparation of Bids		
5.	10.1	<p>The Language of all correspondences and documents related to the Bids shall be in: English</p> <p>List of documents required along with the bid:</p> <ol style="list-style-type: none"> 1. Technical Brochures of all quoted equipment/s. Clearly showing make, model, country of origin and certifications. 2. ensures / undertakes on judicial stamp paper that the quoted item/s and its parts shall be made freely available for making the supply in time for the period as mentioned in ToR of tender. 3. ensures / undertakes on judicial paper that item/s will be delivered at FGPC by the bidder at its own expense. All freight/damages till final installation will be the responsibility of the vendor.
6.	11.1	<p>Items/Lots and there related documents: <i>See section items and Lots</i></p>
7.	12.1	<p>Items / Lots Specifications: <i>see section of items specifications.</i></p>

8.	15.6	The price shall be Fixed .
9.	16.1	Currency of the Bids shall be : PKR
10.	17.1	The Bids/Bid Validity period shall be: 180 Days
11.	18.1	The amount of Bid Security shall be as defined in Bid Security Section for items and lots given in BDS 6 The Bid Security shall be in the form of: Pay Order, Call at Deposit
D. Submission of Bids		
12.	20.1	Bid shall be submitted online on EPADS v2.0 whereas hard copy of the bid security should be submitted to the following; FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory before bid submission deadline. Bids that are not submitted on EPADS v2.0 shall be disqualified. The deadline for Bids submission is: Tuesday, May 5, 2026 11:00 AM
E. Opening and Evaluation of Bids		

13.	23.1	<p>The Bids opening shall take place on EPADS v2.0.</p> <p>Day : Tuesday</p> <p>Date: Tuesday, May 5, 2026</p> <p>Time : 11:30 AM</p>
14.	31.1	<p>Selection technique adopted will be: Least Cost Based Selection (LCBS) <i>see Evaluation Criteria</i></p>
<p>F. Review of Procurement Decisions</p>		
15.	41.1	<p>Grievence against this procurement shall be submitted online on EPADS v2.0.</p> <p>Arbitrator shall be appointed by mutual consent of the both parties.</p>



Eligibility Criteria

Bidder's Type	Required Registration
Sole Proprietorship	NADRA CITIZENSHIP (CNIC/NICOP)
Partnership Firm	FBR (NTN)
Company (Private Limited)	FBR (GSTN)
	DRAP

Eligibility Criteria	Document
1. Compliance with Technical Specifications. The bid must strictly comply with the advertised technical specifications of the quoted single item or complete package (as published in the tender). Any incomplete offer shall be rejected straightaway. In case of multiple items quoted by a single bidder attach undertaking on company letterhead mentioning make model of the items and attach brochure of all items.	Yes
2. Authorization from Manufacturer The bidder must provide valid exclusive sole authorization certificate issued by the manufacturer or its exclusive sole agent for each quoted item.	Yes
3. Proof of Original Manufacturer The bidder must provide documentary evidence issued by the manufacturer confirming the manufacturing site and geographical location of the quoted product.	Yes

<p>4. After-Sales Service Commitment The manufacturer shall provide a certificate confirming that after-sales and backup services will be jointly provided with the local Sole Agent/manufacturer. In the event of a change in the local agent, the manufacturer shall ensure continuity of services either directly or through a newly appointed agent for the specified warranty/maintenance period from the date of commissioning and responsible for back up service after expiry of standard warranty.</p>	<p>Yes</p>
<p>5. Installation Certification Certificate from the manufacturer must be submitted, confirming that the installation of imported electromedical equipment and provision of local instruments shall be carried out in accordance with the technical specifications and in line with professional standards and best practices. (In case of any damage/issue in the product, the sole responsibility will lie on the vendor).</p>	<p>Yes</p>
<p>6. Past Performance The bidder must submit the satisfactory past performance of the quoted item from reputed public sector and tertiary care hospital with phone number and email and submitted certificates should be verifiable. Experience of authorized distributor / sole distributor will be considered.</p>	<p>Yes</p>
<p>7. Technical & Engineering Capability The firm must possess adequate technical and engineering capacity to provide after-sales services. This includes: o A list of technical and engineering staff should be provided o Quoted firm must have factory trained engineer available locally for the quoted item for 10 Million or above items. Documentary proof should be submitted with the offer. o Established Workshop facility should also be available which can be verified by the committee. Workshop</p>	<p>Yes</p>
<p>8. Testing and Calibration Equipment In case of electro medical equipment, firm must have all necessary testing and calibration equipment required for maintenance of the offered products. o A complete list of such equipment must be submitted with the bid o All equipment must be properly calibrated during the warranty period through trained engineers (Undertaking on judicial stamp paper Rs.100 or above) In case of Local instruments, the firm will be exempted from this clause.</p>	<p>Yes</p>

9. Country of Manufacturer & Certifications Medical equipment manufacturer must be USA, Europe, or Japan. The products must comply with at least one or dual (specified in the specifications) of the following regulatory standards as per technical specifications: o FDA, FDA 510K o CE (MDD/MDR) o MHLW (Japan) While the country-of-origin location may be elsewhere in the world (Except India and Israel). o In case of local instrument, CE & ISO13485 must be provided.	Yes
10. Product Availability & Validity The quoted model of the imported product must be currently listed on the official website of the manufacturer.	Yes
11. After-Sales Infrastructure Evaluation The infrastructure proposed by the bidder for after-sales services shall be evaluated for adequacy and compliance with the technical specifications and requirements outlined in the bidding documents. (committee can visit the office to evaluate if required)	Yes
12. Declaration of Accessories The bidder must clearly declare the make, model, and country of origin of all accessories included with the equipment other than main equipment.	Yes
13. Affidavit of Non-Blacklisting The bidder must submit an affidavit on stamp paper worth Rs. 100/- declaring that the firm has not been blacklisted by any Federal or Provincial Government department, or any public sector organization within Pakistan.	Yes
14. Warranty period: The bidder must submit declaration of required warranty period as per specification of equipment and also declare the availability of parts and accessories for period up to ten (10) years after installation of equipment. Free of cost replacement of parts and repair during warranty period.	Yes
15. Financial capability: Annual financial turnover for any of single financial year (i.e. 2022-23/2023-24/ 2024-25) must be 20 Million Rupees or above (copy of bank statement may be attached)	Yes
16. Audit Report: The bidder will provide audit report made by chartered accountant of the firm for financial year (i.e. 2022-23/2023-24/ 2024-25)	Yes

Evaluation Criteria

Eligible bidder(s) with substantially responsive bid(s) offering **Least Cost Based Selection (LCBS)** shall be considered for the award of contract(s).

Least Cost Based Selection (LCBS)

Technical Marks	100
Passing Marks	70
Technical Evaluation Criteria	
Authorization Status (Quantitative)(Doc Required) <ul style="list-style-type: none"> • Authorized Distributor of Exclusive Sole Agent (10) • Authorized Distributor of Exclusive Sole Agent (5) 	10
After Sales & Service Capability (Quantitative)(Doc Required) <ul style="list-style-type: none"> • Qualified at least 1 Biomedical Engineer (15) • Qualified at least 2 Biomedical Engineer (10) • Qualified at least 1 Biomedical Engineer (5) 	15
Availability of proper workshop with proper tools (Attach pictorial evidence and along with list of tools/equipment) (Quantitative)(Doc Required) <ul style="list-style-type: none"> • Workshop within Islamabad/Rawalpindi: (10) • Workshop in other cities (5) 	10

<p>Vendor Past Performance of supply/installation: Evaluation based on satisfactory past performance in supplying equipment/ Instruments (documentary evidence required, Experience of authorized distributor and exclusive sole distributor will be considered.) (Quantitative)(Doc Required)</p> <ul style="list-style-type: none"> • 05 supply/installation or above: (15) • 03-04 supply/installation : (10) 01-02 supply/installation : (5) 	15
<p>Financial Capability: Assessed based on annual business turnover (supported by financial statements): (Quantitative) (Doc Required)</p> <ul style="list-style-type: none"> • PKR 100 million or above: (15) • PKR 50 million or above: (10) • PKR 20 million or above: (5) 	15
<p>Country of Origin (Quantitative)(Doc Required)</p> <p>USA/ Europe / Japan (15)</p> <p>Other than USA/ Europe / Japan (8)</p> <p>In case of Instruments, full 08 marks will be given. (8)</p>	15

Product Demonstration: Evaluation based on demonstration of the quoted equipment: (Quantitative)(Doc Required) • Physical Demonstration: (10) Video Demonstration: (5)	10
Bidder Experience in supplying medical equipment (Quantitative)(Doc Required) 5 years or above (10) • 3 to 5 years : (8) • 1 to 3 years : (5)	10

Items/Lots

Items Without Lots :

Item	UNSPSC	Delivery Schedule	Quantity	Bid Security	Sample Quantity	Manufacturer / Dealer Authorization	Warranty
------	--------	-------------------	----------	--------------	-----------------	-------------------------------------	----------

3D Laparoscopic Unit with basic set	General Laparoscopy	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Schedule: 120 Days Quantity: 1	1	300000	--	Any	2 Years
4K LAPARSOCOPY CAMERA COMPLETE TOWER	General Laparoscopy	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	200000	--	Any	2 Years

Blood Warmer	Blood warming or transfusion systems	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 2	2	12000	--	Any	2 Years
Cautery Unit	Electrosurgical or electrocautery equipment	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 2	2	40000	--	Any	2 Years

Choledochoscope	Medical equipment and instrument disinfectant washing equipment	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	80000	--	Any	2 Years
Dermatome with accessories	Surgical dermatome or dermabrader or dermamesher accessories	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	80000	--	Any	2 Years

Flexible Sigmoidoscope	Sigmoidoscopes	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	40000	--	Any	2 Years
LAPAROSCOPIC BARIATRIC SET	Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	40000	--	Any	2 Years

Laparsopic Stapling Gun	Medical powered stapling system or accessories for internal use	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 8	8	100000	--	Any	2 Years
LASER MACHINE WITH ACCESSORIES	Surgical lasers	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	80000	--	Any	2 Years

<p>Ligasure Hand Pieces Laparoscopic</p>	<p>Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula</p>	<p>Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 50</p>	<p>50</p>	<p>200000</p>	<p>--</p>	<p>Any</p>	<p>2 Years</p>
<p>Ligasure Hand Pieces Open</p>	<p>Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula</p>	<p>Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 50</p>	<p>50</p>	<p>100000</p>	<p>--</p>	<p>Any</p>	<p>2 Years</p>

Nerve Stimulator	Electric peripheral nerve stimulators	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	10000	--	Any	2 Years
Open Stapling Gun	Medical powered stapling system or accessories for internal use	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 30	30	1000000	--	Any	2 Years

<p>Portable Ultrasound</p>	<p>Medical ultrasound or doppler or echocardiograph monitors</p>	<p>Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1</p>	<p>1</p>	<p>30000</p>	<p>--</p>	<p>Any</p>	<p>2 Years</p>
<p>Self Retaining Retractor Omni Track</p>	<p>Surgical retractors</p>	<p>Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 2</p>	<p>2</p>	<p>12000</p>	<p>--</p>	<p>Any</p>	<p>2 Years</p>

Sterilization solution sprayer	Air sterilizer	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 4	4	40000	--	Any	2 Years
Heavy Duty Suction Machine	Surgical suction machine or vacuum extractor or ultrasonic surgical aspirator	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 4	4	80000	--	Any	2 Years

<p>THOMAS SPLINT ADULT YOUNG LARGE SIZE</p>	<p>General surgical instrument sets</p>	<p>Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 10</p>	<p>10</p>	<p>40000</p>	<p>--</p>	<p>Any</p>	<p>2 Years</p>
<p>Vascular clamp Set</p>	<p>Surgical clamps or clips or forceps</p>	<p>Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 2</p>	<p>2</p>	<p>20000</p>	<p>--</p>	<p>Any</p>	<p>2 Years</p>

VESSEL SEAL VESSEL SEALER GENERATORER GENERATOR	Electrosurgical or electrocautery accessories or attachments, bipolar sealers	Address: FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory Schedule: 120 Days Quantity: 1	1	100000	--	Any	2 Years
--	---	---	---	--------	----	-----	---------

Related Services of Goods:

Yes

Item	UNSPSC	Related Services
3D Laparoscopic Unit with basic set	General Laparoscopy	All requirements/work related to onsite installation, demo and training of end user.
4K LAPARSOCOPY CAMERA COMPLETE TOWER	General Laparoscopy	All requirements/work related to onsite installation, demo and training of end user.
Blood Warmer	Blood warming or transfusion systems	All requirements/work related to onsite installation, demo and training of end user.

Item	UNSPSC	Related Services
Cautery Unit	Electrosurgical or electrocautery equipment	All requirements/work related to onsite installation, demo and training of end user.
Choledochoscope	Medical equipment and instrument disinfectant washing equipment	All requirements/work related to onsite installation, demo and training of end user.
Dermatome with accessories	Surgical dermatome or dermabrader or dermamesher accessories	All requirements/work related to onsite installation, demo and training of end user.
Flexible Sigmoidoscope	Sigmoidoscopes	All requirements/work related to onsite installation, demo and training of end user.
LAPAROSCOPIC BARIATRIC SET	Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula	All requirements/work related to onsite installation, demo and training of end user.
Laparsopic Stapling Gun	Medical powered stapling system or accessories for internal use	All requirements/work related to onsite installation, demo and training of end user.
LASER MACHINE WITH ACCESSORIES	Surgical lasers	All requirements/work related to onsite installation, demo and training of end user.
Ligasure Hand Pieces Laparoscopic	Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula	All requirements/work related to onsite installation, demo and training of end user.
Ligasure Hand Pieces Open	Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula	All requirements/work related to onsite installation, demo and training of end user.
Nerve Stimulator	Electric peripheral nerve stimulators	All requirements/work related to onsite installation, demo and training of end user.

Item	UNSPSC	Related Services
Open Stapling Gun	Medical powered stapling system or accessories for internal use	All requirements/work related to onsite installation, demo and training of end user.
Portable Ultrasound	Medical ultrasound or doppler or echocardiograph monitors	All requirements/work related to onsite installation, demo and training of end user.
Self Retaining Retractor Omni Track	Surgical retractors	All requirements/work related to onsite installation, demo and training of end user.
Sterilization solution sprayer	Air sterilizer	All requirements/work related to onsite installation, demo and training of end user.
Heavy Duty Suction Machine	Surgical suction machine or vacuum extractor or ultrasonic surgical aspirator	All requirements/work related to onsite installation, demo and training of end user.
THOMAS SPLINT ADULT YOUNG LARGE SIZE	General surgical instrument sets	All requirements/work related to onsite installation, demo and training of end user.
Vascular clamp Set	Surgical clamps or clips or forceps	All requirements/work related to onsite installation, demo and training of end user.
VESSEL SEAL VESSEL SEALER GENERATORER GENERATOR	Electrosurgical or electrocautery accessories or attachments, bipolar sealers	All requirements/work related to onsite installation, demo and training of end user.

Items/Lot Specification

Items Without Lots :

Item: 3D Laparoscopic Unit with basic set

UNSPSC: General Laparoscopy

Specifications / Requirements:

3D Laparoscopic Unit with basic set				
Sr.#	Description	Compliance Status Yes/No	Quantity	Page #
	Name: 3D Laparoscopic Unit with basic set			
	Quantity: 01			
	Description			
1	Brand			
2	Make & Model			
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).			
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.			
5	Original Technical data sheet			
	TECHNICAL SPECIFICATIONS			
1	32" Full HD 3D MONITOR OR BETTER (SAME MANUFACTURER)		1	

3D Laparoscopic Unit with basic set

	Medically Approved Monitor			
	2D/3D Switching Button			
	Panel Type: LCD (IPS) (Better or More)			
	LED Backlight			
	Anti-Reflective Panel			
	Max Brightness(cd/m2): 650 (Better or More)			
	Resolution: 1920 x 1080 (Better or More)			
	Viewing Angle: 178 deg (Better or More)			
	Contrast Ratio : 1400:1 (Better or More)			
	Aspect Ratio: 16:9 (Better or More)			
	PiP and PoP Function OR MORE			
	Video Input: 2x 3G-SDI; 1x S-Video; 1x Video; 2x DVI; 1x RGB (Better or More)			
	Video Output: 2x 3G-SDI; 1x DVI; 1x SVideo; 1x Video; 1x RGB (Better or More)			
	Max Power Consumption: 97W (OR Better)			
	Weight: 10.2 Kg (OR Better)			
2	3D/2D CAMERA CONTROL UNIT		1	
	Permanent prevention of endoscope fogging due to			
	integrated heating elements in the endoscope tip.			

3D Laparoscopic Unit with basic set

Focus-free image.			
CMOS Chip Technology Produces True to Life Image (Better or More)			
Display of Color Bars if no Camera Head is Connected to Camera control unit			
Pre-installed profiles (General, Uro, Gyn, Cardio/Thoracic) (or More)			
Within each Profile Following Settings can be Modified			
(Brightness, Digital Zoom, Contrast, Edge Enhancement) (Better or More)			
Image Enhancement Modes: Red Enhancement, (Better or More)			
Smoke Reduction, PoP, Status Indicators On Screen (Better or More)			
Image Noise Reduction, De-Vignetting, Dynamic Contrast(Better or More)			
Brightness Adjustment.			
Combination Mode of Red Enhancement and Smoke reduction (Better or More)			
3 Freely programmable profiles in addition to 4 Pre-Installed (Better or More)			
4 Control Buttons on Camera Head & CCU Front to control (Better or More)			
(Light Source, Menu, Automatic White Balance, and			
controlling Image/Video Recording) (Better or More)			
White Balance Control From CCU and Camera Head			
Automatic Light Intensity Control in Combination of LED			
Video Output:			

3D Laparoscopic Unit with basic set

	2 x 3D via 3G HD-SDI (1080p); 2 x 3D via DVI-D (1080p); (Better or More)		
	2 x 2D via DVI-D (1080p); 1 x 2D via HD-SDI (1080i) (Better or More)		
	Mains Supply:100-240VAC,50/60Hz		
	Max Power Consumption : 120 W or better		
	Weight 10.2KG(or better)		
	Classification: I		
	CF Defibrillation Safe		
3	Transportation Box for 3D Camera Heads	1	
4	3D CAMERA HEAD 30 DEG	1	
	Integrated Light cable (Monocable Concept)		
	Permanent prevention of endoscope fogging due to integrated heating elements in the endoscope tip.		
	Image Sensor: CMOS or Better		
	Sensor Resolution: Native Full HD(1920x1080p) (Better or More)		
	Scan Mode: Progressive Scan		
	Focus-free image.		
	Digital Zoom: 1.8x or better		
	Depth of Field: 20-200mm (Better or More)		

3D Laparoscopic Unit with basic set

	Focal Length: 4.6mm (Better or More)			
	Endoscope Working length: 315mm (Better or More)			
	4.1m Long Camera Cable (Better or More)			
	Endoscope Shaft: 9.3 mm (10.0 mm including sterile camera drape) (Better or More)			
	4 Control Buttons on Camera Head & CCU Front to control (Better or More)			
	(Light Siource, Menu, Automatic White Balance, and			
	conrolling Image/Video Recording)			
	Remote Control Functions: 8 (7 are freely selectable)(Better or More)			
	Classification: I			
	CF Defibrillation Safe			
5	3D Polarization Glasses Clip-on		6	
6	3D Antifog Polarization Glasses (pack of 5)		2	
7	SINGLE USE COVER FOR CAMERA HEAD 0°		2	
8	LED LIGHT SOURCE		1	
	Lamp lifetime 30,000 Hrs and with Integrated Light Cable Test(Better or More)			
	Light Intensity Control via Rotation Knob Steps of 5 (5-100%) (Better or More)			
	LCD Front Panel			
	Activation/ Deactivation by Camera Head Button			

3D Laparoscopic Unit with basic set

	Automatic Light Intensity Control Feature			
	Built-in Anti Glare Protection			
	Universal Light Cable Adaptor			
	Color temperature: 5,665 K(Better or More)			
	Light Flux: 2,510 Lumen(Better or More)			
	Weight: 8.5KG(Better or More)			
	Max Power Consumption: 240W(Better or More)			
	Applied Part Type: CF			
	Classification: IIa			
9	FLOW 50 L INSUFFLATOR		1	
	With Integrated Smoke Evacuation and Gas Heating			
	Indication Modes: Standard, Bariartic, Pediatric, Cardio (Better or More)			
	Display of Gas Consumption in Liter (Better or More)			
	Gas Supply Monitoring by Symbols and Acoustic Signals(Better or More)			
	Display: 5.7" Colour Touch Screen (Better or More)			
	Maximum CO2 Gas Flow: 50L/Min (Better or More)			
	Pressure Range: 1-30mmHg (Better or More)			
	Maximum Suction Rate: 12L/Min (Better or More)			

3D Laparoscopic Unit with basic set

	Inlet Pressure Range: 2.7-80 Bar (Better or More)			
	Weight: 12Kg(Better or More)			
	Max Power Consumption: 120VA (Better or More)			
	Compressor with air seal technology if available			
	Insufflator Accessories:			
9.1	Reusable Heating Tube Set F/Insufflation		1	
9.2	CO2 Filter (1 Box = 25 Units)		4	
9.3	High Pressure Hose Pipe 5m Length (Better or More)		1	
9.4	Smoke Evacuation Filter Cassette (1 Pack= 30 PCS)		2	
9.5	Smoke Evacuation Tube With Filter (1 Pack= 10 PCS)		2	
9.6	Universal Foot Control		2	
10	2D/ 3D Documentation System- 1TB Storage Internal		1	
	Recording of 2D/3D still images and video in Full HD resolution (1920 x 1080 pixel)(Better or More)			
	Data Storage: Internal, CD/DVD, USB, PACS, Network			
	Recording Format of 2D/3D: 1920 x 1080 (Better or More)			
	Integration into almost any existing endoscopy tower (Better or More)			
	Easy documentation via camera head, USB mouse,			

3D Laparoscopic Unit with basic set

	USB keyboard or touch screen monitor			
	DICOM 3.0 compatibility			
	image viewing software (compatible with			
	Windows and Apple OS)			
	Patient data transfer from KIS System: HL7			
	2D format for still images JPEG, Bitmap, PNG			
	2D format for videos MPEG-2 and MPEG-4 (AVC/H.264)			
	3D format for still images MPO, PNS			
	3D format for videos MVC format			
	2D format for still images JPEG, Bitmap, PNG			
	Hard disk delete wizard: Yes			
	Weight : 8.1Kg (Better or More)			
	CF Defibrillation Safe			
11	ENDOSCOPY EQUIPMENT CART NARROW		1	
	Accessories:			
11.1	STANDARD RAIL F/ENDOSCOPY EQUIPMENT CART		1	
11.2	EV3.0 CAMERA HEAD HOLDER		1	
11.3	ACCESSORY BASKET		1	

3D Laparoscopic Unit with basic set				
11.4	LIFTING HANDLE F/ENDOSCOPY EQUIPM.CART		1	
11.5	PROTECT.COVER NARROW F/EQUIPM.CART		1	
11.6	CENTRAL BACK PANEL		1	
11.7	CROSSBAR NARROW F/EQUIPMENT CART		1	
11.8	EXTENSION F/CENTR.MONIT.ARM		1	
11.9	HEIGHT-ADJ.CENTR.MONITOR ARM F/CROSSBAR		1	
11.1	ISOLATING TRANSFORMER 230V W/ISOGUARD		1	
11.11	MAINS CORD		5	
11.12	SPECIAL POWER CABLE EXTENSION		1	
11.13	MAINS CORD ORANGE TYPE E/F (EURO PLUG)		1	
11.14	LATERAL HEIGHT ADJUSTMENT MONITOR ARM		1	
	LAPAROSCOPIC BASIC SET		2	
	TROCARS			
	Trocar, size 10 mm, color code: green,			
	Consisting of:			
12	CANNULA COMPLETE W/O TROCAR D:10MM 110MM		2	
13	TROCAR TRI-TIP 10MM 110MM		1	
14	BLUNT CONICAL OBTURATOR D:10/110MM		1	

3D Laparoscopic Unit with basic set

	Essential Accessories:			
	Sealing Cap. Diam 10mm, 20 Pcs		1	
	Valve 10mm, 20 Pcs		1	
	TROCAR 5.5MM/110MM, Color Code: RED			
	Consisting of:			
15	CANNULA COMPLETE W/O TROCAR 5.5MM110MM		4	
16	TROCAR TRI-TIP 5.5MM 110MM		1	
17	BLUNT CONICAL OBTURATOR 5.5MM110MM LGTH		1	
18	RING WITH INSUFFL.STOPCOCK D:5.5MM		2	
	Essential Accessories:			
	Sealing Cap. Diam 5.5mm, 20 Pcs		1	
	Valve 5.5mm, 20 Pcs		1	
19	Reducer Sleeve (10/5mm) length 165mm		2	
20	Veress Insufflation Needle 15cm		1	
21	Maryland Dissecting Forceps, rotating, with		2	
	Connector pin for unipolar coagulation, size 5 mm, length 31cm,			
	double action jaws			
	Consisting of:			

3D Laparoscopic Unit with basic set

	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
22	RIGHT-ANGLE DISSECTOR 5MM 310MM		2	
	Connector pin for unipolar coagulation, size 5 mm, length 31cm, double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
23	METZENBAUM SCISSORS MEDIUM D:5/310MM		5	
	Connector pin for unipolar coagulation, size 5 mm, length 31cm, double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
24	PERIT.SCISSORS SERR 5MM 310MM		2	
	Connector pin for unipolar coagulation, size 5 mm, length 31cm, Single action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
25	CLAW GRASPER 10MM 310MM		2	
	Connector pin for unipolar coagulation, size 10 mm, length 31cm,			

3D Laparoscopic Unit with basic set

	Single action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
26	BULLET NOSE GRASPER 5MM 310MM		1	
	Connector pin for unipolar coagulation, size 10 mm, length 31cm,			
	double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
	L-HOOK ELECTRODE WITH HANDLE		2	
	Diameter 5mm			
	Consists Of:			
27	CERAMIC ELECTRODE TIP L-HK F/GK372R		4	
28	HANDLE F/MONOPOLAR ELECTRODES 5MM		2	
29	DORSEY GRSP FCPS 5MM 310MM		1	
	Connector pin for unipolar coagulation, size 10 mm, length 31cm,			
	double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			

3D Laparoscopic Unit with basic set			
30	SUCTION/IRRIGATION INSTRUMENT 5MM/330MM		1
	SUCTION/IRRIGATION INSTRUMENT 10MM/330MM		1
31	NEEDLE HOLDER LEFT CURVED 5MM 310MM		1
32	Monopolar HF High frequency cable		1
	Instrument Container		
	(5000x Times Autoclavable) with:		
33	MIS STORAGE RACK WITH BASKET		1
34	BOTTOM FOR 1/1 CONTAINER HEIGHT:187MM		1
35	FULL-SIZE LID W/RETENTION PLATE BLUE		1
36	Clip Applicator : Medium-Large Diamter 10mm, Length 330mm		1
37	LIGATURE CLIP MED.LARGE 20 MAG.=120 PCS.		1
38	Monopolar Cable		1
39	ENDO FAN RETRACTOR D:10/400MM		1
40	telescope 30 degree 10 mm		1
41	telescope 0 degree 10 mm		1
42	telescope 30 degree 5 mm		1
43	telescope 0 degree 5 mm		1
44	Hemolock applicator all sizes with 1 box of each		1

Item: 4K LAPARSCOPY CAMERA COMPLETE TOWER

UNSPSC: General Laparoscopy

Specifications / Requirements:

4K LAPARSCOPY CAMERA COMPLETE TOWER			
Sr.#	Description	Compliance status Yes/No	Page #
	Department : SURGERY		
	Name: 4K LAPARSCOPY CAMERA COMPLETE TOWER		
	Quantity: 01		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		

4K LAPARSCOPY CAMERA COMPLETE TOWER

1	CAMERA SYSTEM		
	Full 4K resolution of 4096 x 2160 or better		
	With four times the resolution of regular, 4K technology gives sharpness a new (Better or More)		
	meaning		
	A complete solution from a single source		
	Brighter and sharper Endoscopes (Better or More)		
	4K camera head		
	Acquisition of FULL 4K resolution from three sensors (Better or More)		
	Innovative 4K Camera Controller Integrated processing of the		
	recorded image and video HD resolution (Better or More)		
	Robust fusion light cables (Better or More)		
	Bright, color-intense monitors With special tuning (Better or More)		
	Full 4K resolution of 4096 x 2160 pixels for live display (Better or More)		
	Integrated Special Imaging Modes (SIM): Digital algorithms for easier tissue differentiation		
	Storage of high-resolution images and videos on USB storage media User-friendly		
	Clinically developed presets for different disciplines		
	4K Camera Control Unit		
	comprising:		

4K LAPARSCOPY CAMERA COMPLETE TOWER

Full 4K Camera Controller , handheld remote control		
USB Flash Storage 32 GB or better , HDMI / HDMI cable interlock		
Video and data recorder		
Touch Screen controller		
Built in Recording system, storage of high resolution images and Videos on		
Intergraded special imaging modes for easier tissue differentiation		
Aspect ratio 16: 9 or better		
Special imaging modes		
PIP control via camera head		
control of recording system via camera head button		
4K Camera Head		
4K CAMERA HEAD 3x1/3 inch CMOS image sensor		
C-Mount, 3 chip, 2 programmable camera-head buttons, Sensor size: 1/3" (Better or More)		
Progressive Scan, 50 Hz, with 2 freely programmable (Better or More)		
Camera Head buttons, Each button with two functions		
Autoclavable		
Cable length 3.0 m (Better or More)		
Light sensitivity (max. gain) 0,7 Lux (Better or More)		

4K LAPARSCOPY CAMERA COMPLETE TOWER

Weight of camera head (without cable) min 130 g (Better or More)		
ZOOM LENS F 13-29MM C-Mount, Snap-On lock (Better or More)		
Medical graded 27" LCD MONITOR or better		
LCD MONITOR 4K 27" or better		
Dual Monitor with one remote display on both simultaneously		
Brilliant visualization experience (Better or More)		
4K UHD resolution		
Light-intense, anti-glare OptiContrast Panel™ for vibrant and high-contrast images (Better or More)		
FIBER LIGHT CABLE 3.5 MM OR MORE		
IMPORTED TROLLEY		
LED LIGHT SOURCE		
Lamp lifetime 30,000 Hrs and with Integrated Light Cable Test(Better or More)		
Light Intensity Control via Rotation Knob Steps of 5 (5-100%) (Better or More)		
LCD Front Panel		
Activation/ Deactivation by Camera Head Button		
Automatic Light Intensity Control Feature		
Built-in Anti Glare Protection		
Universal Light Cable Adaptor		

4K LAPARSCOPY CAMERA COMPLETE TOWER

Color temperature: 5,665 K(Better or More)		
Light Flux: 2,510 Lumen(Better or More)		
Weight: 8.5KG(Better or More)		
Max Power Consumption: 240W(Better or More)		
Applied Part Type: CF		
Classification: IIa		
FLOW 50 L INSUFFLATOR		
With Integrated Smoke Evacuation and Gas Heating		
Indication Modes: Standard, Bariartic, Pediatric, Cardio (Better or More)		
Display of Gas Consumption in Liter (Better or More)		
Gas Supply Monitoring by Symbols and Acoustic Signals(Better or More)		
Display: 5.7" Colour Touch Screen (Better or More)		
Maximum CO2 Gas Flow: 50L/Min (Better or More)		
Pressure Range: 1-30mmHg (Better or More)		
Maximum Suction Rate: 12L/Min (Better or More)		
Inlet Pressure Range: 2.7-80 Bar (Better or More)		
Weight: 12Kg(Better or More)		
Max Power Consumption: 120VA (Better or More)		

4K LAPAROSCOPY CAMERA COMPLETE TOWER

Compressor with air seal technology if available		
LAPAROSCOPIC BASIC SET		2
TROCARS		
Trocar, size 10 mm, color code: green,		
Consisting of:		
CANNULA COMPLETE W/O TROCAR D:10MM 110MM		2
TROCAR TRI-TIP 10MM 110MM		1
BLUNT CONICAL OBTURATOR D:10/110MM		1
Essential Accessories:		
Sealing Cap. Diam 10mm, 20 Pcs		1
Valve 10mm, 20 Pcs		1
TROCAR 5.5MM/110MM, Color Code: RED		
Consisting of:		
CANNULA COMPLETE W/O TROCAR 5.5MM110MM		4
TROCAR TRI-TIP 5.5MM 110MM		1
BLUNT CONICAL OBTURATOR 5.5MM110MM LGTH		1
RING WITH INSUFFL.STOPCOCK D:5.5MM		2
Essential Accessories:		

4K LAPARSCOPY CAMERA COMPLETE TOWER

Sealing Cap. Diam 5.5mm, 20 Pcs		1
Valve 5.5mm, 20 Pcs		1
Reducer Sleeve (10/5mm) length 165mm		2
Veress Insufflation Needle 15cm		1
Maryland Dissecting Forceps, rotating, with		2
Connector pin for unipolar coagulation, size 5 mm, length 31cm,		
double action jaws		
Consisting of:		
Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet		
RIGHT-ANGLE DISSECTOR 5MM 310MM		2
Connector pin for unipolar coagulation, size 5 mm, length 31cm,		
double action jaws		
Consisting of:		
Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet		
METZENBAUM SCISSORS MEDIUM D:5/310MM		5
Connector pin for unipolar coagulation, size 5 mm, length 31cm,		
double action jaws		
Consisting of:		

4K LAPARSCOPY CAMERA COMPLETE TOWER

Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet		
PERIT.SCISSORS SERR 5MM 310MM		2
Connector pin for unipolar coagulation, size 5 mm, length 31cm,		
Single action jaws		
Consisting of:		
Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet		
CLAW GRASPER 10MM 310MM		2
Connector pin for unipolar coagulation, size 10 mm, length 31cm,		
Single action jaws		
Consisting of:		
Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet		
BULLET NOSE GRASPER 5MM 310MM		1
Connector pin for unipolar coagulation, size 10 mm, length 31cm,		
double action jaws		
Consisting of:		
Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet		
L-HOOK ELECTRODE WITH HANDLE		2
Diameter 5mm		

4K LAPARSCOPY CAMERA COMPLETE TOWER

Consists Of:		
CERAMIC ELECTRODE TIP L-HK F/GK372R		4
HANDLE F/MONOPOLAR ELECTRODES 5MM		2
DORSEY GRSP FCPS 5MM 310MM		1
Connector pin for unipolar coagulation, size 10 mm, length 31cm, double action jaws		
Consisting of:		
Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet		
SUCTION/IRRIGATION INSTRUMENT 5MM/330MM		1
SUCTION/IRRIGATION INSTRUMENT 10MM/330MM		1
NEEDLE HOLDER LEFT CURVED 5MM 310MM		1
Monopolar HF High frequency cable		1
Instrument Container (5000x Times Autoclavable) with:		
MIS STORAGE RACK WITH BASKET		1
BOTTOM FOR 1/1 CONTAINER HEIGHT:187MM		1
FULL-SIZE LID W/RETENTION PLATE BLUE		1
Clip Applicator : Medium-Large Diamter 10mm, Length 330mm		1

4K LAPAROSCOPY CAMERA COMPLETE TOWER

	LIGATURE CLIP MED.LARGE 20 MAG.=120 PCS.		1
	Monopolar Cable		1
	ENDO FAN RETRACTOR D:10/400MM		1
	telescope 30 degree 10 mm		1
	telescope 0 degree 10 mm		1
	telescope 30 degree 5 mm		1
	telescope 0 degree 5 mm		1
	Hemolock applicator all sizes with 1 box of each		1

Item: Blood Warmer

UNSPSC: Blood warming or transfusion systems

Specifications / Requirements:

Blood Warmer			
Sr.#	Description	Compliance status Yes/No	Page #
	Department: General Surgery		
	Name: Blood Warmer		
	Quantity: 02		

Blood Warmer

	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW,FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
1	1) Control unit		
	LED display indicates current and set temperatures		
	Separate control buttons (Better or More)		
	2 operating modes:		
	Manual mode: the temperature can be set between 34°C and 42°C with 0.1°C increments; (Better or More)		
	Auto mode: temperature is maintained at 36.6°C (Better or More)		
	Audible and visual alarms, self-diagnostics at the power-up and during operation		
	2) Two external heat exchangers		

Blood Warmer			
	Open System. Any standard IV lines can be used, incl. pediatric (optional)		
	The heat exchanger can be placed very close to the injection site, providing minimum distance from the heat exchanger to the patient		
	Max. flow rate - 2 000 ml/h (Better or More)		
	Duralumin heating plate: high thermal conductivity, durability and resistance to mechanical stress		
	3) Mounting		
	Can be mounted on an IV stand or rail with the diameter of 15-55 mm (Better or More)		
	Secure non-slip mounting on a stand		

Item: Cautery Unit

UNSPSC: Electrosurgical or electrocautery equipment

Specifications / Requirements:

Cautery Unit			
Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Cautery Unit		
	Quantity: 02		

Cautery Unit

	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
1	Universal electrosurgical platform with microprocessors of the latest generation providing energies adapted in real time to the evolution of the tissues (Better or More)		
	370 W complete electrosurgical unit, with a wide range of monopolar and bipolar effects (Better or More)		
	Specific waveforms dedicated to endoscopic polypectomy (Better or More)		
	A unique all-in-one system, which can seal, dissect and cut, (Better or More)		
	Memorization of the surgeon's personal adjustments minimum 99 programs (Better or More)		
	3 High Frequency outlets: 1 monopolar, 1 bipolar and 1 vessel sealing (Better or More)		
	Saline cut under saline irrigation wit Plasma Edge technology (Better or More)		

Cautery Unit

Recognition of the vessel sealing instruments		
Optional Reusable cutting and sealing forceps		
Monopolar Cuts: 200 - 370W or better in Endo, Blend and Forced Pure cut mode (Better or More)		
Monopolar Cuts under liquid: 340W or better for transurethral resection of prostate (TURP) or the bladder (TURB) etc. (Better or More)		
Monopolar Coagulations: 100-170W or better in Fulgration, Dessication and Soft Coagulation mode(Better or More)		
Bipolar Coagulations: 100-170W or better in Soft coagulation, forced coagulation and saline plasma coagulation mode (Better or More)		
Vessel Sealing System: 150W or better with sealing of vascular walls upto 7mm of diameter with reusable vessel sealing forceps (Better or More)		
User interface keyboard with HF Power digital display (Better or More)		
Adjustments: 1W / step for power 50W and 5W / step for power > 50W (Better or More)		
Storage of the setting parameters i.e. cut and coagulation modes, power adjustments (Better or More)		
Twin footswitches for monopolar and bipolar cuts and coagulations		
Single footswitch for bipolar coagulations and vessel sealing		
Optional:		
Coagulation with Argon Module: 100 W or better		

Item: Choledochoscope

UNSPSC: Medical equipment and instrument disinfectant washing equipment

Specifications / Requirements:

Choledochoscope			
Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Choledochoscope		
	Quantity: 01		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		

Choledochoscope

1	Flexible digital choledochoscope for laparoscopic common bile duct exploration		
	outer diameter 3-5 mm or more		
	working channel ≥ 1.2 mm		
	working length ≥ 450 mm		
	bidirectional tip deflection $\geq 160^\circ$		
	CMOS digital imaging		
	compatible with standard laparoscopic camera and light source, autoclavable		
	Choledochoscope -Visualization		
	Camera control unit -Image processing		
	Light source -Illumination		
	Monitor -Visualization		
	Irrigation system -flue bile duct		
	Stone retrieval basket		
	Accessory		
	Dormia basket		
	Balloon catheter		
	Irrigation tubing		
	Light cable		

Choledochoscope			
	Camera system		
	Sterilization tray		

Item: Dermatome with accessories

UNSPSC: Surgical dermatome or dermabrader or dermamesher accessories

Specifications / Requirements:

Dermatome with accessories				
Sr.#	Description	Compliance status Yes/No	Quantity	Page #
	Department : General Surgery			
	Name: Dermatome with accessories			
	Quantity: 01			
	Description			
1	Brand			
2	Make & Model			
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).			

Dermatome with accessories				
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.			
5	Original Technical data sheet			
	TECHNICAL SPECIFICATIONS			
1	DERMATOME WITH 25 BLADES , WITH SKIN MESHER MACHINE WITH DERMA CARRIERS 1-1.5 25 PIECES			
	Dermatome skin graft harvesting system complete with power supply, sterilization case, width plates, and 25 sterile disposable dermatome blades . System shall include Skin Graft Mesher machine with ratchet handle and cutters and Dermacarriers 1.5:1 expansion ratio (25 pieces). Dermatome shall provide adjustable cutting thickness 0-0.76 mm, stainless steel construction, autoclavable components. (Better or more)			
	Dermatome handpiece		1	
	Power supply unit		1	
	Autoclave sterilization case		1	
	Width plates (1", 1.5", 2", 3", 4") or more		5	
	Dermatome screwdriver		1	
	Dermatome blades		25 pieces	

Dermatome with accessories			
	Skin Graft Mesher machine		1
	Mesher ratchet handle		1
	Mesher cutters (including 1.5:1 ratio cutter) or better		1 set
	Dermacarriers 1.5:1 ratio or better		25 pieces

Item: Flexible Sigmoidoscope

UNSPSC: Sigmoidoscopes

Specifications / Requirements:

Flexible Sigmoidoscope			
Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Flexible Sigmoidoscope		
	Quantity: 01		
	Description		
1	Brand		
2	Make & Model		

Flexible Sigmoidoscope

3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW,FDA, CE).			
7	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.			
10	Original Technical data sheet			
	TECHNICAL SPECIFICATIONS			
	Flexible video sigmoidoscope with working length 600-1030 mm, insertion tube diameter ≤ 13 mm, working channel ≥ 3.2 mm, CMOS digital imaging, LED or Xenon illumination, compatible with standard endoscopy video processor, autoclavable compatible with high-level disinfection. Better or more			
	Accessory	-Purpose		
	Biopsy forceps	-Tissue sampling		
	Polypectomy snare	-Polyp removal		
	Cleaning brush	--Cleaning working channel		
	Leak tester	-Leak detection		
	Valve set	-Air/water control		

Flexible Sigmoidoscope

Type	Flexible video sigmoidoscope		
Working length	600-700 mm (Better or More)		
Insertion tube diameter	11-13 mm (Better or More)		
Distal tip diameter	11-13 mm (Better or More)		
Working channel diameter	≥ 3.2 mm (Better or More)		
Field of view	140°-170° (Better or More)		
Depth of field	3-100 mm (Better or More)		
Angulation	Up/down ≥180°, Left/right ≥160° (Better or More)		
Imaging	CMOS digital video chip (Better or More)		
Light source	LED or Xenon		

Flexible Sigmoidoscope				
	Compatibility	Standard endoscopy tower		
	Sterilization	High-level disinfection (Better or More)		

Item: LAPAROSCOPIC BARIATRIC SET

UNSPSC: Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula

Specifications / Requirements:

LAPAROSCOPIC BARIATRIC SET				
Sr.#	Description	Compliance status Yes/No	Quantity	Page #
	Department : GENERAL SURGERY			
	Name: LAPAROSCOPIC BARIATRIC SET			
	Quantity: 01			
	Description			
1	Brand			
2	Make & Model			

LAPAROSCOPIC BARIATRIC SET

3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW,FDA, CE).			
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.			
5	Original Technical data sheet			
	TECHNICAL SPECIFICATIONS			
	LAPAROSCOPIC BARIATRIC SET			
1	LAPAROSCOPE 10MM 0DEG LENGTH 330MM		1	
2	LAPAROSCOPE 10MM 30DEG LENGTH 330MM		1	
	TROCARS			
	Trocar, size 10 MM, 12MM EACH SEPARATE			
	Consisting of:			
5	CANNULA COMPLETE W/O TROCAR D:10MM LENGTH 150MM		2	
6	TROCAR TRI-TIP 10MM LENGTH 150MM		1	
7	BLUNT CONICAL OBTURATOR D:10 LENGTH150MM		1	
	Essential Accessories:			
8	Sealing Cap. Diam 10mm, 20 Pcs		1	

LAPAROSCOPIC BARIATRIC SET

9	Valve 10mm, 20 Pcs		1	
	TROCARS 5.5MM LENGTH 150MM			
	Consisting of:			
10	CANNULA COMPLETE W/O TROCAR 5.5MM LENGTH 150MM		2	
11	BLUNT CONICAL OBTURATOR 5.5MM LENGTH 150MM		2	
	Essential Accessories:			
12	Sealing Cap. Diam 5.5mm, 20 Pcs		1	
13	Valve 5.5mm, 20 Pcs		1	
14	Reducer Sleeve (10/5mm) length 165mm		1	
15	Veress Insufflation Needle 15cm OR MORE		1	
16	MARYLAND DISSECTING FORCEP		1	
	Connector pin for unipolar coagulation, size 5 mm, length 42cm,			
	double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
17	METZENBAUM SCISSORS MINI		1	
	Connector pin for unipolar coagulation, size 5 mm, length 42cm,			
	double action jaws			

LAPAROSCOPIC BARIATRIC SET

	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
18	METZENBAUM SCISSORS		1	
	Connector pin for unipolar coagulation, size 5 mm, length 42cm, double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
19	Atraumatic fixation and dissecting forceps			
	Connector pin for unipolar coagulation, size 5 mm, length 42cm, double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
20	Universal grasping forceps			
	Connector pin for unipolar coagulation, size 5 mm, length 42cm, double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, with ratchet			
21	Bowel Grasper			

LAPAROSCOPIC BARIATRIC SET

	Connector pin for unipolar coagulation, size 5 mm, length 42cm,			
	double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, with ratchet			
22	Grasping forceps, 2 x 4 teet		1	
	Connector pin for unipolar coagulation, size 5 mm, length 42cm,			
	Single action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, with ratchet			
23	BULLET NOSE GRASPER 5MM		1	
	Connector pin for unipolar coagulation, size 5 mm, length 42cm,			
	double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
	L-HOOK ELECTRODE WITH HANDLE			
	Diameter 5mm			
	Consists Of:			
24	CERAMIC ELECTRODE TIP L-Hook		2	

LAPAROSCOPIC BARIATRIC SET

25	HANDLE F/MONOPOLAR ELECTRODES 5MM LENGTH 400MM		1	
26	DORSEY GASPER FORCEP		1	
	Connector pin for unipolar coagulation, size 5 mm, length 42cm, double action jaws			
	Consisting of:			
	Forcep insert, Outer Tube, insulated , Plastic Handle, without ratchet			
27	SUCTION/IRRIGATION INSTRUMENT 5MM/330MM		1	
28	NEEDLE HOLDER LEFT CURVE LENGTH 37CM		1	
29	Monopolar HF High frequency cable		1	
	Instrument Container			
	(5000x Times Autoclavable) with:			
30	MIS STORAGE RACK WITH BASKET		1	
31	BOTTOM FOR 1/1 CONTAINER HEIGHT		1	
32	FULL-SIZE LID W/RETENTION PLATE		1	
	Scope Tray:			
33	Tray for Two Telescopes		1	
34	Clip Applicator : Medium-Large Diameter 10mm, Length 330mm		1	
35	LIGATURE CLIP MED.LARGE 20 MAG.=120 PCS.		1	

LAPAROSCOPIC BARIATRIC SET

36	ENDO FAN RETRACTOR D:10/400MM		1	
	Hemolock all sizes each		1	
	Bipolar forcep fenestrated blunt tip		2	

Item: Laparsopic Stapling Gun

UNSPSC: Medical powered stapling system or accessories for internal use

Specifications / Requirements:

Laparsopic Stapling Gun

Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Laparsopic Stapling Gun		
	Quantity: 08		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		

Laparsopic Stapling Gun			
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
	Supply laparoscopic linear cutting stapler with articulating shaft, 45 cm length, compatible with 12 mm trocar, and reload cartridges of 60 mm length in multiple staple heights (white, blue, gold, green, black).		
	Tristapler, 60mm purple cartidges (50)		

Item: LASER MACHINE WITH ACCESSORIES

UNSPSC: Surgical lasers

Specifications / Requirements:

LASER MACHINE WITH ACCESSORIES		__EMPTY_1	__EMPTY_2
	Description	Compliance status Yes/No	Page #
	Department : GENERAL SURGERY DEPARTMENT (ITEM # 16)		
	Name: LASER MACHINE WITH ACCESSORIES		

LASER MACHINE WITH ACCESSORIES		__EMPTY_1	__EMPTY_2
	Quantity: 01		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
	Diode laser should be capable of cutting, coagulation and tissue vaporization in Proctology for Hemorrhoids, Fistula, Pilonidal Sinus and Fissureas as well as in Phlebology (Endo Venous Laser Therapy) to treat the varicose veins. Further, Laser should be capable to treat the indications in ENT, Gynaecology as well as Percutaneous Laser Disc Decompression (PLDD).		
	The Laser should have high-end Diode and optical system with Power of 15W wavelength 980nm & 15W wavelength 1470nm. Variety of flexible fibers should be available to give a unique application scope in contact phlebology and proctology. (Better or more)		
	Technical Data		

LASER MACHINE WITH ACCESSORIES	__EMPTY_1	__EMPTY_2
Pre-Programmed for EVLT, Hemorrhoid Grade 2, 3 & 4, Fistula, Pilonidal Sinus and Laser Sphincterotomy. The machine should be capable of using the Reusable Hemorrhoid Fiber after sterilization. (Better or More)		
Unlimited customized programmes / user therapies		
Laser type: Diode, Semiconductor (Better or More)		
Wavelength: Dual 980nm & 1470 ±15nm (Better or More)		
Max power: 15+15= 30W (Better or More)		
USB Smart Key: For storage of unlimited patient data with energy storage		
Aiming beam: 630÷690nm/ 1.4mW max (Better or More)		
Operating mode: continuous or modulated		
Pulse time: 50µs - 10s (Better or More)		
Beam delivery: Fiber optic with SMA 905 connector		
Optical fiber connector: SMA 905, accepts optical fibers having a core diameter from 400µm up to 800µm, NA=0.22-0.48 (Better or More)		
Beam emission initiation: Footswitch (Better or More)		
Controller: Microprocessor		
Display: 7" TFT with touch panel (Better or More)		
Visual and Acoustic Signal: There should be visual signal for energy delivered and acoustic signal for time. (Better or More)		

LASER MACHINE WITH ACCESSORIES	__EMPTY_1	__EMPTY_2
Cooling system: Internal, air and thermoelectric cooling		
Power supply of the laser: DC 24V 200Wmin. from the separate AC/DC power adapter; Medical Approval EN60601-1 Class I		
Power supply of AC adapter: single phase 240 VAC; 50 Hz; 4.0A (Better or More)		
Upgradeable to 405nm wavelength for detection of inflammation zone and bacterial infection as well as 635nm wavelength for Pain Management (LLLT, Biomodulation) better or more		
Safety Features: During system startup, the processor should execute the test program, and during the further action automatically control the operating parameters of the entire device. (Better or More)		
Emergency Laser Stop: Should have Emergency stop button which may immediately cut the power of the laser. (Better or More)		
Remote Interlock Connector: Laser should not run without a proper connection of a remote door lock (Interlock). (Better or More)		
Fiber Detection: Should have Built-in optic detection system of the fiber to prevent the emission of radiation, if it is not properly connected fiber. (Better or More)		
Footswitch Detection: Sensor should not allow to run the device or emits the radiation, if footswitch it is not properly connected. (Better or More)		
Warning / Alarm Signals: During emission of laser radiation, device should emits a warning beep. In case of irregularities the device should emit an intermittent beep. (Better or More)		

LASER MACHINE WITH ACCESSORIES	__EMPTY_1	__EMPTY_2
	Standard Accessories:	
	Transportation case	
	Stand of the laser housing	
	USB Smart Key	
	Interlock connection to be connected with door. Device should be turned off if door opens.	
	Footswitch	
	AC adapter	
	The power cord to the AC	
	Warning labels	
	4x Safety glasses for 980/1470nm	
	System shall include complete accessories and minimum 10 types of surgical fibers (each type with 10 pieces), including radial, conical, and bare fibers	
	2x Handpiece for microsurgery applications (reusable)	
	2x Proctology cannula L50R110 curved (length 50 mm) (reusable)	

Item: Ligasure Hand Pieces Laparoscopic

UNSPSC: Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula

Specifications / Requirements:

Ligasure Hand Pieces Laparoscopic			
Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Ligasure Hand Pieces Laparoscopic		
	Quantity: 50		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
1	LF 1937 MARYLAND 37CM X 35 UNITS		
	LF 1944 MARYLAND 44CM X 5 UNITS		
	LF 1637 BLUNT TIP 37CM X 5 UNITS		

Ligasure Hand Pieces Laparoscopic

	LF 1837 BLUNT TIP 37CM X 5 UNITS		
	Supply of Advanced Laparoscopic Vessel Sealing Instruments, compatible with advanced electrosurgical energy platforms LS-10 FT-10, suitable for laparoscopic and minimally invasive surgical procedures		

Item: Ligasure Hand Pieces Open

UNSPSC: Endoscopic/ laparoscopic/ arthroscopic trocar or sheath or obturator or cannula

Specifications / Requirements:

Ligasure Hand Pieces Open

Sr.#	Description	Compliance statusYes/No	Page #
	Department : General Surgery		
	Name: Ligasure Hand Pieces Open		
	Quantity: 50		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW,, FDA, CE).		

Ligasure Hand Pieces Open

4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
1	LigaSure Precise™ (LP1050) X 5UNITS		
	LF1212 Exact → precision surgery X 27 UNITS		
	LF1923 Maryland → major abdominal surgery X 15 UNITS		
	LigaSure Impact™ Curved Jaw (LF4418) X 3 UNITS		
	Supply of Advanced Vessel Sealing Hand Instruments, compatible with modern electro-surgical vessel sealing generators LS-10 FT-10, suitable for open surgical procedures including general, hepatobiliary, colorectal, thyroid, and major abdominal surgery.		

Item: Nerve Stimulator

UNSPSC: Electric peripheral nerve stimulators

Specifications / Requirements:

Nerve Stimulator

Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Nerve Stimulator		
	Quantity: 01		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW,FDA, CE).		
7	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
10	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
1	The supplier shall provide a portable nerve stimulator system, capable of accurate nerve identification and stimulation during surgical procedures. Especially For Thyroid and Parotid.		
	The system shall include:		
	· Portable nerve stimulator unit		
	· Stimulation probes		

	· Patient cable and electrode system		
	· Footswitch or hand activation control		
	· Rechargeable power system		
	· Required accessories		

Item: Open Stapling Gun

UNSPSC: Medical powered stapling system or accessories for internal use

Specifications / Requirements:

Open Stapling Gun			
Sr.#	Description	Compliance status Yes/No	Page #
	Department: General Surgery		
	Name: Open Stapling Gun		
	Quantity: 30		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		

Open Stapling Gun			
7	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
10	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
	Supply open surgical staplers including linear cutting staplers 75mm /80mm (15 in number), CONTOUR staplers (5 in number), circular staplers 21 mm 25mm 28mm 30mm (2 EACH) , with compatible reload cartridges where required. Staplers shall use titanium staples, sterile disposable cartridges, and CE and ISO certified.		
	Supply open surgical staplers including linear cutting staplers 75mm /80mm (15 in number), CONTOUR staplers (5 in number), circular staplers 21 mm 25mm 28mm 30mm (2 EACH) , with compatible reload cartridges where required. Staplers shall use titanium staples, sterile disposable cartridges.		

Item: Portable Ultrasound

UNSPSC: Medical ultrasound or doppler or echocardiograph monitors

Specifications / Requirements:

Portable Ultrasound		__EMPTY_2	__EMPTY_3
Sr.#	Description	Compliance status Yes/No	Page#

Portable Ultrasound		__EMPTY_2	__EMPTY_3
	Department : General Surgery		
	Name: Portable Ultrasound		
	Quantity: 01		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
1	The supplier shall provide a portable ultrasound imaging system, complete with probes, display unit, software, accessories, and necessary hardware. (Better or More)		
	The system shall be:		
	Portable and compact		

Portable Ultrasound		__EMPTY_2	__EMPTY_3
Suitable for multi-specialty clinical use			
New, unused, and latest generation model			
Fully compliant with international standards			
Type Portable ultrasound system			
Design Cart-based compact or laptop-style portable unit (Better or More)			
Display Minimum 15-inch high-resolution LED monitor(Better or More)			
Control panel Touchscreen and keyboard			
Power supply 100–240 VAC, 50/60 Hz			
Battery Rechargeable internal battery			
Battery backup Minimum 60 minutes (Better or More)			
The system must support the following imaging modes:			
Mode	Requirement		
B-mode	Mandatory		
M-mode	Mandatory		
Color Doppler	Mandatory		
Power Doppler	Mandatory		
Pulsed Wave Doppler	Mandatory		

Portable Ultrasound		__EMPTY_2	__EMPTY_3
Tissue harmonic imaging	Mandatory		
The system must support the following imaging modes:			
Mode	Requirement		
B-mode	Mandatory		
M-mode	Mandatory		
Color Doppler	Mandatory		
Power Doppler	Mandatory		
Pulsed Wave Doppler	Mandatory		
Tissue harmonic imaging	Mandatory		
Resolution	High-resolution digital display		
Image optimization	Automatic image optimization		
Image enhancement	Noise reduction and tissue enhancement		
Zoom	Digital zoom capability		
System must include:			
· Measurement tools (distance, area, volume)			

Portable Ultrasound	_EMPTY_2	_EMPTY_3
· Doppler analysis tools		
· Image storage and retrieval		
· DICOM compatibility		
· USB storage capability		
Suitable for:		
· Abdominal ultrasound		
· Vascular ultrasound		
· Emergency ultrasound		
· ICU bedside ultrasound		
· Musculoskeletal imaging		
· Obstetrics and gynecology		
· Thyroid imaging		
The bidder must provide:		
· TROLLEY SHOULD BE QUOTED ALONG WITH OFFER		

Item: Self Retaining Retractor Omni Track

UNSPSC: Surgical retractors

Specifications / Requirements:

Self Retaining Retractor Omni Track

Sr.#	Description	Compliance status Yes/No	Quantity	Page #
	Department : General Surgery			
	Name: Self Retaining Retractor Omni Track			
	Quantity: 02			
	Description			
1	Brand			
2	Make & Model			
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW,FDA, CE).			
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.			
5	Original Technical data sheet			
	TECHNICAL SPECIFICATIONS			
1	SET SHOULD HAVE COMPLETE EQUIPMENT			
	Sterile field post		1	
	Cross bar		1	
	Wishbone frame arms		2-4	

Self Retaining Retractor Omni Track			
Extension arms			1-2
Blade clamps			6-10
Deaver blades			2
Harrington blades			1-2
Mayo blades			2
Splanchnic blades			2
Malleable blades			2
Renal vein blades			1-2
Storage container			1
Typical sets include sterile field posts, extension arms, blade holders, and multiple blade types.			
Supply, installation (where applicable), and commissioning of Self-Retaining Abdominal Retractor System, Omni-Tract type or equivalent, complete with frame, articulated arms, and interchangeable blades, suitable for open abdominal surgery.			

Item: Sterilization solution sprayer

UNSPSC: Air sterilizer

Specifications / Requirements:

Sterlization solution sprayer			EMPTY_3
Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Sterlization solution sprayer		
	Quantity: 01		
	Description		
1	Brand		
2	Make & Model		
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		

Sterilization solution sprayer			EMPTY_3
	Supply OT sterilization solution sprayer machine capable of ULV fogging or hydrogen peroxide fogging, with particle size 5-50 microns, tank capacity ≥5 liters, coverage ≥500 m ² , adjustable flow rate, and portable design. (better or more).Unit shall operate on 220-240V AC power		
	Fogging motor unit	Generates aerosol	
	Solution tank	Holds disinfectant	
	Spray nozzle	Produces fine mist	
	Flow regulator	Controls spray rate	
	Power unit	Provides electrical power	
	Control panel Adjusts operation		
	Compatible Disinfectant Solutions		
	Disinfectant	Concentration	
	Hydrogen peroxide	5-35% (better or more)	

Sterlization solution sprayer			EMPTY_3
	Sodium hypochlorite	0.1-1% (better or more)	
	Peracetic acid	0.2-0.35% (better or more)	
	Quaternary ammonium	Standard solution	

Item: Heavy Duty Suction Machine

UNSPSC: Surgical suction machine or vacuum extractor or ultrasonic surgical aspirator

Specifications / Requirements:

Heavy Duty Suction Machine			
Sr.#	Description	Compliance status Yes/No	Page #
	Department : General Surgery		
	Name: Heavy Duty Suction Machine		
	Quantity: 04		
	Description		
1	Brand		
2	Make & Model		

Heavy Duty Suction Machine			
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).		
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.		
5	Original Technical data sheet		
	TECHNICAL SPECIFICATIONS		
	Supply heavy-duty electric surgical suction machine capable of continuous operation with suction capacity ≥ 50 L/min and vacuum ≥ 700 mmHg. Unit shall include double autoclavable collection jars, overflow protection system, bacterial filters, vacuum regulator, gauge display, footswitch, and trolley.		

Item: THOMAS SPLINT ADULT YOUNG LARGE SIZE

UNSPSC: General surgical instrument sets

Specifications / Requirements:

THOMAS SPLINT ADULT YOUNG LARGE SIZE				
Sr.#	Description	Compliance status Yes/No	Quantity	Page #
	Department : General Surgery			
	Name: THOMAS SPLINT ADULT YOUNG LARGE SIZE			

THOMAS SPLINT ADULT YOUNG LARGE SIZE

	Quantity: 10			
	Description			
1	Brand			
2	Make & Model			
3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).			
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.			
5	Original Technical data sheet			
	TECHNICAL SPECIFICATIONS			
1	Thomas splint frame		1	
	Thigh ring		1	
	Support slings		3-5	
	Traction windlass		1	
	Padding cover		1	
	Traction straps		1 set	

THOMAS SPLINT ADULT YOUNG LARGE SIZE

	Supply of Thomas Splint (Orthopedic Traction Splint) complete with accessories, suitable for immobilization and traction of lower limb fractures, especially femoral shaft fractures.			
--	---	--	--	--

Item: Vascular clamp Set

UNSPSC: Surgical clamps or clips or forceps

Specifications / Requirements:

Vascular clamp Set					
Sr.#	Description	Compliance Status	Page#		
	Department : General Surgery				
	Name: Vascular clamp Set				
	Quantity: 02				
	Description				
1	Brand				
2	Make & Model				

Vascular clamp Set

3	Country of Manufacturer: USA, Japan & Europe with any one certification (MHLW, FDA, CE).						
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.						
5	Original Technical data sheet						
	TECHNICAL SPECIFICATIONS						
1	Clamp Name	Type	Jaw Configuration	Length (cm)	Quantity		
	DeBakey Atraumatic Vascular Clamp	Occlusion	Straight	16-18	2		
	DeBakey Atraumatic Vascular Clamp	Occlusion	Angled (45°)	16-18	2		

Vascular clamp Set

DeBakey Atraumatic Vascular Clamp	Occlusion	Straight	20-24	2		
DeBakey Atraumatic Vascular Clamp	Occlusion	Angled	20-24	2		
Satinsky Vascular Clamp	Partial occlusion	Angled	20-24	2		
Satinsky Vascular Clamp	Partial occlusion	Straight	18-22	2		
Cooley Vascular Clamp	Occlusion	Angled	18-20	2		
Cooley Vascular Clamp	Occlusion	Straight	18-20	2		
Bulldog Clamp	Cross-action	Straight	3-5	4		
Bulldog Clamp	Cross-action	Angled	3-5	4		
Bulldog Clamp	Cross-action	Large	5-7	4		
Microvascular Clamp	Occlusion	Straight	2-4	4		
Microvascular Clamp	Occlusion	Curved	2-4	4		
Carotid Clamp	Occlusion	Angled	14-16	2		
Carotid Clamp	Occlusion	Straight	14-16	2		
Aortic Cross Clamp	Occlusion	Straight	24-30	2		
Aortic Cross Clamp	Occlusion	Angled	24-30	2		

Vascular clamp Set

	Micro VASCULAR INSTRUMENT SHOULD ALSO BE QUOTED ALONG WITH OFFER			1		
	TECHNICAL SPECIFICATIONS (Applicable to all clamps)					
	Specification					
	Material	Surgical stainless steel AISI 420 / ISO 7153-1 compliant				
	Finish	Satin / matte finish				
	Sterilization	Autoclave compatible (134°C)				
	Joint	Box joint				
	Serrations	Atraumatic DeBakey pattern				
	Corrosion resistance	Passivated				
	Reusable	Yes				

Item: VESSEL SEAL VESSEL SEALER GENERATORER GENERATOR

UNSPSC: Electrosurgical or electrocautery accessories or attachments, bipolar sealers

Specifications / Requirements:

VESSEL SEALER GENERATOR				
Sr.#	Description	Compliance status Yes/No	Quantity	Page #
	Department : GENERAL SURGERY DEPARTMENT			
	Name: VESSEL SEALER GENERATOR			
	Quantity: 01			
	Description			
1	Brand			
2	Make & Model			
3	Country of Manufacturer: USA, Japan & Europe with dual certification (MHLW, FDA, CE).			
4	Warranty: Two year with all spare parts, during warranty period firm should maintain equipment by doing PPM as per principal recommendation and attending service call within 02 hours whenever called by end user. If any spare part required during installation or PPM will be responsibility of the firm.			
5	Original Technical data sheet			
	TECHNICAL SPECIFICATIONS			

VESSEL SEALER GENERATOR

1	Vessel Sealer Generator			
	A multipurpose vessel sealing instrument (advanced bipolar) in laparoscopic and open		1	
	surgery within the surgical fields of General surgery & Urology, Thoracic & Gynae			
	Consistent sealing quality from distal to proximal tip			
	Tip First Closure			
	One Seal Confidence through Uniform Compression and			
	Tip First Closure Concept. Only One Energy Activation Required			
	Hand click single energy activation			
	80 Deg Jaw Articulation: (Better or More)			
	Allows simplified navigation in challenging anatomy			
	Max Voltage Ranges: 100V-240V (6.7A-2.8A) (Better or More)			
	HF Operating Frequency: 460 kHz \pm 1 %, Quasi-Sinus (Better or More)			
	Seal Vessel upto 7mm diameter (Better or More)			
	Thermal Spread minimal thermal spread			
	· Feedback system Real Time tissue impedance monitoring			
	· Advance Vessel sealing instrument			
	Hand Instruments			

VESSEL SEALER GENERATOR

2	Vessel Sealer Instrument - Maryland Tip - LAP Surgery		10	
	Diameter 5mm - Shaft Length 360mm / 36cm (Better or More)			
3	Vessel Sealer Instrument - Straight Tip - LAP Surgery		10	
	Diameter 5mm - Shaft Length 240mm / 24cm (Better or More)			
4	Vessel Sealer Instrument - Maryland Tip - Open Surgery		10	
	Diameter 5mm - Shaft Length 170mm / 17cm (Better or More)			

Price Schedule

For Individual Items

#	Item Title	Quantity	Unit Price (PKR)	Total Price (PKR)	Delivery Location	Delivery Period / Year	Country of Origin
1							
2							

For Lots

#	Lot Title	Total Lot Price (PKR)	Country of Origin
1	[Lot 1 Title]		





General Conditions of Contract

A. General

1. Definitions

1.1 Unless the context otherwise requires, the following terms whenever used in this Contract shall have the same meaning and shall be interpreted as indicated

1. "Applicable Law" means the laws and any other instruments having the force of law in the Government's Country, or in such other country as may be specified in the Special Conditions of the Contract (SC), as they may be issued and in force from time to time;
2. "Procuring Agency" means:-
 - 2.1. any Ministry, Division, Department or any Office of the Government;
 - 2.2. any authority, corporation, body or organization established by or under a Law or which is owned or controlled by the Government;
3. "The Contract" means an agreement enforceable by law;
4. "The Contract Price" means the price payable to the Bidder under the Contract for the full and proper performance of its contractual obligations;
5. "Ancillary Services" means those services ancillary to the provision of Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Bidder covered under the Contract;
6. "GCC" means the General Conditions of Contract contained in this section;
7. "SCC" means the Special Conditions of Contract by which the GCC may be amended or supplemented;
8. "Day" means calendar day unless indicated otherwise.
9. "Effective Date" means the date on which this Contract comes into force and effect.
10. "The Bidder" means the individual or corporate body whose Bids to provide the Goods has been accepted by the Procuring Agency;
11. "The Project Site," where applicable, means the place or places named in Bids Data Sheet and technical Specifications;
12. "Government" means the Government of Pakistan;
13. "Subcontractor" means any entity to which the Bidder subcontracts any part of the Goods.
14. "Service" means any object of procurement other than goods or works;
15. "Party" means the Procuring Agency or the Bidder, as the case may be, and "Parties" means both of them;
16. "Foreign Currency" means any currency other than the currency of the country of the Procuring Agency;

17. "Completion Date" means the date of completion of the contract by the Bidder as certified by the Procuring Agency;

18. "In Writing" means communicated in written form with proof of receipt;

19. "Local Currency" means the currency of Pakistan;

2. Application and Interpretation

2.1 These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of the Contract.

2.2 In interpreting these Conditions of Contract headings and marginal notes are used for convenience only and shall not affect their interpretations unless specifically stated; references to singular include the plural and vice versa; and masculine include the feminine. Words have their ordinary meaning under the language of the Contract unless specifically defined.

3. Applicable Law

3.1 The contract shall be governed and interpreted in accordance with the laws of Pakistan, unless otherwise specified in SCC.

4. Governing Language

4.1 The Contract as well as all correspondence and documents relating to the Contract exchanged between the Bidder and the Procuring Agency, shall be written in the **English language** unless otherwise stated in the **SCC**. Supporting documents and printed literature that are part of the Contract may be in another language provided these are accompanied by an accurate translation of the relevant passages in English, in which case, for purposes of interpretation of the Contract, this translation shall govern.

5. Notices

5.1 Any notice, request, or consent made pursuant to this Contract shall be in writing and shall be deemed to have been made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the **SCC**.

6. Delivery/Location

6.1 The Goods shall be delivered to such locations as the Procuring Agency may approve and as specified in **SCC**.

7. Authorized Representatives / Authority of Member in charge

7.1 Any action required or permitted to be taken, and any document required or permitted to be executed, under this Contract by the Procuring Agency or the Bidder may be taken or executed by the officials specified in the **SCC**.

B. Commencement, Completion, Modification, and Termination of Contract

8. Effectiveness of Contract

8.1 This Contract shall come into effect on the date the Contract is signed by both parties and such other later date as may be stated in the SCC.

9. Commencement of Services

9.1 The Bidder shall confirm availability of Key Experts and begin carrying out the Services not later than the number of days after the Effective Date specified in the SCC.

10. Program

10.1 Before commencement of the Services, the Bidder shall submit to the Procuring Agency for approval a Program showing the general methods, arrangements, order and timing for all activities. The Services shall be carried out in accordance with the approved Program as updated.

11. Starting Date/Expiration Date

11.1 The Bidder shall start carrying out the Services Five (05) days after the date the Contract becomes effective, or at such other date as may be specified in the SCC.

11.2 Unless terminated earlier pursuant to Clause **GCC 15** hereof, this Contract shall expire at the end of such time period after the Effective Date as specified in the SCC.

12. Entire Agreement

12.1 This Contract contains all covenants, stipulations and provisions agreed by the Parties. No agent or representative of either Party has authority to make, and the Parties shall not be bound by or be liable for, any statement, representation, promise or agreement not set forth herein.

13. Modification

13.1 Any modification or variation of the terms and conditions of this Contract, including any modification or variation of the scope of the Services, may only be made by written agreement between the Parties. However, each Party shall give due consideration to any Bids for modification or variation made by the other Party.

13.2 In cases of any modifications or variations, the prior written consent of the Procuring Agency is required.

14. Force Majeure

14.1 Definition

For the purposes of this Contract, "Force Majeure" means an event which is beyond the reasonable control of a Party and which makes a Party's performance of its obligations under the Contract impossible or so impractical as to be considered impossible under the circumstances.

14.2 No Breach of Contract

The failure of a Party to fulfill any of its obligations under the contract shall not be considered to be a breach of, or default under, this Contract in so far as such inability arises from an event of Force Majeure, provided that the Party affected by such an event (a) has taken all reasonable precautions, due care and reasonable alternative measures in order to carry out the terms and conditions of this Contract, and (b) has informed the other Party as soon as possible about the occurrence of such an event.

14.3 Extension of Time

Any period within which a Party shall, pursuant to this Contract, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

14.4 Payments

During the period of their inability to perform the Services as a result of an event of Force Majeure, the Bidder shall be entitled to continue to be paid under the terms of this Contract, as well as to be reimbursed for additional costs reasonably and necessarily incurred by them during such period for the purposes of the Services and in reactivating the Service after the end of such period.

15. Termination

15.1 By the Procuring Agency

The Procuring Agency may terminate this Contract in case of the occurrence of any of the events specified in paragraphs (a) through (e) of this Clause. In such an occurrence the Procuring Agency shall give at least thirty (30) calendar days' written notice of termination to the Bidder in case of the events referred to in (a) through (d); at least sixty (60) calendar days' written notice in case of the event referred to in (e);

1. If the Bidder fails to remedy a failure in the performance of its obligations hereunder, as specified in a notice of suspension;
2. If the Bidder becomes (or, if the Bidder consists of more than one entity, if any of its members becomes) insolvent or bankrupt or enter into any agreements with their creditors for relief of debt or take advantage of any law for the benefit of debtors or go into liquidation or receivership whether compulsory or voluntary;
3. If the Bidder fails to comply with any final decision reached as a result of arbitration proceedings;
4. If, as the result of Force Majeure, the Bidder is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days;
5. If the Procuring Agency, in its sole discretion and for any reason whatsoever, decides to terminate this Contract;

15.2 By the Bidder

The Bidder may terminate this Contract, by not less than thirty (30) calendar days' written notice to the Procuring Agency, in case of the occurrence of any of the events specified in paragraphs (a) through (d) of this Clause.

1. If the Procuring Agency fails to pay any money due to the Bidder pursuant to this Contract and not subject to dispute within forty-five (45) calendar days after receiving written notice from the Bidder that such payment is overdue.
2. If, as the result of Force Majeure, the Bidder is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days.
3. If the Procuring Agency fails to comply with any final decision reached as a result of arbitration.
4. If the Procuring Agency is in material breach of its obligations pursuant to this Contract and has not remedied the same within forty-five (45) days (or such longer period as the Bidder may have subsequently approved in writing) following the receipt by the Procuring Agency of the Bidder's notice specifying such breach.

C. Obligations of the Bidder

16. General

16.1 Standard of Performance

1. The Bidder shall deliver the product and carry out the Services with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Bidder shall always act, in respect of any matter relating to this Contract or to the Services, as a faithful adviser to the Procuring Agency, and shall at all times support and safeguard the Procuring Agency's legitimate interests in any dealings with the third parties.

16.2 Law Applicable to Goods

The Bidder shall deliver the goods in accordance with the Contract and in accordance with the Law of Pakistan and shall take all practicable steps to ensure that any of its Experts and Sub-Bidders, comply with the Applicable Law.

17. Conflict of Interests

17.1 Bidder Not to Benefit from Commissions and Discounts.

The remuneration of the Bidder shall constitute the Bidder's sole remuneration in connection with this Contract or the Services, and the Bidder shall not accept for their own benefit any trade commission, discount, or similar payment in connection with activities pursuant to this Contract or to the Services or in the discharge of their obligations under the Contract, and the Bidder shall use their best efforts to ensure that the Personnel, any Subcontractors, and agents of either of them similarly shall not receive any such additional remuneration.

17.2 Bidder and Affiliates Not to be Otherwise Interested in Project

The Bidder agree that, during the term of this Contract and after its termination, the Bidder and its affiliates, as well as any Subcontractor and any of its affiliates, shall be disqualified from providing Goods for any project resulting from or closely related to the Services.

17.3 Prohibition of Conflicting Activities

Neither the Bidder nor its Subcontractors nor the Personnel shall engage, either directly or indirectly, in any of the following activities:

1. during the term of this Contract, any business or professional activities in the Government's country which would conflict with the activities assigned to them under this Contract;
2. during the term of this Contract, neither the Bidder nor their Subcontractors shall hire public employees in active duty or on any type of leave, to perform any activity under this Contract;

18. Confidentiality

18.1 Except with the prior written consent of the Procuring Agency, the Bidder and the Experts shall not at any time communicate to any person or entity any confidential information acquired in the course of the contract.

19. Insurance to be Taken Out by the Bidder

19.1 The Bidder(a) shall take out and maintain, and shall cause any Subcontractors to take out and maintain, at its (or the Subcontractors', as the case may be) own cost but on terms and conditions approved by the Procuring Agency, insurance against the risks, loss or damage, and for the coverage, as shall be specified in the SCC; and (b) at the Procuring Agency's request, shall provide evidence to the Procuring Agency showing that such insurance has been taken out and maintained and that the current premiums have been paid.

20. Bidder's Actions Requiring Procuring Agency's Prior Approval

20.1 The Bidder shall obtain the Procuring Agency's prior approval in writing before taking any of the following actions:

- (a) appointing such members of the Personnel not provided by the Bidder;
- (b) changing the Program of activities; and
- (c) any other action that may be specified in the SCC.

21. Reporting Obligations

21.1 The Bidder shall submit to the Procuring Agency the reports and documents in the numbers, and within the periods as prescribed by the Procuring Agency.

22. Liquidated Damages

22.1 If the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Procuring Agency shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the performance security (or guarantee) specified in SCC. Once the said maximum is reached, the Procuring Agency may consider termination of the Contract pursuant to **GCC Clause 15**.

22.2 Correction for Over-payment

If the Intended Completion Date is extended after liquidated damages have been paid, the Procuring Agency shall correct any overpayment of liquidated damages by the Bidder by adjusting the next payment certificate. The Bidder shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in SCC.

22.3 Lack of performance penalty

If the Bidder has not corrected a Defect within the time specified in the Procuring Agency's notice, a penalty for Lack of performance will be paid by the Bidder. The amount to be paid will be calculated as a percentage of the cost of having the Defect corrected, assessed as specified in the SCC.

23. Performance Guarantee

23.1 Within Seven (07) days from the issuance of acceptance letter from the Procuring Agency, the successful Bidder shall furnish the Performance Guarantee in shape of ----- at the discretion of the PA in the amount **specified in SCC**. In case the amount of Bids security is equal or greater than

23.2 The proceeds of the Performance Guarantee shall be payable to the Procuring agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

23.3 The Performance Guarantee shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring agency and shall be in the acceptable form as specified in SCC.

23.4 The Performance Guarantee will be discharged by the Procuring agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless otherwise **specified in SCC**.

24. Fraud and Corruption

24.1 The Procuring Agency requires the Supplier to disclose any commissions or fees that may have been paid or are to be paid to agents or any other party with respect to the Bidding process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

25. Sustainable Procurement

25.1 The Bidder shall conform to the sustainable procurement contractual provisions, if and as specified in the SCC.

D. Bidder's Personnel

26. Description of Personnel

26.1 The titles, agreed job descriptions, minimum qualifications, and estimated periods of engagement in the carrying out of the Services of the Bidder's Key Personnel. The Key Personnel listed by title as well as by name are hereby approved by the Procuring Agency.

27. Removal and/or Replacement of Personnel

27.1 Except as the Procuring Agency may otherwise agree, no changes shall be made in the Key Personnel. If, for any reason beyond the reasonable control of the Bidder, it becomes necessary to replace any of the Key Personnel, the Bidder shall provide as a replacement a person of equivalent or better qualifications.

27.2 If the Procuring Agency finds that any of the Personnel have (i) committed serious misconduct or have been charged with having committed a criminal action, or (ii) have reasonable cause to be dissatisfied with the performance of any of the Personnel, then the Bidder shall, at the Procuring Agency's written request specifying the grounds thereof, provide as a replacement a person with qualifications and experience acceptable to the Procuring Agency.

27.3 The Bidder shall have no claim for additional costs arising out of or incidental to any removal and/or replacement of Personnel.

E. Obligations of the Procuring Agency

28. Assistance and Exemptions

28.1 The Procuring Agency shall use its best efforts to ensure that the Government shall provide the Bidder such assistance and exemptions as specified in the SCC.

29. Change in the Applicable Law

29.1 If, after the date of this Contract, there is any change in the Applicable Law with respect to taxes and duties which increases or decreases the cost of the related Services rendered by the Bidder, then the remuneration and reimbursable expenses otherwise payable to the Bidder under this Contract shall be increased or decreased accordingly by agreement between the Parties, and corresponding adjustments shall be made to the amounts referred in the SCC.

30. Services and Facilities

30.1 The Procuring Agency shall make available to the Bidder and the Experts, for the purposes of the Services and free of any charge, the services, facilities and property described, at the times and in the manner specified in the SCC or terms of reference.

30.2 In case that such services, facilities and property shall not be made available to the Bidder, the Parties shall agree on (i) any time extension that it may be appropriate to grant to the Bidder for the performance of the Services, (ii) the manner in which the Bidder shall procure any such services, facilities and property from other sources, and (iii) the additional payments, if any, to be made to the Bidder as a result thereof.

F. Payments to the Bidder

31. Contract Price

31.1 The price payable shall be in Pakistani Rupees unless otherwise specified in the SCC. Prices charged by the Supplier for Goods delivered under the Contract shall not vary from the prices quoted by the Supplier in its Bid.

32. Terms and Conditions of Payment

32.1 Payments will be made to the Bidder according to the payment schedule stated in the SCC and as per actual invoice submitted by the Bidder.

32.2 Unless otherwise stated in the SCC, the advance payment shall be made against the provision by the Bidder of a bank guarantee for the same amount, and shall be valid for the period stated in the SCC. Any other payment shall be made after the conditions listed in the SCC for such payment have been met, and the Bidder have submitted an invoice to the Procuring Agency specifying the amount due.

33. Currency of Payment

33.1 Any payment under this Contract shall be made in the currency(ies) specified in the SCC.

G. Quality Control

34. Identifying Defects

34.1 The principle and modalities of Inspection of the Goods by the Procuring Agency shall be as indicated in the SCC. The Procuring Agency shall check the Bidder's performance and notify him of any Defects that are found. Such checking shall not affect the Bidder's responsibilities. The Procuring Agency may instruct the Bidder to search for a Defect and to uncover and test any service that the Procuring Agency considers may have a Defect. Defect Liability Period is as defined in the SCC.

35. Correction of Defects, and

Lack of Performance Penalty

35.1 The Procuring Agency shall give notice to the Bidder of any Defects before the end of the Contract. The Defects liability period shall be extended for as long as Defects remain to be corrected.

35.2 Every time notice a Defect is given, the Bidder shall correct the notified Defect within the length of time specified by the Procuring Agency's notice.

35.3 If the Bidder has not corrected a Defect within the time specified in the Procuring Agency's notice, the Procuring Agency will assess the cost of having the Defect corrected, the Bidder will pay this amount, and a Penalty for Lack of Performance.

36. Taxes and Duties

36.1 A Supplier shall be entirely responsible for all taxes, duties, fees, etc., incurred until delivery of the contracted Goods to the Procuring Agency.

H. Settlement of Disputes

37. Alternate Dispute Resolution

37.1 The disputes between the parties to the contract may be settled in accordance with Public Procurement Rules, 2004.

37.2 The procuring agency shall refer the matter to the Chief Justice Islamabad High Court or Managing Director PPRA or the Secretary Ministry of Law & Justice for appointment of Arbitrator.

37.3 The fee for the Arbitrator shall be specified in Pak Rupees as determined by the appointing authority which shall be borne and shared equally by the contracting parties.





Special Conditions of Contract

SECTION VIII. SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract
GCC 1	<p>Definitions</p> <p>The Procuring Agency is:FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI)),Joint Executive DirectorFEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory</p> <p>The Supplier is:</p> <p>The title of the subject procurement is: Purchase of Electro-Medical Equipment for Surgery Department under PSDP project for financial year 2025-26 & 2026-27.</p>
GCC 3	<p>Applicable/Governing Law:</p> <p>The Contract shall be interpreted in accordance with the laws of Islamic Republic of Pakistan</p>
GCC 4	<p>Language:</p> <p>The language of the Contract, all correspondence and communications to be given, and all other documentation to be prepared and supplied under the Contract shall be in English.</p>

<p>GCC 5</p>	<p>Notices:</p> <p>The addresses for the notices are:</p> <p>Procuring Agency:</p> <p>FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI)), Joint Executive Director FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory +92-333-550-9275 jed@fgpc.gov.pk</p> <p>Contractor/ Bidder:</p> <p>[Name, address and telephone number].</p> <p>The Contractor/ Bidder’s Representative(s)</p> <p>[Name, address, telephone number and e-mail address]</p>
<p>GCC 7.1</p>	<p>The Authorized Representatives are:</p> <p>For the Procuring Agency:</p> <p>FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI)), Joint Executive Director FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory +92-333-550-9275 jed@fgpc.gov.pk</p> <p>For the Bidder:</p> <p>Name:</p> <p>Designation:</p> <p>Address:</p>
<p>GCC 8</p>	<p>Effectiveness of the contract</p>
<p>GCC 9</p>	<p>Commencement of Contract:</p>
<p>GCC 11.2</p>	<p>Expiration of Contract:</p>

<p>GCC 15</p>	<p>Termination</p> <p>In the event of termination of the contract due to any reason as already defined in the General Conditions of Contract, the Bidder shall be responsible for providing to the Authority the Goods till the time of alternate arrangements.</p>
<p>GCC 17</p>	<p>Conflict of Interest:</p> <p>The Procuring Agency reserves the right to determine on a case-by-case basis whether the Bidder should be disqualified from providing goods or services due to a conflict of a nature described in Clause GCC 17.</p>
<p>GCC 22</p>	<p>Liquidated Damages</p> <p>If the Bidder fails to provide services as required under the contract or in case of any data loss/data breach or any incident compromising the data security or other such failures related to any services, the Bidder shall pay to the Procuring Agency as Liquidated Damages at a rate of 0.01% to 5.00% of the Contract value, in accordance with the extent of performance failure & the cost of investigating such incidents as judged by the Authority.</p>
<p>GCC 23</p>	<p>Performance Guarantee:</p> <p>The amount of performance guarantee shall be 3.00% of the contract price in acceptable form of Pay Order, Call at Deposit, Bank Guarantee</p>
<p>GCC 32</p>	<p>Payment terms:</p> <p>Payment will be made to the Bidder against the procured Goods and services according to the actual invoice or running bills submitted by the Bidder against the services provided within the time given in the conditions of the contract.</p>
<p>GCC 33</p>	<p>Currency of Payment:</p> <p>All the payment to be released to the contractor/Bidder shall be in Pakistani Rupees.</p>

GCC 34**Identifying Defects:**

The Authority reserves the right at any time to inspect the premises of the provider to inspect the goods and monitor the goods being provided.

Inspections & Tests Requirements

For being Brand New, bearing relevant reference numbers of the equipment (Certificate from supplier)

For Physical Fitness having No Damages (Certificate from supplier)

For the Country of Origin as quoted by the Supplier (Certificate from manufacturer)

For conformance to specifications and performance parameters, through Prior to delivery inspection (Inspection Report by Procurement Committee / Inspection Team)

For successful operation at site after complete installation, testing and commissioning of the equipment (Installation, Testing and Commissioning Report by Procurement Committee / Inspection Team)

Delivery & Documents

Copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;

Original and two copies of the usual transport document (for example, a negotiable bill of lading, a non-negotiable sea waybill, an inland waterway document, an air waybill, a railway consignment note, a road consignment note, or a multimodal transport document) which the buyer may require to take the goods;

Copies of the packing list identifying contents of each package;

Manufacturer's or Supplier's Valid Warranty Certificate;

Inspection/ installation Certificate issued by the End user and the Supplier's Factory Inspection Report;

Certificate of Origin.

The above documents would be required even if the equipment has already been imported and is available with the supplier ex-stock

Following is the guidance for Dispute Resolution

1. If any dispute of any kind whatsoever shall arise between the Authority and the Bidder in connection with or arising out of the Contract, including without prejudice to the generality of foregoing, any question regarding its existence, validity, termination and the execution of the Contract – whether during developing phase or after their completion and whether before or after the termination, abandonment or breach of the Contract – the parties shall seek to resolve any such dispute or difference by mutual diligent negotiations in good faith within 14 (fourteen) days following a notice sent by one Party to the other Party in this regard.
2. At future of negotiation the dispute shall be resolved through mediation and mediator shall be appointed with the mutual consent of the both parties.
3. At the event of failure of mediation to resolve the dispute relating to this contract such dispute shall finally be resolved through binding Arbitration by sole arbitrator in accordance with Arbitration Act 1940. The arbitrator shall be appointed by mutual consent of the both parties. The Arbitration shall take place in Islamabad, Pakistan and proceedings will be conducted in English language.
4. The cost of the mediation and arbitration shall be shared by the parties in equal proportion however the both parties shall bear their own costs and lawyer's fees regarding their own participation in the mediation and arbitration. However, the Arbitrator may make an award of costs upon the conclusion of the arbitration making any party to the dispute liable to pay the costs of another party to the dispute.
5. Arbitration proceedings as mentioned in the above clause regarding resolution of disputes may be commenced prior to, during or after completion of the contract.

Notwithstanding any reference to the arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree that the Authority shall pay the Bidder any monies due to the Bidder.

Rules of procedure for arbitration proceedings:

Any dispute between the Authority and a Bidder who is a national of the Islamic Republic of Pakistan arising in connection with the present Contract shall be referred to adjudication or arbitration in accordance with the laws of the Islamic Republic of Pakistan including Arbitration Act 1940, however above provision shall prevail in referring the case to the Arbitrator.

Place of Arbitration and Award:

The arbitration shall be conducted in English language and place of arbitration shall be at Islamabad. The award of the arbitrator shall be final and shall be binding on the parties.



Bid Securing Declaration

Form 9: Bid Securing Declaration

Date: *[insert date (as day, month and year)]*

Bid No.: **P22463**

To: **FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI)), Joint Executive Director FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory**

We, the undersigned, declare that:

We understand that, according to your conditions, Bids must be supported by a Bid Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration, however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid conditions, because we:

1. have withdrawn or modified our Bid during the period of Bid Validity specified in the Form of Bid;
2. Disagreement to arithmetical correction made to the Bid price; or
3. having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid Validity, (i) failure to sign the contract if required by Procuring Agency to do so or (ii) fail or refuse to furnish the Performance Security or to comply with any other condition precedent to signing the contract specified in the Bidding Documents.

We understand this Bid Securing Declaration shall expire if we are not the successful

Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight (28) days after the expiration of our Bid.



Contract Form

SECTION IX: CONTRACT FORMS

THIS AGREEMENT made the _____ day of _____ 20____ between **FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI)), Joint Executive Director FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory**

(hereinafter called “the Procuring Agency”) of the one part and [name of Bidder] of [city and country of Bidder] (hereinafter called “the Bidder”) of the other part:

WHEREAS the Procuring Agency invited Bids for provision of goods, viz., **Purchase of Electro-Medical Equipment for Surgery Department under PSDP project for financial year 2025-26 & 2026-27. (P22463)** and has accepted a Bids by the Bidder for the provision of Goods in the sum of [contract price in words and figures] (hereinafter called “the Contract Price”).

NOW THIS CONTRACT WITNESSETH AS FOLLOWS:

1. In this Contract words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Contract, In the event of any ambiguity or conflict between the Contract Documents listed below, the order of precedence shall be the order in which the Contract Documents are listed below:-

1. This form of Contract;
2. the Form of Bids and the Price Schedule submitted by the Bidder;
3. the Schedule of Requirements;
4. the Technical Specifications;
5. the Special Conditions of Contract;
6. the General Conditions of the Contract;
7. the Procuring Agency’s Letter of Acceptance; and
8. [add here: any other documents]

3. In consideration of the payments to be made by the Procuring Agency to the Bidder as hereinafter mentioned, the Bidder hereby covenants with the Procuring Agency to provide the Goods related services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Bidder in consideration of the provision of Goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Contract to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Procuring Agency:

.....

Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Bidder:





Integrity Pact

Integrity Pact

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIERS OF GOODS, SERVICES & WORKS IN CONTRACTS WORTH RS.10.00 MILLION OR MORE

Contract Number: Contract Value: Contract Title:

Dated:

[Name of Supplier] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Pakistan or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoP) through any corrupt business practice.

Without limiting the generality of the foregoing [Name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fee etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultations fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP, except that which has been expressly declared pursuant hereto.

[Name of Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with GoP and has not taken any action or will not take any action to circumvent the above declaration, representative or warranty.

[Name of Supplier] accepts full responsibility and strict liability for making and false declaration, not making full disclosure, misrepresenting fact or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to GoP under any law, contract or other instrument, be voidable at the option of GoP.

Notwithstanding any rights and remedies exercised by GoP in this regard, [Name of Supplier] agrees to indemnify GoP for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to GoP in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [Name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP.



Performance Guarantee Form

Performance Guarantee Form

To: **FEDERAL GOVERNMENT POLYCLINIC ISLAMABAD (FGPC-PGMI) (Federal Government Polyclinic (FGPC-PGMI)), Joint Executive Director FEDERAL GOVERNMENT POLYCLINIC (PGMI) G-6/2, ISLAMABAD, Islamabad Capital Territory**

WHEREAS *[name of Bidder]* (hereinafter called “the Bidder”) has undertaken, in pursuance of Contract No. *[reference number of the contract]* dated *[insert date]* for provision of Goods (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the Bidder shall furnish you with a Bank Guarantee by a reputable bank for the sum specified therein as security for compliance with the Bidder’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Bidders guarantee:

THEREFORE, WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Bidder, up to a total of *[amount of the guarantee in words and figures]*, and we undertake to pay you, upon your first written demand declaring the Bidder to be in default under the Contract and without cavil or argument, any sum or sums within the limits of *[amount of guarantee]* as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the: *[insert date]*

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]



Annexure

Under taking on Judicial paper

The Bidder will provide under taking on single judicial paper at least of (Rs.100) for following mandatory clause and its all sub-clauses according to the following template/format: -

(NOTE:- The wording of undertaking should be same as per given template/ format in the sub-clauses. Incomplete / changed wording will not be accepted).

**** The Original Stamp paper along with Original CDR will be submitted to FGPC at the date and time of Bid opening by the bidder.**

Content of Undertaking

M/s.....

1. ensures / undertakes that it has no Litigation(s) or arbitrary cases, is not insolvent, in receivership, bankrupt or being wound up and its activities or affairs are not suspended or being administered under any Act, by a court or by a judicial officer.
2. ensures / undertakes that it is not currently black listed and has not been penalized during last three years by any Govt. Departments /Hospitals / International Agencies and NGO's.
3. ensures / undertakes that its owners, beneficial owners, directors and officers have not been convicted for a criminal offence.
4. ensures / undertakes that the quoted item/s and its parts shall be made freely available for making the supply in time for the period as mentioned in ToR of tender.
5. ensures / undertakes that item/s will be delivered at FGPC by the bidder at its own expense. All freight/damages till final installation will be the responsibility of the vendor.
6. ensures / undertakes that all documentation submitted with the bid is valid, authentic, genuine. No facts have been hidden and no forgery/false declaration has been made. If any such discrepancy is found at any stage, M/s will be fully responsible for such miscommunication/ concealment of facts and will be liable for disciplinary action under PPRA Rules and tender TORs.
7. ensures / undertakes that the price quoted in the tender for the items of same specification, quality /brand etc are not more than the price charged from any other public sector hospital in Islamabad under same terms & conditions. In case of any discrepancy found at any stage, the M/s..... will be bound to refund the excess amount through challan in government treasury or excess amount will be deducted from the outstanding bills/CDR.

Technical Submission (Vendor)

Document Required

See Form Under Additional Forms and Documents: **Under taking on Judicial paper** (page number: 151)

Arbitration & FORCE MAJEURE

Arbitration and resolution of disputes: -

- i. The purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract.
- ii If, after thirty (30) days from the commencement of such informal negotiation the purchaser and the supplier have been unable to resolve amicably a contract dispute either party may require that the dispute be referred to the Arbitrator for resolution through arbitration.
- iii. The Arbitrator shall be appointed in such manners may be agreed upon between the parties.

FORCE MAJEURE.

For the purposes of this clause Force Majeure means an act of God or an event beyond the control of the supplier and not involving the supplier's fault or negligence directly or indirectly purporting to miss planning, miss management and/or lack of foresight to handle the situation. Such events may include but are not restricted to acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, earthquakes, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the supplier shall promptly notify the purchaser in writing with sufficient and valid evidence of such condition and the cause thereof. The Force Majeure Committee will examine the pros and cons of the case and all reasonable alternative means for completion of supply order under this Contract and will submit its recommendations to the competent authority. However, unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the Contract as far as is reasonably practical and shall seek reasonable alternative means for performance not prevented by the Force Majeure event.

Information (Read-Only)

See Form Under Additional Forms and Documents: **Arbitration & FORCE MAJEURE** (page number: 152)



Procurement Forms

Past Experience and Completed Contracts

See Form Under Additional Forms and Documents: **Past Experience and Completed Contracts** (page number: 153)

Historical Contract Non-Performance, and Pending Litigation and Litigation History

in case there is no historical contract non-performance, ongoing disputes, and litigation history of the applicant, for eligibility verification and risk assessment purposes bidder will submit nil report .

See Form Under Additional Forms and Documents: **Historical Contract Non-Performance, and Pending Litigation and Litigation History** (page number: 154)

Current Contracts and Their Progress

Provide documentary evidence if any

See Form Under Additional Forms and Documents: **Current Contracts and Their Progress** (page number: 156)

Financial Capacity and Net Worth Evaluation Form

Annual financial turnover for any of single financial year (i.e. 2022-23/2023-24/ 2024-25) must be 20 **Million** Rupees or above (copy of bank statement may be attached)

See Form Under Additional Forms and Documents: **Financial Capacity and Net Worth Evaluation Form** (page number: 157)

Average Annual Turnover

Average Annual Turnover should not less than 20 Million

See Form Under Additional Forms and Documents: **Average Annual Turnover** (page number: 159)





Additional Forms and Documents

The Bidder will provide under taking on single judicial paper at least of (Rs.100) for following mandatory clause and its all sub-clauses according to the following template/format: -

(NOTE:- The wording of undertaking should be same as per given template/ format in the sub-clauses. Incomplete / changed wording will not be accepted).

**** The Original Stamp paper along with Original CDR will be submitted to FGPC at the date and time of Bid opening by the bidder.**

Content of Undertaking

M/s.....

a) ensures / undertakes that it has no Litigation(s) or arbitrary cases, is not insolvent, in receivership, bankrupt or being wound up and its activities or affairs are not suspended or being administered under any Act, by a court or by a judicial officer.

b) ensures / undertakes that it is not currently black listed and has not been penalized during last three years by any Govt. Departments /Hospitals / International Agencies and NGO's.

c) ensures / undertakes that its owners, beneficial owners, directors and officers have not been convicted for a criminal offence.

d) ensures / undertakes that the quoted item/s and its parts shall be made freely available for making the supply in time for the period as mentioned in ToR of tender.

e) ensures / undertakes that item/s will be delivered at FGPC by the bidder at its own expense. All freight/damages till final installation will be the responsibility of the vendor.

f) ensures / undertakes that all documentation submitted with the bid is valid, authentic, genuine. No facts have been hidden and no forgery/false declaration has been made. If any such discrepancy is found at any stage, M/s will be fully responsible for such miscommunication/ concealment of facts and will be liable for disciplinary action under PPRA Rules and tender TORs.

g) ensures / undertakes that the price quoted in the tender for the items of same specification, quality /brand etc are not more than the price charged from any other public sector hospital in Islamabad under same terms & conditions. In case of any discrepancy found at any stage, the M/s..... will be bound to refund the excess amount through challan in government treasury or excess amount will be deducted from the outstanding bills/CDR.

1. **Arbitration and resolution of disputes:** -


- i. The purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract.
- ii. If, after thirty (30) days from the commencement of such informal negotiation the purchaser and the supplier have been unable to resolve amicably a contract dispute either party may require that the dispute be referred to the Arbitrator for resolution through arbitration.
- iii. The Arbitrator shall be appointed in such manners may be agreed upon between the parties.

2. **FORCE MAJEURE.**

For the purposes of this clause Force Majeure means an act of God or an event beyond the control of the supplier and not involving the supplier's fault or negligence directly or indirectly purporting to miss planning, miss management and/or lack of foresight to handle the situation. Such events may include but are not restricted to acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, earthquakes, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the supplier shall promptly notify the purchaser in writing with sufficient and valid evidence of such condition and the cause thereof. The Force Majeure Committee will examine the pros and cons of the case and all reasonable alternative means for completion of supply order under this Contract and will submit its recommendations to the competent authority. However, unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the Contract as far as is reasonably practical and shall seek reasonable alternative means for performance not prevented by the Force Majeure event.

Past Experience / Contracts

Contracts over <i>[insert amount]</i> during the last three years:				
Procuring Agency	Value	Year	Goods/Services Supplied	Country of Destination



Historical Contract Non-Performance, and Pending Litigation and Litigation History

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

<input type="checkbox"/> Not debarred due to deviation from commitment of Bid Securing Declaration- <input type="checkbox"/> Not debarred due to non-performance			
Year	Non-performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and PKR equivalent)
<i>[insert year]</i>	<i>[insert amount and percentage]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Reason(s) for nonperformance: <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>
Pending Litigation, in accordance with Section III, Qualification Criteria and Requirements			
<input type="checkbox"/> Pending litigation in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.3 as indicated below.			
Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), US\$ PKR Equivalent (exchange rate)

<i>[insert year]</i>	<i>[insert amount]</i>	<p>Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Agency" or "Supplier"]</i> Status of dispute: <i>[Indicate if it is being treated by the Adjudicator, under Arbitration or being dealt with by the Judiciary]</i></p>	<i>[insert amount]</i>
<input type="checkbox"/> No consistent history of court/arbitral award decisions in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.4. <input type="checkbox"/> Consistent history of court/arbitral award decisions in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.4 as indicated below.			
Year of award	Outcome as percentage of Net Worth	Contract Identification	Total Contract Amount (currency), PKR Equivalent (exchange rate)
<i>[insert year]</i>	<i>[insert percentage]</i>	<p>Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Agency" or "Supplier"]</i> Court/ arbitral award decision: <i>[Indicate if the award decision was against the Applicant or any member of a joint venture.]y]</i></p>	<i>[insert amount]</i>

Current Contract Commitments / Contracts in Progress Form

1. Name of Contract(s)
2. Procuring Agency Contact Information [insert address, telephone, fax, e-mail address]
3. Value of outstanding contracts [current PKR equivalent]
4. Estimated Delivery Date
5. Average monthly invoices over the last six months (PKR/mon.)

Financial Situation and Performance

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

1. Financial data

Type of Financial information in (currency)	Historic information for previous <i>[insert number]</i> years, <i>[insert in words]</i> (amount in currency, currency, exchange rate*, PKR equivalent)				
	Year 1	Year 2	Year 3		
Statement of Financial Position (Information from Balance Sheet)					
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Statement					
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

* Refer ITA 14 for the exchange rate

3. Financial documents

The Applicant and in case of JV, members of JV shall provide copies of financial statements for *[number]* years pursuant Section III, Qualifications Criteria and Requirements. The financial statements shall:

- (a) reflect the financial situation of the Applicant or in case of JV member, and not an affiliated entity (such as parent company or group member).
 - (b) be independently audited or certified in accordance with local legislation.
 - (c) be complete, including all notes to the financial statements.
 - (d) correspond to accounting periods already completed and audited.
- Attached are copies of financial statements¹ for the *[number]* years required above; and complying with the requirements.

¹ If the most recent set of financial statements is for a period earlier than 12 months from the date of Application, the reason for this should be justified.

Average Annual Turnover (Annual Sales Value)

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

Annual Turnover Data			
Year	Amount Currency	Exchange rate* (If applicable)	PKR equivalent
<i>[indicate calendar year]</i>	<i>[insert amount and indicate currency]</i>		
		Average Annual Turnover **	

* Refer ITA for date and source of exchange rate.

** Total PKR equivalent for all years divided by the total number of years. See Section III, Qualification Criteria and Requirements, ITA.