

Standard Bidding Document

ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM

(Works)

National

Single Stage-Two Envelope



May 13, 2026

*Islamabad High Court (Islamabad High Court), Research Officer
Constitution Avenue, Sector G-5/1., Islamabad Capital Territory
Phone: +92-300-681-0624, Email: chairman.pc@ihc.gov.pk*

Table of Contents

Instructions to Bidders	3
Bid Data Sheet	31
Bids Data Sheet (BDS)	32
Eligibility Criteria	38
Evaluation Criteria	39
Jobs/Lots	39
Related Services :	40
Work Specifications and Market Rates	40
Scope of Work	81
Price Schedule	110
General Conditions of Contract	84
Special Conditions of Contract	94
Bid Securing Declaration	100
Contract Form	102
Integrity Pact	105
Performance Guarantee Form	107
Annexure	109
Price Schedule	110
Procurement Forms	111
Past Experience and Completed Contracts	1
Historical Contract Non-Performance, and Pending Litigation and Litigation History	1

Current Contracts and Their Progress	1
Financial Capacity and Net Worth Evaluation Form	1
Average Annual Turnover	1
Additional Forms and Documents	116


REQUEST FOR BIDS PROCUREMENT OF CIVIL WORKS

1. The **Islamabad High Court (Islamabad High Court)** has reserved Funds for the procurement planned for FY **2025-26**. The **Islamabad High Court (Islamabad High Court)** intends to apply part of the proceeds of this Fund to cover eligible payments under the contract for the "**ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM**".
2. The **Islamabad High Court (Islamabad High Court)** invites sealed Bids from eligible Bidders for procurement of Works (**ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM**) described in the bidding documents on **EPADS v2.0**.
3. **Single Stage-Two Envelope** will be used by adopting **Least Cost Based Selection (LCBS)** Technique for the subject procurement, in line with the Public Procurement Rules, 2004 and any Regulations, Regulatory Guides, Procurement Guidelines or Instructions issued by the Authority from time to time.
4. All Bids must be accompanied by a Bid Security amounting described in Bid Security Section in Bidding Document in the form of **Pay Order, Call at Deposit, Bank Guarantee**. Or all bids must be accompanied by bid securing declaration in the format specified in the Bidding documents
5. E-Bidding documents, containing detailed terms & conditions, specifications and requirements etc. are available on **e-Pak Acquisition and Disposal System (EPADS)** at <https://vendors.epads.gov.pk/> for all the interested bidders registered on **EPADS v2.0**. Bidders are required to get themselves registered on **EPADS v2.0** to participate in Bidding process.
6. The e-bids, prepared in accordance with the instructions in the e-Bidding documents, must be submitted through **EPADS v2.0** on or before **Monday, June 1, 2026 11:00 AM**. E-bids will be opened by using **EPADS v2.0** on the same day at **Monday, June 1, 2026 11:30 AM**. Manual submission of Bids shall not be entertained. Those vendor who have not yet registered on the new version of **EPADS v2.0**, may register themselves on <https://pa.epads.gov.pk/>. A tutorial to explain the registration process is available at <https://www.youtube.com/watch?v=MNW6T38v7tc>.

In terms of Rules 48 of Public Procurement Rules, 2004 Grievance Redressal Committee (GRC) is notified for the subject procurement and notification copy is available on the procuring agency's website and on Authority's website at (www.ppra.org.pk).

Islamabad High Court (Islamabad High Court), Research Officer
Constitution Avenue, Sector G-5/1., Islamabad Capital Territory
+92-300-681-0624
chairman.pc@ihc.gov.pk





Instructions to Bidders

A. INTRODUCTION

1. Scope of Bid

1.1. The Procuring agency/Employer (PA), as indicated in the Bid Data Sheet (BDS) invites Bids for the execution of Works as specified in the BDS and Section V- Works Requirements. The name, identification, and number of lots (contracts) of this National/ International Competitive Bidding process are specified in the BDS.

2. Source of Funds

2.1. Source of funds as referred in Clause 2 of Bid Data Sheet.

3. Eligible Bidders

3.1. A bidder may be natural person, company or firm or public or semi-public agency of Pakistan or any foreign country, or any combination of them with a formal existing agreement (on Judicial Papers) in the form of a joint venture or consortium. In the case of a joint venture or consortium, all members shall be jointly and severally liable for the execution of the Contract in accordance with the terms and conditions of the Contract. The joint venture or consortium shall nominate a Lead Member as nominated in the BDS, who shall have the authority to conduct all business for and on behalf of any and all the members of the joint venture or consortium during the Bidding process, and in case of award of contract, during the execution of contract. Verifiable copy of the agreement that forms a joint venture, consortium or association shall be required to be submitted as part of the Bid.

Any bid submitted by the joint venture, consortium or association shall indicate the part of proposed contract to be performed by each party and each party shall be evaluated (or post qualified if required) with respect to its contribution only, and the responsibilities of each party shall not be substantially altered without prior written approval of the Procuring Agency and in line with any instructions issued by the Authority.

(The limit on the number of members of JV or Consortium may be prescribed

in BDS, in accordance with the guidelines issued by the PPRA).

3.2. The invitation for bids is open to all prospective bidders subject to any provisions of incorporation or licensing by the respective national/international incorporating agency or statutory body established for that particular trade or business. Procuring agencies shall specify the registration/licensing requirements for the foreign bidder keeping in view the requirement of that business.

3.3. A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidders may be considered to have a conflict of interest with one or more parties in this Bidding process, if they:

3.3.1. are associated or have been associated in the past, directly or indirectly with a firm or any of its affiliates which have been engaged by the Procuring agency/Employer to provide consulting services for the preparation of design or technical specifications of the works that are the subject of the bid; or

3.3.2. have controlling shareholders in common; or

3.3.3. receive or have received any direct or indirect subsidy from any of them; or

3.3.4. have the same legal representative for purposes of this Bid; or

3.3.5. have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the Procuring agency/Employer regarding this Bidding process; or

3.3.6. Submit more than one bid in this bidding process.

3.4. A Bidder may be ineligible if -

3.4.1. he is declared bankrupt or, in the case of company or firm, insolvent;

3.4.2. payments in favor of the bidder is suspended in accordance with the judgment of a court of law other than a judgment declaring bankruptcy and resulting (in accordance with the national laws) in the total or partial loss of the right to administer and dispose of its property;

3.4.3. the bidder is convicted, by a final judgment of a Court of Law or relevant Professional Statuary Body, of any offence involving professional conduct;

3.4.4. The bidder is debarred/ blacklisted by a national level Procuring agency/Employer and hence debarred due to involvement in corrupt and fraudulent practices, or performance failure or due to breach of bid securing declaration.

3.5. As and when required, bidders shall provide to the Procuring agency/Employer evidence of their eligibility, proof of compliance with the necessary legal requirements to carry out the contract effectively.

3.6. Bidders shall submit proposal relating to the nature, conditions and modalities of sub-contracting wherever the sub-contracting of any elements of the contract is envisaged.

4. Eligible Material and Equipment

4.1. All the material and equipment to be mobilized under the contract shall have their origin in eligible source countries, and all expenditures made under the contract will be limited to such materials and equipment. For this purpose, ineligible countries are stated in the section-IV titled as "Eligible Countries".

B. BIDDING DOCUMENTS

1. Contents of Bidding Documents

1.1. The scope of Works, bidding procedures, and terms and conditions of the contract are prescribed in the bidding documents. In addition to the Invitation for Bids, the bidding documents which should be read in

conjunction with any addenda issued in accordance with ITB 7.1 include:

- Section I -Invitation for Bids
- Section II Instructions to Bidders (ITBs)
- Section III Bid Data Sheet (BDS)
- Section IV Eligible Countries
- Section V Evaluation and Qualification Criteria
- Section VI Works Requirements Technical Specifications & Schedule of Requirements
- Section VII Standard Bidding Forms
- Section VIII General Conditions of Contract (GCC)
- Section IX Particular Conditions of Contract (PCC)
- Section X Contract Forms

1.2. The bidder is expected to examine all instructions, forms, specifications, terms and conditions prescribed in the bidding documents. Failure to furnish all the information required in the bidding documents will be at the bidder's risk and may result in the rejection of his bid.

2. Clarification of Bidding Document, Pre-bid Meeting

2.1. A prospective bidder requiring any clarification of the bidding document may notify the Procuring agency/Employer through EPADS.

2.2. The Procuring agency/Employer shall respond to the request for clarification in accordance with Rule 31 of the Public Procurement Rules 2004.

2.3. Should the Procuring Agency deem it necessary to amend the BIDDING document as a result of a clarification, it shall do so following the procedure under ITB 7.

2.4. If indicated in the BDS, the bidder's designated representative is invited at the bidder's cost to attend a pre-bid meeting at the place, date and time mentioned in the BDS. During this pre-bid meeting, prospective bidders may request clarification of the schedule of requirement, the evaluation criteria or any other aspects of the bidding documents.

2.5. Minutes of the pre-bid meeting, if applicable, including the text of the questions asked by bidders, including those during the meeting (without identifying the source) and the responses given, together with any responses prepared after the meeting will be uploaded on EPADS. Any modification to the bidding documents that may become necessary as a result of the pre-bid meeting shall be made by the Procuring agency/Employer exclusively through the use of an Addendum pursuant to ITB 7. Non-attendance at the pre-bid meeting will not be a cause for disqualification of a bidder.

2.6. The bidder is advised to visit and examine the Site of Works and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the bidder's own expense.

2.7. The bidder and any of its authorized personnel will be granted permission by the Procuring agency/Employer to enter upon its premises and lands for the purpose of such visit, but only upon the express condition that the bidder and its personnel will release and indemnify the Procuring agency/Employer from and against all liability in respect thereof, and will be responsible for death or personal injury, loss of or damage to property, and any other loss, damage, costs, and expenses incurred as a result of the inspection.

3. Amendment of Bidding Documents

3.1. The procuring agency may issue notification of any change, addition, modification or deletion in accordance with Rule 23 of the Public Procurement Rules 2004 i.e. Bidding Documents.

3.2. To give prospective bidders reasonable time in which to take an addendum/corrigendum into account in preparing their bids, the Procuring agency/Employer may, at its discretion, extend the deadline for the submission of bids:

Provided that the Procuring agency/Employer shall extend the deadline for submission of bid in pursuance of Rule 27 of the Public Procurement Rules 2004, i.e. Extension of time for submission of bids, if such an addendum is

issued within last three (03) days of the bid submission deadline.

C. PREPARATION OF BIDS

1. Language of Bid

1.1. The bid prepared by the bidder, as well as all correspondence and documents relating to the bid exchanged by the bidder and the Procuring agency/Employer shall be written in the English language unless specified in the BDS. Supporting documents and printed literature furnished by the bidder may be in another language provided they are accompanied by an accurate translation of the relevant pages in the English language unless specified in the BDS, in which case, for purposes of interpretation of the bidder, the translation shall govern.

2. Documents Constituting the Bids

2.1. The Bids prepared by the Bidder shall constitute of all the documents required in the BDS.

3. Documents Establishing Eligibility of Material, Equipment and Works, their Conformity to Bidding Documents

3.1. The bid prepared by the bidder shall constitute the following components: -

3.1.1. Documentary evidence established in accordance with ITB 10 that the material and equipment to be utilized by the Bidder for the executions of works are eligible material and equipment and conform to the Bidding Documents;

3.1.2. Documentary evidence established in accordance with ITB 11 that the bidder has been authorized to carry out the Construction works;

3.1.3. Documentary evidence established in accordance with ITB 11 that the bidder is eligible and/or qualified for the subject bidding process;

3.1.4. Form of Bid and Bid Prices completed in accordance with ITB 12 and 13;

3.1.5. Completed schedules as required, including priced Bill of Quantities in accordance with ITB 13.

3.1.6. Technical Proposal completed in all aspects in accordance with ITB-15.

3.1.7. Bid security or Bid Securing Declaration furnished in accordance with ITB 17;

3.1.8. Any other document required in the BDS.

3.2. In addition to the requirements, bids submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful bid shall be signed by all members and submitted with the bid, together with a copy of the proposed Agreement.

3.3. The bidder shall furnish, as part of its bid, all those documents establishing the eligibility in conformity to the terms and conditions specified in the bidding documents for all material, equipment and works which the bidder proposes to execute.

3.4. The documentary evidence of conformity of the material, equipment and works to the Bidding Documents may be in the form of literature, drawings, and data, and shall consist of:

3.4.1. a detailed description of the work methodology, approach, schedule and resources to be mobilized at site;

3.4.2. an item-by-item commentary on the Procuring agency/Employer's Technical Specifications demonstrating substantial responsiveness of the material, equipment and works to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications;

3.4.3. any other procurement specific documentation requirement as stated in the BDS.

3.5. The required documents and other accompanying documents must be in English. In case any other language than English is used the pertinent translation into English shall be attached to the original version.

4. Documents Establishing Eligibility and Qualification of the Bidder

4.1. The bidder shall furnish, as part of its bid, all those documents establishing the bidder's eligibility to participate in the bidding process and/or its qualification to perform the contract if its bid is accepted.

4.2. The documentary evidence of the bidder's eligibility to bid shall establish to the satisfaction of the Procuring agency/Employer that the bidder, at the time of submission of its bid, is from an eligible country as defined in Section-IV titled as "Eligible Countries".

4.3. The documentary evidence of the bidder's qualification to perform the contract if its bid is accepted shall establish to the satisfaction of Procuring agency/Employer that:

4.3.1. The bidder has the financial and technical capability necessary to perform the Contract, meets the qualification criteria specified in Section-V, Evaluation and Qualification Criteria and BDS.

4.3.2. In the case of a bidder not doing business within Pakistan, the bidder is or will be (if awarded the contract) represented by a local bidder (Joint Venture) in accordance with the PEC works bylaws, and in case of award of works such foreign firm is required to participate in the execution of works to carry out its obligations as prescribed in the Conditions of Contract and /or Technical Specifications.

4.3.3. That the bidder meets the qualification criteria listed in Section-V, Evaluation and Qualification Criteria and BDS.

5. Forms of Bid

5.1. The Bidder shall fill the Form of Bids furnished in the bidding documents. The Bids Form must be completed without any alterations to its format and no substitute shall be accepted.

6. Bid Prices

6.1. The bid prices quoted by the bidder in the Standard bid Forms, Bill of Quantities and in the Price Schedules shall conform to the requirements specified below or exclusively mentioned hereafter in the bidding documents.

6.2. The bidder shall fill in rates and prices for all items of the Works described in the Bill of Quantities. If a Price Schedule shows items listed but not priced, their prices shall be construed to be included in the prices of other items in the Bill of Quantities and will not be paid for separately by the Procuring agency/Employer.

6.3. Items not listed in the Price Schedule shall be assumed not to be included in the bid, and provided that the bid is still substantially responsive in their absence or due to their nominal nature, the corresponding average price of the respective item(s) of the remaining substantially responsive bidder(s) shall be construed to be the price of those missing item(s):

Provided that:

6.3.1. where there is only one (substantially) responsive bidder, or

6.3.2. where there is provision for alternate proposals and the respective items are not listed in the other bids,

The Procuring agency/Employer may fix the price of missing items in accordance with market survey, and the same shall be considered as final price.

6.4. The Bid price to be quoted in the Form of Bid in accordance with ITB 12 shall be the total price of the bid.

6.5. Unless otherwise specified in the BDS and the Contract, the rates and prices quoted by the bidder are subject to adjustment during the performance of the Contract in accordance with the provisions of the

Conditions of Contract.

6.6. If so specified in ITB 1.1, bids may be invited for individual lots (contracts) or for any combination of lots (packages).

6.7. Prices quoted by the Bidder shall be fixed during the bidder's performance of the contract and not subject to variation on any account. A bid submitted with an adjustable price will be treated as non-responsive and shall be rejected, pursuant to ITB 27, unless otherwise price adjustment is permissible under Conditions of the Contract.

6.8. All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date twenty-eight (28) days prior to the deadline for submission of bids, shall be included in the rates and prices and the total bid price submitted by the bidder.

7. Currencies of Bid and Payment

7.1. Prices shall be quoted in Pakistani Rupees unless otherwise specified in the BDS. Comparison of bids and tie of bid shall be treated in accordance with the Rule 30(2) of Public Procurement Rules, 2004.

8. Documents Comprising the Technical Proposal

8.1. The bidder shall furnish a Technical Proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section VII - Standard Bid Forms, in sufficient detail to demonstrate the adequacy of the bidder's proposal to meet the work requirements and the completion time.

9. Bid Validity Period

9.1. Bids shall remain valid for the period specified in the BDS after the bid submission deadline prescribed by the Procuring agency/Employer. A bid valid for a shorter period shall be rejected by the Procuring agency/Employer as non-responsive. The period of bid validity will be determined from the complementary bid securing instrument i.e. the expiry period of bid security or bid securing declaration as the case may be.

9.2. Under exceptional circumstances, prior to the expiration of the initial Bids/Bid validity period, the Procuring Agency may request the Bidders' consent to an extension of the period of validity of their Bids/Bid. Such request for extension of the period of bid validity shall be carried out in accordance with Rule 26 of the Public Procurement Rules, 2004.

10. Bid Security or Bid Securing Declaration

10.1. Pursuant to ITB 11.1 unless otherwise specified in the BDS, the bidder shall furnish as part of its bid, a Bid Security in accordance with Rule 25 of the Public Procurement Rules, 2004 in the amount and currency specified in the BDS or Bid Securing Declaration as specified in the BDS in the format provided in Section VII (Standard Bidding Forms).

In case Procuring agency/Employer is inviting bids in lots / packages, the bidder shall be required to submit his bid security against the respective lot/package for which he is submitting his bid.

Until the development of functionality of auto verification of financial instrument in EPADS, the scanned copy of bid security or bid securing declaration, as the case may be, shall be uploaded on E-PADS whereas the original instrument to be submitted to the procuring agency before closing of bid submission deadline,

10.2. The Bid Security shall be denominated in the local currency or in another freely convertible currency, and it shall be in the form specified in the **BDS** which shall be in any of the following:

10.2.1. A bank guarantee, an irrevocable letter of credit issued by a Scheduled bank in the form provided in the Bidding Documents or another form acceptable to the Procuring agency/Employer and valid for twenty-eight (28) days beyond the end of the validity of the Bid. This shall also apply if the period for Bid Validity is extended. In either case, the form must include the complete name of the bidder;

10.2.2. A cashier's or certified cheque; or

10.2.3. Another security as indicated in the **BDS**.

10.3. The Bid Security or Bid Securing Declaration shall be in accordance with the Form of the Bid Security or Bid Securing Declaration included in Section VII (Standard Bidding Forms) or another form approved by the Procuring agency/Employer prior to the bid submission.

10.4. The Bid Security shall be payable promptly upon written demand by the Procuring agency/Employer in case any of the conditions listed in ITB 17.9 are invoked.

10.5. Any bid not accompanied by a Bid Security or Bid Securing Declaration in accordance with ITB 17.1 or 17.3 shall be rejected by the Procuring agency/Employer and shall be declared as non-responsive bid, pursuant to ITB 27.

10.6. Unsuccessful bidders' Bid Security will be discharged or returned as promptly as possible, however in no case later than thirty (30) days after the expiration of the period of Bid Validity prescribed by the Procuring agency/Employer pursuant to ITB 16. The Procuring agency/Employer shall make no claim to the amount of the Bid Security, and shall promptly return the Bid Security document, after whichever of the following that occurs earliest:

10.6.1. The expiry of the Bid Security;

10.6.2. The entry into force of a procurement contract and the provision of a performance security (or guarantee), for the performance of the contract if such a security (or guarantee), is required by the Bidding documents;

10.6.3. The rejection by the Procuring agency/Employer of all Bids;

10.6.4. The withdrawal of the bid prior to the deadline for the submission of bids, unless the bidding documents stipulate that no such withdrawal is permitted.

10.7. The successful bidder's Bid Security will be discharged upon the bidder signing the contract pursuant to ITB 40, or furnishing the performance security (or guarantee), pursuant to ITB 41.

10.8. The Bid Security may be forfeited or the Bid Securing Declaration executed:

10.8.1. if a Bidder:

10.8.1.1. Withdraws its Bid during the period of Bid Validity as specified by the Procuring agency/Employer, and referred by the bidder on the Form of Bid except as provided for in ITB 16.2; or

10.8.2. In the case of a successful bidder, if the bidder fails:

10.8.2.1. to sign the contract in accordance with ITB 40; or

10.8.2.2. to furnish performance security (or guarantee) in accordance with ITB 41.

10.9. In case of Bid Security issued by the foreign bank is allowed by the Procuring agency/Employer, the same should be counter guaranteed by a corresponding bank in Pakistan. Furthermore, in case of joint venture, it should be in the name of Joint venture to ensure joint responsibility. In case the JV is not legally constituted at the time of bid submission, the bid security or bid securing declaration shall be in the names of all future members as named in the letter of bid.

11. Withdrawal of Bids

11.1. Before bid submission deadline, any bidder may withdraw, substitute, or modify its bid after it has been submitted by sending a written notice, duly signed by an authorized representative, and the corresponding must accompany the respective written notice.

12. Format and Signing of Bid

12.1. The Bidder shall prepare and submit Bids through EPADS with due diligence after carefully reading all the terms and condition before bid submission deadline.

D. SUBMISSION OF BIDS

1. **Submission of Bids through EPADS v2.0**

1.1. All bids shall be submitted through EPADS v2.0.

2. **Deadline for Submission of Bids**

2.1. All bids shall be received through **EPADS v2.0** not later than bid submission deadline as specified in the **BDS**.

2.2. The Procuring agency/Employer may, under exceptional circumstances and at its discretion, extend the deadline for the submission of bids, pursuant to Rule 27 of the Public Procurement Rules, 2004. Extension of Time for submission of bid, by amending the Bidding Documents in accordance with ITB 7, in which case all rights and obligations of the Procuring agency/Employer and bidders previously subject to the deadline will thereafter be subject to the new deadline.

3. **Substitution and Modification of bids**

3.1. A bidder may substitute or modify his bid after it has been submitted, provided that written notice of the substitution or modification of the bid, is received by the Procuring agency/Employer prior to the deadline for submission of bids.

3.2. Revised bid may be submitted after the substitution or modification made in the original bid in accordance with the provisions referred in **ITB 18**.

E. **OPENING AND EVALUATION OF BIDS**

1. **Opening of Bids**

1.1. The Procuring Agency will open bids in accordance with Rule 28 of the Public Procurement Rules, 2004 and as specified in the BDS.

2. **Confidentiality**

2.1. Information relating to the examination, clarification, evaluation and comparison of bids and recommendation of contract award shall not be disclosed to bidders or any other persons not officially concerned with such process until the time of the announcement of the respective evaluation report.

3. Clarification of Bids

3.1. Clarification of Bidding Documents shall be carried out in accordance with Rule 31 of the Public Procurement Rules, 2004.

3.2. The alteration or modification in the bid which in any case affect the following parameters will be considered as a change in the substance of a bid:

- 3.2.1. evaluation & qualification criteria;
- 3.2.2. required scope of work;
- 3.2.3. contract price;
- 3.2.4. all securities requirements;
- 3.2.5. tax requirements;
- 3.2.6. terms and conditions of bidding documents.
- 3.2.7. change in the ranking of the bidder

4. Preliminary Examination of Bids

4.1. Prior to the detailed evaluation of bids, the Procuring agency/Employer will determine whether each bid:

- 4.1.1. meets the eligibility criteria defined in **ITB 3** and **ITB 4**;
- 4.1.2. has been prepared as per the format and contents defined by the Procuring agency/Employer in the bidding documents;
- 4.1.3. has been properly signed;

4.1.4. is accompanied by the required securities; and

4.1.5. is substantially responsive to the requirements of the bidding documents.

The Procuring agency/Employer's determination of a bid's substantial responsiveness will be based on the contents of the bid itself.

4.2. A substantially responsive Bid is one which conforms to all the terms, conditions, and specifications of the Bidding Documents, without material deviation or reservation. A material deviation or reservation is one that: -

4.2.1. affects in any substantial way the scope, quality, or performance of the Works;

4.2.2. limits in any substantial way, inconsistent with the bidding documents, the Procuring agency/Employer's rights or the bidders' obligations under the Contract; or

4.2.3. if rectified, would affect unfairly the competitive position of other bidders presenting substantially responsive bids.

4.3. The Procuring agency/Employer will confirm that the documents and information specified under ITB 9, 10 and 11 have been provided in the bid. If any of these documents or information is missing, or is not provided in accordance with the Instructions to Bidders, the bid shall be rejected.

4.4. The Procuring agency/Employer may waive-off any minor informality, nonconformity, or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any Bidder.

Explanation: A minor informality, non-conformity or irregularity is one that is merely a matter of form and not of substance. It also pertains to some immaterial defect in a Bid or variation of a bid from the exact requirements of the invitation that can be corrected or waived without being prejudicial to other bidders. The defect or variation is immaterial when the effect on quantity, quality, or delivery is negligible when contrasted with the total cost or scope of the works. The Procuring agency/Employer either shall give the bidder an opportunity to cure any deficiency resulting from a minor

informality or irregularity in a bid or waive the deficiency, whichever is advantageous to the Procuring agency/Employer. Examples of minor informalities or irregularities include failure of a bidder to –

4.4.1. Submit the number of copies of signed bids required by the invitation;

4.4.2. Furnish required information concerning the number of its employees;

4.4.3. the firm submitting a bid has formally adopted or authorized, before the date set for opening of bids, the execution of documents by typewritten, printed, or stamped signature and submits evidence of such authorization and the bid carries such a signature.

4.5. Provided that a Technical Bid is substantially responsive, the Procuring agency/Employer may request the bidder to submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the Technical Bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any such aspect of the technical Proposal linked with the ranking of the bidders. Failure of the bidder to comply with the request may result in the rejection of its bid.

4.6. Provided that a Technical Bid is substantially responsive, the Procuring agency/Employer shall rectify quantifiable nonmaterial nonconformities or omissions related to the Financial Proposal. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of the missing or nonconforming item or component.

4.7. If a bid is not substantially responsive, it will be rejected by the Procuring agency/Employer and may not subsequently be evaluated for complete technical responsiveness.

5. Examination of Terms and Conditions; Technical Evaluation

5.1. The Procuring agency/Employer shall examine the bid to confirm that all terms and conditions specified in the **GCC** and the **PCC** have been accepted

by the bidder without any material deviation or reservation.

For this purpose:

“Deviation” means departure from the requirements specified in the Bidding Document.

“Reservation” means setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document.

5.2. The Procuring agency/Employer shall evaluate the technical aspects of the bid submitted in accordance with ITB 30, to confirm that all requirements specified in Section VI – Works Requirement, Technical Specifications of the Bidding Documents have been met without material deviation or reservation.

5.3. If after the examination of the terms and conditions and the technical evaluation, the Procuring agency/Employer determines that the bid is not substantially responsive in accordance with ITB 27, it shall reject the bid.

6. Correction of Arithmetic Errors

6.1. Bids determined to be substantially responsive will be checked for any arithmetic errors. Errors will be corrected as follows: -

6.1.1. if there is a discrepancy between unit prices and the sub-total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail, and the sub-total price shall be corrected, unless in the opinion of the Procuring agency/Employer there is an obvious misplacement of the decimal point in the unit price, in which the total price as quoted shall govern and the unit price shall be corrected;

6.1.2. if there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail, and the total shall be corrected; and

6.1.3. where there is a discrepancy between the amounts in figures and in words, the amount in words will govern.

6.1.4. Where there is discrepancy between grand total of price schedule and amount mentioned on the Form of Bid, the amount referred in Price Schedule shall be treated as correct subject to elimination of other errors.

6.2. The amount stated in the Bid will, be rectified by the Procuring agency/Employer in accordance with the above procedure for the correction of errors and, with, the concurrence of the bidder, shall be considered as binding upon the bidder. If the bidder does not accept the corrected amount, its bid shall be rejected after forfeiture of Bid Security or execution of the Bid Securing Declaration, as the case may be, in accordance with **ITB 41.3**.

7. Conversion to Single Currency

7.1. The unit rates and the prices shall be quoted by the bidder entirely in Pak rupees. A bidder expecting to incur expenditures in other currencies for inputs to the Works from outside the Procuring agency/Employer's country (referred to as the "Foreign Currency Requirements") shall indicate the same in the letter of bid-financial proposal. The proportion of the Bid Price (excluding Provisional Sums) needed by him for the payment of such Foreign Currency Requirements either (i) entirely in the currency of the Bidder's home country or, (ii) at the bidder's option, entirely in Pak rupees provided always that a bidder expecting to incur expenditures in a currency or currencies other than those stated in (i) and (ii) above for a portion of the foreign currency requirements, and wishing to be paid accordingly, shall indicate the respective portions in his bid. Comparison of bids quoted in different currencies and conversion of bids into a single currency shall be carried out in accordance with Rule 30(2) of the Public Procurement Rules, 2004.

8. Evaluation of Bids

8.1. The Procuring agency/Employer shall evaluate and compare only the bids determined to be substantially responsive, pursuant to **ITB 27**.

8.2. In evaluating the Technical Proposal of each Bid, the Procuring agency/Employer shall use the criteria and methodologies listed in the BDS

and in terms of works requirement. No other evaluation criteria or methodologies shall be permitted.

8.3. The Procuring agency/Employer's evaluation of a bid will take into account:

8.3.1. the bid price, excluding provisional sums and the provision, if any, for contingencies in the summary bill of quantities, but including day work items, where priced competitively;

8.3.2. converting the amount resulting from applying above, if relevant, to a single currency in accordance with ITB 29;

8.4. The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in bid evaluation.

8.5. If these bidding documents allow bidders to quote separate prices for different lots, and the award to a single bidder of multiple lots, the methodology of evaluation to determine the lowest evaluated lot combinations in the Form of Bid, is specified in the **BDS**.

8.6. If the bid, which results in the Evaluated Bid Price (Successful Bid), is seriously unbalanced or front loaded in the opinion of the Employer, the Employer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analyses, taking into consideration the schedule of estimated Contract payments, the Employer may require that the amount of the performance security be increased at the expense of the Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract.

Explanation:

"Unbalanced" or "front-loaded" bids consist of deliberately submitting bids with artificially high prices or unit rates for the early stages of a construction project, offset by artificially low prices or unit rates for the later stages of the project, to improve the contractor's cash flow.

9. Domestic Preference

9.1. If the **BDS** so specifies, the Procuring agency/Employer will grant a margin of preference to the domestic contractor in line with the rules, regulations, regulatory guides or instructions issued by the Authority from time to time.

10. **Determination of Successful Bid**

10.1. The Procuring agency/Employer shall compare the evaluated bids in accordance with the predefined bidding procedure, of all substantially responsive bids to determine the Successful bidder.

11. **Qualification of Bidder**

11.1. The Procuring agency/Employer shall determine to its satisfaction whether the bidder is substantially responsive and whose bid is declared as Successful bid either continues to meet (if prequalification applies) or meets (if post-qualification applies) the qualifying criteria specified in Evaluation and Qualification Criteria.

Note: In case of international bidding, the parameters for incorporation or licensing within Pakistan may be fulfilled as part of post qualification.

11.2. The determination shall be based upon an examination of the documentary evidence of the bidder's qualifications submitted by the bidder, pursuant to **ITB 11**.

11.3. Prior to contract award, the Procuring agency/Employer will verify that the successful bidder (including each member of a JV) is not blacklisted/debarred. The Procuring agency/Employer will conduct the same verification for each sub-contractor proposed by the successful bidder.

12. **Sub-Contractors**

12.1. The bidder shall provide details regarding any specialized sub-contractor to the Procuring agency/Employer. In case change of sub-contractors, the bidder shall promptly notify the Procuring agency/Employer and obtain approval for replacement of sub-contractors.

12.2. Bidders may propose sub-contracting up to the percentage of total value of contracts or the volume of works as specified in the **BDS**.

13. **Abnormally Low Financial Bid**

13.1. A procuring Agency may reject abnormally low bids. The decision of the Procuring agency/Employer to reject a bid and reasons for the decision shall be recorded in the procurement proceedings and promptly communicated to the bidder concerned. Moreover, the Procuring agency/Employer shall not incur any liability solely by rejecting abnormally bid

Guidance for Procuring agency/Employer:

An abnormally low bid means, in the light of the Procuring agency/Employer's estimate and of all the bids submitted, the bid appears to be abnormally low by not providing a margin for normal levels of profit. In order to identify the Abnormally Low Bid (ALB) following approaches can be considered to minimize the scope of subjectivity:

13.1.1. Comparing the bid price with the cost estimate;

13.1.2. Comparing the bid price with the bids offered by other bidders submitting substantially responsive bids; and

13.1.3. Comparing the bid price with prices paid in similar contracts in the recent past either government- or development partner-funded.

13.2. The Procuring agency/Employer will determine to its satisfaction whether the bidder that is selected as having submitted the successful bid is qualified to perform the contract satisfactorily, in accordance with the criteria listed in **ITB 11**

13.3. The determination will take into account the bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the bidder's qualifications submitted by the bidder, pursuant to **ITB 11**, as well as such other information as the Procuring agency/Employer deems necessary and appropriate. Factors not included in these bidding documents shall not be used in the evaluation of the bidders' qualifications.

13.4. Procuring agency/Employer may seek “Certificate for Independent Price Determination” from the bidder and the results of reference checks may be used in determining award of contract.

Explanation: The Certificate shall be furnished by the bidder. The bidder shall certify that the price is determined keeping in view of all the essential aspects such as raw material, its processing, value addition, optimization of resources due to economy of scale, transportation, insurance and margin of profit etc.

13.5. An affirmative determination will be a prerequisite for award of the contract to the bidder. A negative determination will result in rejection of the bidder’s bid, in which event the Procuring agency/Employer will proceed to the next ranked bidder to make a similar determination of that bidder’s capabilities to perform satisfactorily.

F. AWARD OF CONTRACT

1. Criteria of Award

1.1. Subject to **ITB 36 and 37**, the Procuring agency/Employer will award the Contract to the bidder whose bid has been determined to be substantially responsive to the bidding documents and who has been declared as Successful Bidder, provided that such bidder has been determined to be:

1.1.1. eligible in accordance with the provisions of **ITB 3**;

1.1.2. is determined to be qualified to perform the Contract satisfactorily;
and

1.1.3. Successful negotiations have been concluded, if any.

2. Negotiations

2.1. The Committee of the Procuring agency/Employer may negotiate with the Most Advantageous Bidder relating to the following areas:

2.1.1. a minor alteration to the technical (drawings, design technical specifications) details of the statement of works;

2.1.2. Methodology, work plan, staffing in view to streamline the work;

2.1.3. a minor amendment to the Particular conditions of Contract;

2.1.4. finalizing payment arrangements;

2.1.5. clarifying details that were not apparent or could not be finalized at the time of Bidding;

2.2. Where negotiation fails to result into an agreement, the Procuring agency/Employer may invite the next ranked bidder for negotiations. Where negotiations are commenced with the next ranked bidder, the Procuring agency/Employer shall not reopen earlier negotiations.

3. Procuring agency's Right to reject All Bids

3.1. The procuring agency has the right to reject all bids in accordance with Rule 33 of the Public Procurement Rules, 2004. However, the Authority (i.e. **PPRA**) may call from the Procuring agency/Employer the justification of those grounds.

4. Notification of Award

4.1. The procuring agency shall announce and publish the evaluation result in accordance with Rule 35 of the Public Procurement Rules, 2004.

4.2. Where no complaints have been lodged, the bidder whose bid has been accepted will be notified of the award by the Procuring agency/Employer prior to expiration of the bid validity period through EPADS. However, the Procuring agency/Employer shall not award any procurement contract at least for five (05) days after the announcement of final evaluation report. The notification letter (herein after and in the condition of the contract and contract form called "Letter of Acceptance" will specify the sum that the Procuring agency/Employer will pay the successful bidder in consideration for the execution and completion of the works as prescribed by the Contract

(hereinafter and in the Contract called the "Contract Price).

4.3. The notification of award will constitute the formation of the Contract, subject to the bidder furnishing the Performance Security (or guarantee) in accordance with **ITB 41** and signing of the contract in accordance with **ITB 40**.

4.4. Upon the successful bidder's furnishing of the performance security (or guarantee) pursuant to **ITB 41**, the Procuring agency/Employer will promptly notify each unsuccessful bidder, the name of the successful bidder and the Contract amount and will discharge the Bid Security or Bid Securing Declaration of the bidder(s) pursuant to **ITB 17**.

5. Signing of Contract

5.1. Promptly after notification of award, Procuring agency/Employer shall send the successful bidder the draft agreement, incorporating all terms and conditions as agreed by the parties to the contract.

5.2. Immediately after the Redressal of grievance by the **GRC**, and after fulfillment of all conditions precedent of the Contract Form, the successful bidder and the Procuring agency/Employer shall sign the contract.

5.3. Where no formal signing of a contract is required, work order issued to the bidder shall be construed to be the contract.

6. Performance Security (or Guarantee)

6.1. After the receipt of the Letter of Acceptance, the successful bidder, within the specified time, shall deliver to the Procuring agency/Employer a Performance Guarantee in the amount and in the form stipulated in the BDS and PCC, denominated in the type and proportions of currencies in the Letter of Acceptance and in accordance with the Conditions of Contract.

6.2. If the Performance Guarantee is provided by the successful bidder and it shall be in the form specified in the BDS which shall be in any of the following:

6.2.1. certified cheque, cashier's or manager's cheque, or bank draft;

6.2.2. irrevocable letter of credit issued by a scheduled bank of Pakistan or in the case of an irrevocable letter of credit issued by a foreign bank, the letter shall be confirmed or authenticated by a scheduled bank of Pakistan;

6.2.3. bank guarantee confirmed by a reputable local bank or, in the case of a successful foreign bidder, bonded by a foreign bank; or

6.2.4. surety bond callable upon demand issued by any reputable surety or insurance company.

Any Performance Guarantee submitted shall be enforceable in Pakistan.

6.3. Failure of the Most Advantageous Bidder to comply with the requirement of **ITB 40** shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security or declare blacklisted (in case bid securing declaration is submitted) in which event the Procuring agency/Employer may make the award to the next most advantageous bidder or reinitiate the procurement process afresh (as a case may be).

7. Advance Payment

7.1. Advance payment will be provided to the bidder in percentage and in the manner as agreed by the both parties in terms of Conditions of the Contract.

7.2. The Procuring agency/Employer will provide an advance payment as stipulated in the Conditions of Contract, subject to a maximum amount, as stated and/or Conditions of the Contract. The advance payment request shall be accompanied by an advance payment security (guarantee) in the form provided in Section X. For the purpose of receiving the advance payment, the bidder shall make and estimate of, and include in its bid, the expenses that will relate to the purchase of equipment, machinery, materials, and on the engagement of labor during the first month beginning with the date of the Procuring agency/Employer's "**Notice to Commence**" as specified in the **PCC**.

8. General Performance of the Bidders

8.1. The Procuring agency/Employer reserves the right to obtain information regarding performance of the bidders on their previously awarded contracts / works. The Procuring agency/Employer may seek information / report from the previous employer for consideration. However, the Procuring agency/Employer shall incorporate such parameters in the evaluation criteria and accordingly decide the fate of the bid submitted.

9. Corrupt & Fraudulent Practices

9.1. Procuring agencies (including beneficiaries of Government funded projects and procurement) as well as Bidders/Suppliers/Contractors under Government financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts, and will avoid to engage in any corrupt and fraudulent practices.

G. GRIEVANCE REDRESSAL & COMPLAINT REVIEW MECHANISM


1. Grievance Redressal

1.1. Grievance Redressal shall be carried out in accordance with Rule 48 of the Public Procurement Rules, 2004 i.e. Redressal of grievances by the procuring agency and "Redressal of Grievances Regulations 2021".

H. MECHANISM OF BLACKLISTING

1. Mechanism of Blacklisting

1.1. The Procuring agency/Employer shall proceed Blacklisting of Bidders/Contractors in accordance with Rule 19 of the Public Procurement Rules, 2004 i.e. Blacklisting and "Blacklisting and Debarment of Bidders or Contractors Regulations 2024".



Bid Data Sheet

Bids Data Sheet (BDS)

The following specific data for the procurement of Goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

BDS Clause Number	ITB Number	Amendments of, and Supplements to, Clauses in the Instruction to Bidders
A. Introduction		
1	1.1	<p>Name of Procuring Agency: Islamabad High Court (Islamabad High Court)</p> <p>The subject of procurement is: ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM</p> <p>Expected commencement date: Monday, June 15, 2026</p>
2.	2.1	<p>Financial year for the operations of the Procuring Agency: 2025-26</p> <p>Name and identification number of the Contract: P35054</p>
3.	3.1	<p>JV/Consortium or Association Allowed: Yes</p> <p>Number of JV/Consortium Members: 2</p>
B. Bidding Documents		
4.	6.2 & 6.4	<p>The Bidders may seek clarifications through EPADS v2.0: Clarification Date: Thursday, May 21, 2026</p>

5.	7.2	Any addendum, in case issued, shall be published on Islamabad High Court (Islamabad High Court) website and on EPADS v2.0 .
C. Preparation of Bids		



<p>6.</p>	<p>8.1</p>	<p>List of documents required along with the bid:</p> <p>1. a) The Bidder applying must have a valid registration with Pakistan Engineering Council in the relevant category of C-4 and above with specialized code CE-10, EE-01, EE-02 EE-04, EE-09, and ME-01. (Provide copy of valid PEC registration) for the year 2025-26. b) The Bidder must be registered with Income Tax Department / FBR. (Provide copy of Income Tax/ FBR registration) (Active Tax Payer)</p> <p>2. c) The Bidder must be registered with Sales Tax Department. (Provide copy of Active registration certificate). d) Income Tax return of last 03 years. e) The Bidder is not black listed by PEC, PPRA, any Government, semi government or autonomous body. (Provide affidavit on Rs. 100 stamp paper attested by Notary Public).</p> <p>3. f) Bio data of engineers and technical staff working with the firm along with organogram, degrees and registrations certificates. g) Fresh affidavits (E-stamp) with effect that all documents/particulars/ information provided are true and correct. In case of bogus/tempered or false information/certificates produce by the company/firm shall be liable to be black listed at any stage.</p> <p>4. h) Undertaking on fresh stamp paper (E-stamp*) that firm is not involved in any kind of litigation with any departmental rift, abandoned or necessary delay incompleteness of any work. i) Fresh affidavit (E-stamp paper*) to this effect that the firm/contractor have not been black listed previously by any executing agency.</p>
------------------	-------------------	---

7.	9.1	The qualification criteria to establish the supply / production capability of the bidder. <i>see Eligibility Criteria</i>
8.	11.2	Works and Their related documents: <i>See section Required Scope of Work</i>
9.	11.1	Price schedule will be provided according to the format defined and acquired. <i>see section price schedule.</i>
10.	11.4	Specifications: <i>see section of specifications.</i>
11.	11.5 & 13.5	The price shall be Fixed . The bid price shall be adjusted in accordance with Appendix provided - Formula for Price Adjustment.
12.	14.1	Currency of the Bids shall be : PKR
13.	16.1	The Bids/Bid Validity period shall be: 180 Days
14.	17.1	The amount of Bid Security shall be as defined in Bid Security Section for items and lots given in BDS 6
15.	17.2	The Bid Security shall be in the form of: Pay Order, Call at Deposit, Bank Guarantee
16.	15.1	Alternative Bids to the requirements of the bidding documents will not be permitted.

D. Submission of Bids

17.	18.1 & 21.1	Bid shall be submitted online on EPADS v2.0 whereas hard copy of the bid security should be submitted to the following; Constitution Avenue, Sector G-5/1., Islamabad Capital Territory Bids that are not submitted on EPADS v2.0 shall be disqualified. The deadline for Bids submission is: Monday, June 1, 2026 11:00 AM
------------	------------------------	--

E. Opening and Evaluation of Bids

18.	24.1	The Bids opening shall take place on EPADS v2.0 Day : Monday Date: June 01, 2026 Time : 11:30 AM
19.	30.2	Selection technique adopted will be: Least Cost Based Selection (LCBS) <i>see Evaluation Criteria</i>

F. Award of Contract

20.	41.1 & 41.2	The Performance guarantee shall: 10.00% . The Performance Guarantee shall be acceptable in the form of: Pay Order, Call at Deposit, Bank Guarantee
------------	------------------------	---

21.	45.1	Arbitrator shall be appointed by mutual consent of the both parties.
G. Review of Procurement Decisions		
22.	37	Grievance against this procurement shall be submitted online on EPADS v2.0.



Eligibility Criteria

Bidder's Type	Required Registration
Any	NADRA CITIZENSHIP (CNIC/NICOP) FBR (NTN) FBR (GSTN) PEC

Eligibility Criteria	Document
a) The Bidder applying must have a valid registration with Pakistan Engineering Council in the relevant category of C-4 and above with specialized code CE-10, EE-01, EE-02 EE-04, EE-09, and ME-01. (Provide copy of valid PEC registration) for the year 2025-26. b) The Bidder must be registered with Income Tax Department / FBR. (Provide copy of Income Tax/ FBR registration) (Active Tax Payer).	Yes
c) The Bidder must be registered with Sales Tax Department. (Provide copy of Active registration certificate). d) Income Tax return of last 03 years. e) The Bidder is not black listed by PEC, PPRA, any Government, semi government or autonomous body. (Provide affidavit on Rs. 100 stamp paper attested by Notary Public).	Yes
f) Bio data of engineers and technical staff working with the firm along with organogram, degrees and registrations certificates. g) Fresh affidavits (E-stamp) with effect that all documents/particulars/ information provided are true and correct. In case of bogus/tempered or false information/certificates produce by the company/firm shall be liable to be black listed at any stage.	Yes
h) Undertaking on fresh stamp paper (E-stamp*) that firm is not involved in any kind of litigation with any departmental rift, abandoned or necessary delay incomplection of any work. i) Fresh affidavit (E-stamp paper*) to this effect that the firm/contractor have not been black listed previously by any executing agency.	Yes

j) The tender should be submitted along with the above required documentation/information. If any such required documents/information lacking then the tender will not be considered by the Procuring Agency and no excuse will be entertained.	Yes
Any bidder not fulfilling any of the above-mentioned mandatory requirements will be rejected/disqualified straight away and no further evaluation will be considered or taken in hand for that bidder. The details have to be provided and enlisted by the firm annexed with documentary evidences in their technical bid.	Yes

Evaluation Criteria

Least Cost Based Selection (LCBS)

Technical Marks	100
Passing Marks	65
Technical Evaluation Criteria	
Experience (Quantitative)(Doc Required)	40
Personnel Capabilities (Quantitative)(Doc Required)	20
Financial Capabilities (Last 3 years) (Qualitative)(Doc Required)	40

Jobs/Lots

Jobs Without Lots :

Job	Delivery Schedule	Quantity	Bid Security
-----	-------------------	----------	--------------

ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM	Address: Constitution Avenue, Sector G-5/1., Islamabad Capital Territory Schedule: 180 Days Quantity: 1	1	1735854
--	--	---	---------

Related Services :

No

Work Specifications and Market Rates

Jobs Without Lots :

Job: ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM

Specifications / Requirements:

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
1		Establishment of Training / Capacity Center within the premises of Islamabad High Court, Islamabad (Civil Works)	0	0.00	-		-

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
2	1	Wooden Floor: P/F of wooden floor of approved make and shade i.c base work etc with skirting complete in all aspects as approved by the competent authority.	P.Sft	1,820	570	Five Hundred Seventy Rupees Only	1,037,400
3	2	Celing: Dismantling/Removal of existing ceiling Refixing of false ceiling i.c G.I suspension system ,hanger rods, joint treatment, cutting,finishing & paint etc complete in all respect as approved by the competent authority.	P.Sft	1,820	350	Three Hundred Fifty Rupees Only	637,000
4	3	Media Wall / Feature Wall: P/F of Media wall complete as per approved drawings & instructions including framing, panneling, finishing and electrical provision complete in all respect as approved by the competent authority.	P.Sft	300	475	Four Hundred Seventy Five Rupees Only	142,500

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
5	4	Wooden Box: Providing and Fixing of Wooden Box Type storage unit along wall comprising of 3/4" thick MDF/ partice board carcass, internal shelves, vertical/ horizontal partitions, back pannel finished with approved laminated veer/polish including edge bending necessary srews adhesives and all hardware (hinges,handles,drawer channels) complete inall respect as approved by the competent authority.	P.Sft	50	2,500	Two Thousand Five Hundred Rupees Only	125,000
6	5	Conference Table: P/F of Conference Table of approved design, made of hihg quaility Wanut wood finshes with laminated / veneer finish, including edging, modesty pannel, cable magnet box wire outlet etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	1	975,000	Nine Hundred Seventy Five Thousand Rupees Only	975,000
7	6	Conference Chairs: P/F of Conference chair with cushioned seat back, upholstered in fabric/ latherette having ergonomic design, fixed/ adjustable arms, MS/ woden frame, powderedcoated / chrome finishbase etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	20	82,000	Eighty Two Thousand Rupees Only	1,640,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
8	7	Three Seater Sofa: P/F of Three Seater Sofa of approved design comprising of hardwood/seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	9	210,000	Two Hundred Ten Thousand Rupees Only	1,890,000
9	8	Sinle Seater Sofa: P/F of Single Seater Sofa of approved design comprising of hardwood/seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	6	70,000	Seventy Thousand Rupees Only	420,000
10	9	Centre Table: P/F of Centre Table with MDF/wooden base & 8-10 mm thick tempered glass etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	4	45,000	Forty Five Thousand Rupees Only	180,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
11	10	Side Table: P/F of Side Tables with MDF/wooden base & 8-10 mm thick tempered glass etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	6	20,000	Twenty Thousand Rupees Only	120,000
12	10	Moterized Curtain: Providing and fixing motorized fabric curtains of approved fabric shade and design including good quality aluminium track system, complete in all respect including remote cotrol and complete accessories, etc	P.Job	7.00	45,000	Forty Five Thousand Rupees Only	315,000
13	11	Coffee Counter: P/F Coffee Counter with solid surface / granite top , high gloss laminated/ veneer finish, soft closed hardware, including top shelves, high quality veneer polsih etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	40	6,500	Six Thousand Five Hundred Rupees Only	260,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
14	12	Shelve: P/F solid Wooden shelves with high quality veneer polsih including glass etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	50	1,500	One Thousand Five Hundred Rupees Only	75,000
15	A	Establishment of Conference Room within the premises of Islamabad High Court, Islamabad (Civil Works)	0	-	-		-
16	1	Wooden Floor: P/F of wooden floor of approved make and shade i.c base work etc with skirting complete in all aspects as approved by the competent authority.	P.Sft	900	570	Five Hundred Seventy Rupees Only	513,000
17	2	Celing: Dismantling/Removal of existing ceiling Refixing of false ceiling i.c G.I suspension system ,hanger rods, joint treatment, cutting,finishing & paint etc complete in all respect as approved by the competent authority.	P.Sft	900	350	Three Hundred Fifty Rupees Only	315,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
18	3	Media Wall / Feature Wall: P/F of Media wall complete as per approved drawings & instructions including framing, panneling, finishing and electrical provision complete in all respect as approved by the competent authority.	P.Sft	190	475	Four Hundred Seventy Five Rupees Only	90,250
19	4	Wooden Box: Providing and Fixing of Wooden Box Type storage unit along wall comprising of 3/4" thick MDF/ partic board carcass, internal shelves, vertical/ horizontal partitions, back pannel finished with approved laminated veer/polish including edge bending necessary srews adhesives and all hardware (hinges,handles,drawer channels) complete inall respect as approved by the competent authority.	P.Sft	30	2,500	Two Thousand Five Hundred Rupees Only	75,000
20	5	Conference Table: P/F of Conference Table of approved design, made of hihg quaility Wanut wood finshes with laminated / veneer finish, including edging, modesty pannel, cable magnet box wire outlet etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	1	575,000	Five Hundred Seventy Five Thousand Rupees Only	575,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
21	6	Conference Chairs: P/F of Conference chair with cushioned seat back, upholstered in fabric/ latherette having ergonomic design, fixed/ adjustable arms, MS/ woden frame, powderedcoated / chrome finishbase etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	15	82,000	Eighty Two Thousand Rupees Only	1,230,000
22	7	Three Seater Sofa: P/F of Three Seater Sofa of approved design comprising of hardwood/ seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	4	210,000	Two Hundred Ten Thousand Rupees Only	840,000
23	8	Sinle Seater Sofa: P/F of Single Seater Sofa of approved design comprising of hardwood/ seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	2	70,000	Seventy Thousand Rupees Only	140,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
24	9	Centre Table: P/F of Centre Table with MDF/wooden base & 8-10 mm thick tempered glass etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	1	45,000	Forty Five Thousand Rupees Only	45,000
25	10	Side Table P/F of Side Tables with MDF/wooden base & 8-10 mm thick tempered glass etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	3	20,000	Twenty Thousand Rupees Only	60,000
26	10	Moterized Curtain: Providing and fixing motorized fabric curtains of approved fabric shade and design including good quality aluminium track system, complete in all respect including remote cotrol and complete accessories, etc	P.Job	1.00	45,000	Forty Five Thousand Rupees Only	45,000
27	11	Shelve: P/F solid Wooden shelves with high quality veneer polsih including glass etc complete as approved by the competent authority. (Interwood or Equivalent)	P.Sft	60	1,500	One Thousand Five Hundred Rupees Only	90,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
28		Establishment of Training/Capacity Building and Conference Room within the premises of Islamabad High Court Islamabad (SH: Audio/Video Conferencing, Sound System, CCTV)	0	0	-		-
29		Sub Head I: Internal Electrification	0	0	-		-
30	1	Wiring for light or fan point with 1.5 mm ² single core, PVC insulated wire copper conductor wire in 20 mm (3/4") dia uPVC conduit recessed and partely on sufrage in the wall or column, roof etc. including 1mm ² single core PVC insulated wire as ECC as required.	P.Point	82	3,145	Three Thousand One Hundred Forty Five Rupees Only	257,890
31	2	Extension/Additional wiring for light, fan ,call bell or light plug point, controlled with same switch with (3/.029") PVC insulated wire in 20 mm (3/4") dia uPVC conduit fitted on surface including 1 mm ² single core, PVC insulated wire as ECC as required.	P.Point	92	1,950	One Thousand Nine Hundred Fifty Rupees Only	179,400

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
32	3	Wiring for plug point with 1.5 mm ² single core, PVC insulated wire copper conductor wire in 20 mm (3/4")dia uPVC conduit recessed in the wall or column, roof etc. including 1mm ² single core PVC insulated wire as ECC as required.	P.Point	10	1,850	One Thousand Eight Hundred Fifty Rupees Only	18,500
33	4	Wiring for sub-main with 2x2.5mm single core PVC insulated wire i/c 1.5mm ² single core as ECC in all kind of existing or given conduit cable duct etc complete as required.	P.Mtr	300	580	Five Hundred Eighty Rupees Only	174,000
34	5	Wiring for sub-main with 2x4mm single core PVC insulated wire i/c 1.5mm ² single core as ECC in all kind of existing or given conduit cable duct etc complete as required.	P.Mtr	180	835	Eight Hundred Thirty Five Rupees Only	150,300

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
35	6	Wiring for sub-main with 4x 6 mm ² PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire partely fillted on recessed in 25mm diad conduite and 16x25 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	P.Mtr	90	2,250	Two Thousand Two Hundred Fifty Rupees Only	202,500
36	7	Wiring for sub-main with 4x 16 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire partely fillted on recessed in 25mm diad conduite and 16x25 mm uPVC duct fitted on surface including 2.5 mm ² PVC insulated wire single core wire as ECC as required.	P.Mtr	80	4,660	Four Thousand Six Hundred Sixty Rupees Only	372,800
37	8	Providing and fixing of 20mm 3/4" dia PVC conduit with all special such bends,socket junction etc complete in all respect as required.	P.Mtr	60	246	Two Hundred Forty Six Rupees Only	14,760

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
38	9	Supply & fixing 25mm (1") dia uPVC conduit with all especial such as bends, sockets, Junction etc recessed in the wall or column as required.	P.Mtr	60	370	Three Hundred Seventy Rupees Only	22,200
39	10	Providing & fixing 10 Amps Polycarbonate flame retardant S.P switch with fancy required gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	Each.	46	834	Eight Hundred Thirty Four Rupees Only	38,364
40	11	Providing & fixing 13 Amps Polycarbonate flame retardant 3-Pin switch socket unit with fancy gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	Each.	11	1,780	One Thousand Seven Hundred Eighty Rupees Only	19,580

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
41	12	Providing & fixing 15 Amps Polycarbonate flame retardant 3-Pin switch socket unit with fancy gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	Each.	14	2,750	Two Thousand Seven Hundred Fifty Rupees Only	38,500
42	13	Providing & installing False Ceiling Fan (Box Fan) with remote, 24" (2' x 2') size including connections, complete in all respect as approved by the Engineer Incharge (Voldam / Pak / Royal)	Each	32	15,426	Fifteen Thousand Four Hundred Twenty Six Rupees Only	493,632
43	14	Providing and fixing of fancy type LED spot light 12-14 watts with wall base and making inter connection etc complete as required. (Philips or equivalent)	Each	142	2,750	Two Thousand Seven Hundred Fifty Rupees Only	390,500

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
44	15	Providing & fixing Cubical type metal sheet Distribution board with locking arrangement as per drawing ,vermin protected duly powder coated paint i/c all fastening material including wiring with suitable gauge PVC x PVC wire complete as required.	P/Sft	8	11,300	Eleven Thousand Three Hundred Rupees Only	90,400
45	16	Providing & fixing 75 to100 Amps,(Low Breaking Capacity) T.P MCCB fixed on existing board , l/c inter-connection as required.	Each	2	14,500	Fourteen Thousand Five Hundred Rupees Only	29,000
46	17	Providing & fixing 70 to 100 Amps, 4 pole, three phase bus bar strip fitted in given Distribution board complete with bus bar insulator, screws, bolts etc as required.	P.Job	2	18,500	Eighteen Thousand Five Hundred Rupees Only	37,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
47	18	Providing and fixing of 6-32 Amps single pole moulded case circuit breaker with new one as per existing size and sample etc complete as required.	Each	45	1,360	One Thousand Three Hundred Sixty Rupees Only	61,200
48	19	Providing & fixing pilot lamp set fitted on existing board l/c connection as required.	Set	12	872	Eight Hundred Seventy Two Rupees Only	10,464
49	20	Polished Wooden strips, 2 inch x 1 inch x 2 inch for fixing the lighting strip for light shade effects	P/Sft	2200	300	Three Hundred Rupees Only	660,000
50	21	Providing, installation, testing and commissionin of Warm Rope light	P/Rft	1300	250	Two Hundred Fifty Rupees Only	325,000
51		Sub Head II: Air Conditioning	0	0	-		-

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
52	1	Providing, installation, testing and commissioning of Cassette Type, 4 Ton, Air Conditioner, DC Inverter, in the specified place. The job includes connection of copper piping of out door unit fitted on roof or angle iron frame, making inter connection of the unit with suitable sizes of wire also piping for condensed water etc as required approved make. Gree Haier or equivalent	P/Job	3	1,476,750	One Million Four Hundred Seventy Six Thousand Seven Hundred Fifty Rupees Only	4,430,250
53	2	Providing, installation, testing and commissioning of Cassette Type, 2 Ton, Air Conditioner, DC Inverter, in the specified place. The job includes connection of copper piping of out door unit fitted on roof or angle iron frame, making inter connection of the unit with suitable sizes of wire also piping for condensed water etc as required approved make. Gree Haier or equivalent	P/Job	5	981,750	Nine Hundred Eighty One Thousand Seven Hundred Fifty Rupees Only	4,908,750

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
54	3	Providing, installation, testing and commissioning of Refrigerant Copper Pipe, 22 gauge with all type of fittings like, elbow, clamping, aero flex insulation, wrapping tape, etc complete in all respect as approved by the Engineer Incharge.	0	0	-		-
55	a	1/4"	P/Rft	800	594	Five Hundred Ninety Four Rupees Only	475,200
56	b	3/8"	P/Rft	400	769	Seven Hundred Sixty Nine Rupees Only	307,600


Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
57	c	5/8"	P/Rft	1200	1,243	One Thousand Two Hundred Forty Three Rupees Only	1,491,600
58	4	Wiring for sub-main with 2x 4 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x16 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	P/Rft	1600	275	Two Hundred Seventy Five Rupees Only	440,000
59	5	Wiring for sub-main with 4x 6 mm ² PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x25 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	P/Rft	1500	686	Six Hundred Eighty Six Rupees Only	1,029,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
60	6	Wiring for sub-main with 4x 10 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x38 mm uPVC duct fitted on surface including 2.5 mm ² PVC insulated wire single core wire as ECC as required.	P/Rft	400	1,210	One Thousand Two Hundred Ten Rupees Only	484,000
61	7	Providing & laying 3 core, 110/.0076mm ² , standard copper conductor, PVC insulated & PVC sheathed cable in all kinds of existing or given conduit / cable duct as required. (Pakistan cable, Fast or equivalent)	P/Rft	1560	254	Two Hundred Fifty Four Rupees Only	396,240
62	8	Providing & laying 4 core, 110/.0076mm ² , standard copper conductor, PVC insulated & PVC sheathed cable in all kinds of existing or given conduit / cable duct as required. (Pakistan cable, Fast or equivalent)	P/Rft	1560	313	Three Hundred Thirteen Rupees Only	488,280

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
63	9	Providing & fixing 6 to 32 Amps, S.P MCCB fixed on existing board , I/c inter-connection as required.	Each	20	1,360	One Thousand Three Hundred Sixty Rupees Only	27,200
64	10	Providing & fixing 10 to 60 Amps,(Low Breaking Capacity) T.P MCCB fixed on existing board , I/c inter-connection as required.	Each	8	15,500	Fifteen Thousand Five Hundred Rupees Only	124,000
65	11	Providing & fixing Cubical type metal sheet Distribution board with locking arrangement as per drawing ,vermin protected duly powder coated paint i/c all fastening material including wiring with suitable gauge PVC x PVC wire complete as required.	P/Sft	6	11,300	Eleven Thousand Three Hundred Rupees Only	67,800

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
66	12	Making core cutting in the RCC or Brick wall for crossing of referigent piping, duly pilaster and making good the damage as required.	Each	12	7,500	Seven Thousand Five Hundred Rupees Only	90,000
67	13	Supply & fixing 25mm (1") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	P/RFT	2000	113	One Hundred Thirteen Rupees Only	226,000
68	14	Supply & fixing 30mm (1¼") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	P/RFT	1940	90	Ninety Rupees Only	174,600
69	15	Providing & fixing of 40x40 mm uPVC duct fitted on surface as required.	P/RFT	1000	130	One Hundred Thirty Rupees Only	130,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
70	16	Providing & fixing of 40x60 mm uPVC duct fitted on surface as required.	P/RFT	800	210	Two Hundred Ten Rupees Only	168,000
71	17	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	P/RFT	1400	85	Eighty Five Rupees Only	119,000



Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
72	1	<p>Sub Head III: Audio Conference System: "Providing, installation, testing, and commissioning of flush-mounted digital delegate unit complete with detachable gooseneck microphone, built-in loudspeaker with auto-mute, microphone push button with LED indicator, request-to-speak functions, including all necessary panels, base unit, cabling, connectors, mounting accessories, and tools, fully integrated and operational as part of a digital conference system, complete in all respect. Brahler, Bosch or equivalent (USA/European)"</p> <p>Functional Requirements Flush-mounted design for table integration Detachable gooseneck microphone (short or long stem as required) Built-in loudspeaker with automatic mute when microphone is active Microphone activation button with LED status indicator Request-to-speak button for delegate operation Priority/override button for chairman unit (where applicable) Full digital audio transmission with high clarity and low latency Plug-and-play connectivity within the conference system Components (Complete Set) Each unit shall include, but not be limited to, the following: 1. Flush microphone connection panel 2. Flush microphone control/button panel 3. Flush</p>	P/Job	37	325,000	Three Hundred Twenty Five Thousand Rupees Only	12,025,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
73	2	<p>"Providing, installation, testing, and commissioning of flush-mounted digital chairman/delegate unit complete with detachable gooseneck microphone, built-in loudspeaker with auto-mute, microphone push button with LED indicator, request-to-speak and priority (chairman) functions, including all necessary panels, base unit, cabling, connectors, mounting accessories, and tools, fully integrated and operational as part of a digital conference system. Brahler, Bosch or equivalent (USA/European) " Functional Requirements</p> <p>Flush-mounted design for table integration Detachable gooseneck microphone (short or long stem as required) Built-in loudspeaker with automatic mute when microphone is active Microphone activation button with LED status indicator Request-to-speak button for delegate operation Priority/override button for chairman unit (where applicable) Full digital audio transmission with high clarity and low latency Plug-and-play connectivity within the conference system</p> <p>Components (Complete Set) Each unit shall include, but not be limited to, the following:</p> <ol style="list-style-type: none"> 1. Flush microphone connection panel 2. Flush microphone control/button panel 3. Flush 	P/Job	2	350,000	Three Hundred Fifty Thousand Rupees Only	700,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
74	3	"Supply, installation, testing, and commissioning of a conference system server with minimum Intel Core i7/equivalent processor, 16 GB RAM, 256 GB SSD, dual 1 Gbps Ethernet ports, high-efficiency power supply, pre-installed server operating system and conference management software, including all required licenses, accessories, configuration, and integration, complete and fully operational. Brahler, Bosch or equivalent (USA/European) " Minimum Technical Specifications Processor: Minimum Intel Core i7 / equivalent, ~2.4 GHz or higher Memory: 16 GB RAM minimum Storage: 256 GB SSD minimum for fast boot and reliability Network Interfaces: Minimum 2 × 1 Gbps Ethernet ports (for segregation of conference and office networks) Power Supply: Approx. 230–280 W, high-efficiency (≥ 85%), wide input range Supply Voltage: 100–240 VAC, 50/60 Hz Form Factor: Compact, suitable for desk, rack, or display mounting Energy Efficiency: ENERGY STAR / equivalent compliant Surge Protection: Capable of handling power surges up to 2 kV Functional Requirements Pre-installed server operating system (latest stable version) Pre-installed and configured	P/Job	2	2,162,420	Two Million One Hundred Sixty Two Thousand Four Hundred Twenty Rupees Only	4,324,840

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
75	4	"Providing, installation, testing, and commissioning of an audio distributing switch with built-in acoustic feedback suppression, echo cancellation, and equalization, equipped with minimum 3 × RJ-45 Hi-PoE ports and 1 × RJ-45 PoE port, suitable for digital conference systems, including all accessories, connections, configuration, and integration, complete and fully operational. Brahler, Bosch or equivalent (USA/Eruropean)" Minimum Technical Specifications Built-in acoustic feedback suppression Integrated echo cancellation and audio equalization (EQ) Minimum 3 × RJ-45 Hi-PoE ports for powering conference devices Minimum 1 × RJ-45 PoE port for additional connectivity High-performance switching capacity suitable for large-scale conference systems (up to 500–750 devices or as required) Support for low-latency digital audio transmission Compact and versatile form factor suitable for desk, rack, or wall mounting Functional Requirements Reliable audio distribution and network switching within the conference system Seamless integration with conference control units and delegate devices Support for power and data over Ethernet (PoE/Hi-PoE) Stable	P/Job	2	1,139,000	One Million One Hundred Thirty Nine Thousand Rupees Only	2,278,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
76	5	Supply, installation, testing, and commissioning of factory-terminated communication cable, minimum 25 meters length, with RJ45 connectors incorporating power pins, low smoke zero halogen (LSZH) flame-retardant sheath, compliant with EN 50575 standards, complete with all necessary terminations, accessories, and connections, fully installed and operational. Brahler, Bosch or equivalent (USA/European)	P/Job	2	119,850	One Hundred Nineteen Thousand Eight Hundred Fifty Rupees Only	239,700
77	6	Installation, Commissioning programming, Configuration, compete Job with training	P/Job	2	450,000	Four Hundred Fifty Thousand Rupees Only	900,000
78		Sub Head IV: Video Conference System	0	0	-		-


Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
79	1	<p>Sub Head IV: Video Conference System</p> <p>"Providing, installation, testing, and commissioning of a professional IP-based PTZ camera suitable for surveillance, broadcasting, and conferencing applications, with high-quality CMOS sensor (minimum 1/2.8" or equivalent), Full HD and 4K UHD support, optical zoom (minimum 50× in Full HD and 30× in 4K mode), wide-angle coverage approx. 60° ±2°, HDR imaging, low-light noise reduction, motorized pan-tilt-zoom with preset and patrol functions, and simultaneous multi-format outputs including HDMI, 3G-SDI, USB, and IP streaming (RTSP/RTMP or equivalent), fully compatible with standard VMS and conference systems, complete with all accessories and mounting hardware, fully operational. Brahler, Bosch or equivalent (USA/Eruopean)" Minimum Technical Specifications Image Sensor: High-quality CMOS sensor (minimum 1/2.8" or equivalent) Resolution: Full HD (1920 × 1080) minimum 4K UHD support (where applicable) Optical Zoom: Minimum 50× (Full HD mode) Minimum 30× (4K mode) Lens: Wide-angle coverage approx. 60° ±2°) Imaging Features: HDR (High Dynamic Range) Low-light performance with noise</p>	P/Job	1	2,173,450	Two Million One Hundred Seventy Three Thousand Four Hundred Fifty Rupees Only	2,173,450

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
80	2	Providing, installation, testing and commissioning of Wall mounting bracket for PTZ980 camera for top mounting of the camera steel, light grey painted	P/Job	1	40,000	Forty Thousand Rupees Only	40,000
81	3	Supply and configuration of a video conferencing (VC) software suite with multi-point conferencing capability (minimum 4-8 sites, expandable), supporting standard communication protocols including SIP and H.323, with integration capability for PTZ cameras via IP-based control protocols (e.g., VISCA or equivalent), support for IP-based video routing, screen sharing and content presentation, recording and playback functionality, remote management, and scheduling features. The software shall be capable of integration with digital conference systems and shall support camera control and automatic or semi-automatic speaker tracking based on external audio/control inputs where applicable.	P/Job	1	765,000	Seven Hundred Sixty Five Thousand Rupees Only	765,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
82	4	Providing, installation, testing, and commissioning of a 5-port PoE network switch suitable for data and power transmission over Ethernet, compliant with IEEE 802.3af/at standards (or equivalent), with plug-and-play functionality, suitable for integration with IP-based devices, complete with all necessary accessories, configuration, and commissioning, fully operational	P/Job	1	28,000	Twenty Eight Thousand Rupees Only	28,000
83	5	Providing, installation, testing and commissioning of Core i7, 14th Generation , computer system having atleast 16GB RAM, 1 TB Hard Disk, complete with with HD monitor Dell, HP,or equivalent	P/Job	1	425,000	Four Hundred Twenty Five Thousand Rupees Only	425,000
84	6	Providing, installation, testing and commissioning of CAT-6 cables with RJ-45 connectors	P/Job	2	50,000	Fifty Thousand Rupees Only	100,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
85	7	"Providing, installation, testing, and commissioning of a 98-inch interactive flat panel display with UHD 4K resolution (3840 × 2160), LED-backlit or equivalent display technology, multi-touch interactive capability with support for multiple simultaneous users, high-precision touch with palm rejection, anti-glare and scratch-resistant glass, wide viewing angle, high brightness suitable for indoor environments, multiple connectivity options including HDMI, USB, LAN, and wireless screen mirroring, built-in interactive whiteboard/annotation and split-screen functionality, embedded OS or OPS support, built-in speakers, and compatible wall ceiling mount or floor stand installation with all required accessories, configuration, testing, and commissioning, fully operational. Hikvision, Smart Technologies or equivalent)" Minimum Technical Specifications Screen Size: Approx. 98 inches (diagonal) Resolution: UHD 4K (3840 × 2160) or higher Display Type: LED-backlit LCD or equivalent flat panel technology Aspect Ratio: 16:9 Touch Technology: Multi-touch interactive (supporting multiple simultaneous users) Touch Features: High precision touch response Palm rejection /	P/Job	2	2,295,000	Two Million Two Hundred Ninety Five Thousand Rupees Only	4,590,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
86	8	Installation, Commissioning programming, Configuration, compete Job with training	P/Job	2	150,000	One Hundred Fifty Thousand Rupees Only	300,000
87		Sub Head V: Sound System	0	0	-		-



Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
88	1	Mixer Amplifier: "Providing, installation, testing, and commissioning of a professional mixer amplifier system suitable for public address and announcement applications, with multi-zone audio distribution capability and priority-based input handling. Brahler, Bosch or equivalent (USA/European)" Minimum Technical Specifications Power Output: Minimum 240 W RMS or equivalent Zones: Minimum 2-zone audio output Frequency Response: Approx. 50 Hz to 20 kHz or better Audio Inputs: Minimum 6 × microphone/line inputs 1 × telephone / emergency input with priority function Minimum 3 × music inputs Priority Functions: VOX (voice-activated priority) Emergency override with highest priority Input priority management for announcements Audio Output & Control 100V line output (or equivalent constant voltage system) Master/mixed audio output (balanced XLR or equivalent) Music output capability 3-wire or equivalent volume override functionality Support for zone-based volume control Connectivity Interface for call station (RJ-45 or equivalent) Interface for wall control panel (RJ-45 or equivalent) Network or control interface for system integration Expandable for paging	P/Job	2	479,740	Four Hundred Seventy Nine Thousand Seven Hundred Forty Rupees Only	959,480

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
89	2	Speaker Providing, installation, testing, and commissioning of high-performance two-way cabinet type loudspeakers suitable for ceiling or wall mounting, designed for indoor and semi-outdoor public address and background music applications, complete with all mounting accessories and installation hardware. Brahler, Bosch or equivalent (USA/European). Minimum Technical Specifications: Speaker Type: cabinet loudspeaker Drivers: Low frequency driver approximately 8-inch or equivalent High frequency driver approximately 1-inch or equivalent Rated Power: Minimum 30 W RMS or equivalent Peak Power Handling: Minimum 45 W or higher Frequency Response: Approx. 70 Hz to 20 kHz (±3 dB or better) Sensitivity: Approx. 88-92 dB (1W/1m) or better Maximum Sound Pressure Level: Suitable for public address applications (approx. 110 dB continuous or equivalent) Coverage Pattern: Wide dispersion (approx. 90° × 90° or better) Nominal Impedance: 8 ohms or equivalent low impedance operation System Compatibility Suitable for low impedance and constant voltage (70V / 100V) systems via built in or external	P/Job	8	83,130	Eighty Three Thousand One Hundred Thirty Rupees Only	665,040


Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
90	3	Supply, installation, testing and commissioning of 2-core, 1.5 mm ² stranded copper speaker cable (LSZH, low smoke zero halogen) suitable for 300/500 V, having resistance as per IEC standards (approx. 13-14 Ohms per KM), complete with all terminations, conduits and accessories, as required.	P/Rft	200	350	Three Hundred Fifty Rupees Only	70,000
91	4	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	P/Rft	200	115	One Hundred Fifteen Rupees Only	23,000
92		Sub Head VI: CCTV System	0	0	-		-

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
93	1	Supply, installation, testing and commissioning of Bullet / Mini Dome IP camera having following specifications:- Image device: At least 1/3 inch, Resolution & frames/sec: At least 4 MP/25fps, Video Compression: H.265,H.264, MJPEG, Focal length: fixed of 2.8mm,4mm or 8mm. Min illumination: 0 lux(B/W), 0.15 lux (Colour), Infrared viewable length: At least 30 m, Weather proof standard: IP 66 at least, Vandal proof standard: At least IK10, complete in all respect as approved by the Engineer Incharge. Hikvision / Dahua or equivalent	P/Job	12	38,000	Thirty Eight Thousand Rupees Only	456,000
94	2	Wiring of CCTV Camera with STP Cat-6 in existing PVC conduit/duct i/c connectors complete in all respect as required.	P/Mtr	350	410	Four Hundred Ten Rupees Only	143,500

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
95	3	Supply, installation, testing and commissioning of 16Channel NVR8 PoE/Poe+ ports having following specifications:-Max recording rate: 100Mbps, embedded system: Linux or latest, VGA and HDMI(upto 4K support), Compression:H.265, H.264, MJPEG, Internal storage: upto 2 SATA (Max 12TB), 128Mbps bandwidth, ARB support, easy config. Monitoring: Web viewer and Mobile viewer, Camera support: ONVIF complete in all respect as approved by the Engineer Incharge. Hikvision / Dahua or equivalent	P/Job	1	140,000	One Hundred Forty Thousand Rupees Only	140,000
96	4	Providing, punchin, testing and commissioning of RJ-45 connector, complete in all respect as approved by the engineer incharge.	Each	45	380	Three Hundred Eighty Rupees Only	17,100
97	5	Providing, Fixing & Installing 8 port POE Giga Bit switches, complete in all respect as approved by the engineer incharge as required.	P/Job	2	60,000	Sixty Thousand Rupees Only	120,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
98	6	Supply, installation and commissioning of 4TB Surveillance Grade Hard Drive complete in all respect as required.	P/Job	2	75,000	Seventy Five Thousand Rupees Only	150,000
99	7	Providing and installing of 40-43" LED smart TV latest model suitable for operation on 220/230 V, 50 Hz AC supply including USB / HDMI Ports, Video In, Audio In, switchable to HDMI-I to HDMI-II via wireless remote, flexible cord, shoe, wifi, bluetooth, wall bracket, rawal bolts, etc, complete with electric connection, as approved by the engineer incharge as required. Samsung, Sony, or equivalent	Each	1	144,500	One Hundred Forty Four Thousand Five Hundred Rupees Only	144,500
100	8	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	P/Mtr	300	345	Three Hundred Forty Five Rupees Only	103,500
101		Sub Head VII: Acoustic Treatment	0	0	-		-

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
102	1	Sound proofing and decoration of the conference room 2' x 2' wooden frame build with 1" x 1½" thick wooden bar, 2mm thick sheet at the back, 2' x 2' panel filled with Rock wool netted in the iron net, ½ inch thick sheet at the front with perforated wholes, ½" thick foam and fabric at the top including carpentry works, nails, Glue inclusive of all necessary material for fixing the panels on the wall, With transportation	P/Sft	4300	1,150	One Thousand One Hundred Fifty Rupees Only	4,945,000



Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
103		<p>Sub Head VIII: Online UPS Providing, installation, testing, and commissioning of a 6 kVA online uninterruptible power supply (UPS) system with external battery bank, suitable for continuous power backup of critical IT, AV, and communication equipment. APC, Riello or equivalent. Minimum Technical Specifications: Capacity: Minimum 6 kVA / 6 kW or equivalent. UPS Type: Online double conversion technology Output Waveform: Pure sine wave Phase: Single-phase input and output Efficiency: Up to 90% or higher at full load Transfer Time: 0 ms (true online operation) Crest Factor: Minimum 3:1 or better Input Specifications Input voltage range: approximately 110 - 300 V (or equivalent wide range) Nominal input voltage: 220 / 230 / 240 V AC Input frequency: 40 - 70 Hz (auto sensing) Hardwired input connection (single phase with neutral and earth) Output Specifications Output voltage: 220 / 230 / 240 V AC (adjustable) Output frequency: 50/60 Hz \pm3% or better Stable regulated output suitable for sensitive electronic loads Battery System Compatible with external sealed lead acid or equivalent battery bank Recharge time: approximately</p>	P/Job	2	750,000	Seven Hundred Fifty Thousand Rupees Only	1,500,000

Sr. No	S.No	Description	Unit	Qty	Rate	In Word	Amount
104	2	Providing & fixing Polycarbonate flame retardant floor box of suitable size with provision of 2 data & voice socket i/c I/O and 2 light plug,vermin protected duly powder coated paint i/c all fastening material, complete in all respect including connection as required.	Each	4	27,350		109,400
						GRAND TOTAL:	Rs69,434,170.00

Scope of Work

The project aims to refurbish the existing space into a modern meeting room designed to accommodate 20-25 participants. The interior will feature a contemporary and sleek aesthetic, emphasizing a refined and professional ambiance. The design will incorporate refined and elegant sitting area, advanced lighting solutions and state-of-the-art IT equipment to support conferences and routine meetings efficiently

Price Schedule


For Individual Jobs

#	Job Title	Quantity	Unit Price (PKR)	Total Price (PKR)	Delivery Location	Delivery Period / Year	Country of Origin
1							

#	Job Title	Quantity	Unit Price (PKR)	Total Price (PKR)	Delivery Location	Delivery Period / Year	Country of Origin
2							

For Lots

#	Lot Title	Total Lot Price (PKR)	Country of Origin
1	[Lot 1 Title]		







General Conditions of Contract

A. General

1. Definitions

1.1. Unless the context otherwise requires, the following terms whenever used in this Contract shall have the same meaning and shall be interpreted as indicated

1.1.1. "Applicable Law" means the laws and any other instruments having the force of law in the Government's Country, or in such other country as may be specified in the Special Conditions of the Contract (SC), as they may be issued and in force from time to time;

1.1.2. "The Contract" means an agreement enforceable by law;

1.1.3. "The Contract Price" means the price payable to the Contractor under the Contract for the full and proper performance of its contractual obligations;

1.1.4. "The Services" means the work to be performed by the Contractor pursuant to this Contract and as prescribed in the Specifications and Schedule of Activities included in the Contractor's Bid;

1.1.5. "Ancillary Services" means those services ancillary to the provision of Services, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Contractor covered under the Contract;

1.1.6. "GCC" means the General Conditions of Contract contained in this section;

1.1.7. "SCC" means the Special Conditions of Contract by which the GCC may be amended or supplemented;

1.1.8. "Day" means calendar day unless indicated otherwise;

1.1.9. "Effective Date" means the date on which this Contract comes into force and effect;

1.1.10. "The Contractor" means the individual or corporate body whose Bids to provide the Services has been accepted by the Procuring Agency;

1.1.11. "The Project Site," where applicable, means the place or places named in Bid Data Sheet and technical Specifications;

1.1.12. "Government" means the Government of Pakistan;

1.1.13. "Local Currency" means the currency of Pakistan;

1.1.14. "In Writing" means communicated in written form with proof of receipt;

1.1.15. "Completion Date" means the date of completion of the Services by the Contractor as certified by the Procuring Agency;

1.1.16. "Foreign Currency" means any currency other than the currency of the country of the Procuring Agency;

1.1.17. "Party" means the Procuring Agency or the Contractor, as the case may be, and "Parties" means both of them;

1.1.18. "Service" means any object of procurement other than goods or works;

1.1.19. "Subcontractor" means any entity to which the Bidder subcontracts any part of the Services.

2. Applicable Law

2.1. The contract shall be governed and interpreted in accordance with the laws of Pakistan, unless otherwise specified in SCC.

3. Language

3.1. The Contract as well as all correspondence and documents relating to the Contract exchanged between the Contractor and the Procuring Agency, shall be written in the **English language** unless otherwise stated in the SCC. Supporting documents and printed literature that are part of the Contract may be in another language provided these are accompanied by an accurate translation of the relevant passages in English, in which case, for purposes of interpretation of the Contract, this translation shall govern.

4. Notices

4.1. Any notice, request, or consent made pursuant to this Contract shall be in writing and shall be deemed to have been made when delivered in person to an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the SCC.

5. Location

5.1. The Services shall be performed at such locations as the Procuring Agency may approve and as specified in SCC.

5.2. A {DOCUMENTS}

6. Authorized Representatives / Authority of Member in charge

6.1. Any action required or permitted to be taken, and any document required or permitted to be executed, under this Contract by the Procuring Agency or the Contractor may be taken or executed by the officials specified in the SCC.

B. Commencement, Completion, Modification, and Termination of Contract

1. Effectiveness of Contract

1.1. This Contract shall come into effect on the date the Contract is signed by both parties and such other later date as may be stated in the SCC.

2. Commencement of Services

2.1. The Contractor shall confirm availability of Key Experts and begin carrying out the Services not later than the number of days after the Effective Date specified in the SCC.

3. Program schedule

3.1. Before commencement of the Services, the Contractor shall submit to the Procuring Agency for approval a Program showing the general methods, arrangements, order and timing for all activities. The Services shall be carried out in accordance with the approved Program as updated.

4. Starting Date/Expiration Date

4.1. The Contractor shall start carrying out the Services Five (05) days after the date the Contract becomes effective, or at such other date as may be specified in the SCC.

4.2. Unless terminated earlier pursuant to Clause **GCC 14** hereof, this Contract shall expire at the end of such time period after the Effective Date as specified in the SCC.

5. Entire Agreement

5.1. This Contract contains all covenants, stipulations and provisions agreed by the Parties. No agent or representative of either Party has authority to make, and the Parties shall not be bound by or be liable for, any statement, representation, promise or agreement not set forth herein.

6. Modification

6.1. Any modification or variation of the terms and conditions of this Contract, including any modification or variation of the scope of the Services, may only be made by written agreement between the Parties. However, each Party shall give due consideration to any modification(s) or variation(s) made by the other Party.

6.2. In cases of any modification(s) or variation(s), the prior written consent of the Procuring Agency is required.

7. Force Majeure

7.1. Definition

For the purposes of this Contract, "Force Majeure" means an event which is beyond the reasonable control of a Contractor and which makes a Contractor's performance of its obligations under the Contract impossible or so impractical as to be considered impossible under the circumstances.

7.2. No Breach of Contract

The failure of a Party to fulfill any of its obligations under the contract shall not be considered to be a breach of, or default under, this Contract in so far as such inability arises from an event of Force Majeure, provided that the Party affected by such an event (a) has taken all reasonable precautions, due care and reasonable alternative

measures in order to carry out the terms and conditions of this Contract, and (b) has informed the other Party as soon as possible about the occurrence of such an event.

7.3. Extension of Time

Any period within which a Contractor shall, pursuant to this Contract, complete any action or task, shall be extended for a period equal to the time during which such Party was unable to perform such action as a result of Force Majeure.

7.4. Payments

During the period of their inability to perform the Services as a result of an event of Force Majeure, the Contractor shall be entitled to continue to be paid under the terms of this Contract, as well as to be reimbursed for additional costs reasonably and necessarily incurred by them during such period for the purposes of the Services and in reactivating the Service after the end of such period.

8. Termination

8.1. By the Procuring Agency

The Procuring Agency may terminate this Contract in case of the occurrence of any of the events specified in paragraphs (a) through (e) of this Clause. In such an occurrence the Procuring Agency shall give at least thirty (30) calendar days' written notice of termination to the Contractor in case of the events referred to in (a) through (d); at least sixty (60) calendar days' written notice in case of the event referred to in (e);

8.1.1. If the Contractor fails to remedy a failure in the performance of its obligations hereunder, as specified in a notice of suspension;

8.1.2. If the Contractor becomes (or, if the Contractor consists of more than one entity, if any of its members becomes) insolvent or bankrupt or enter into any agreements with their creditors for relief of debt or take advantage of any law for the benefit of debtors or go into liquidation or receivership whether compulsory or voluntary;

8.1.3. If the Contractor fails to comply with any final decision reached as a result of arbitration proceedings;

8.1.4. If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days;

8.1.5. If the Procuring Agency, in its sole discretion and for any reason whatsoever, decides to terminate this Contract;

8.2. By the Contractor

The Contractor may terminate this Contract, by not less than thirty (30) calendar days' written notice to the Procuring Agency, in case of the occurrence of any of the events specified in paragraphs (a) through (d) of this Clause.

8.2.1. If the Procuring Agency fails to pay any money due to the Contractor pursuant to this Contract and not subject to dispute within forty-five (45) calendar days after receiving written notice from the Contractor that such payment is overdue;

8.2.2. If, as the result of Force Majeure, the Contractor is unable to perform a material portion of the Services for a period of not less than sixty (60) calendar days;

8.2.3. If the Procuring Agency fails to comply with any final decision reached as a result of arbitration;

8.2.4. If the Procuring Agency is in material breach of its obligations pursuant to this Contract and has not remedied the same within forty-five (45) days (or such longer period as the Bidder may have subsequently approved in writing) following the receipt by the Procuring Agency of the Contractor's notice specifying such breach.

C. Obligations of the Contractor

1. General

1.1. Standard of Performance

1.1.1. The Contractor shall perform the Services and carry out the Services with all due diligence, efficiency and economy, in accordance with generally accepted professional standards and practices, and shall observe sound management practices, and employ appropriate technology and safe and effective equipment, machinery, materials and methods. The Contractor shall always act, in respect of any matter relating to this Contract or to the Services, as a faithful adviser to the Procuring Agency, and shall at all times support and safeguard the Procuring Agency's legitimate interests in any dealings with the third parties;

1.1.2. The Contractor shall employ and provide such qualified and experienced Experts and Sub-Contractors as are required to carry out the Services.

1.2. Law Applicable to Services

The Contractor shall perform the Services in accordance with the Contract and in accordance with the Law of Pakistan and shall take all practicable steps to ensure that any of its Experts and Sub-Bidders, comply with the Applicable Law.

2. Conflict of Interests

2.1. Contractor Not to Benefit from Commissions and Discounts

The remuneration of the Contractor shall constitute the Contractor's sole remuneration in connection with this Contract or the Services, and the Contractor shall not accept for their own benefit any trade commission, discount, or similar payment in connection with activities pursuant to this Contract or to the Services or in the discharge of their obligations under the Contract, and the Contractor shall use their best efforts to ensure that the Personnel, any Subcontractors, and agents of either of them similarly shall not receive any such additional remuneration.

2.2. Contractor and Affiliates Not to be Otherwise Interested in Project

The Contractor agree that, during the term of this Contract and after its termination, the Contractor and its affiliates, as well as any Subcontractor and any of its affiliates, shall be disqualified from providing Services (other than the Services and any continuation thereof) for any project resulting from or closely related to the Services.

2.3. Prohibition of Conflicting Activities

Neither the Bidder nor its Subcontractors nor the Personnel shall engage, either directly or indirectly, in any of the following activities:

- 2.3.1. during the term of this Contract, any business or professional activities in the Government's country which would conflict with the activities assigned to them under this Contract;
- 2.3.2. during the term of this Contract, neither the Contractor nor their Subcontractors shall hire public employees in active duty or on any type of leave, to perform any activity under this Contract;
- 2.3.3. after the termination of this Contract, such other activities as may be specified in the **SCC**.

3. Insurance to be Taken Out by the Contractor

3.1. The Contractor(a) shall take out and maintain, and shall cause any Subcontractors to take out and maintain, at its (or the Sub-contractors', as the case may be) own cost but on terms and conditions approved by the Procuring Agency, insurance against the risks, and for the coverage, as shall be specified in the **SCC**; and (b) at the Procuring Agency's request, shall provide evidence to the Procuring Agency showing that such insurance has been taken out and maintained and that the current premiums have been paid.

4. Contractor's Actions Requiring Procuring Agency's Prior Approval

4.1. The Contractor shall obtain the Procuring Agency's prior approval in writing before taking any of the following actions:

- 4.1.1. appointing such members of the Personnel not provided by the Contractor;
- 4.1.2. changing the Program of activities; and
- 4.1.3. any other action that may be specified in the **SCC**.

5. Reporting Obligations

5.1. The Contractor shall submit to the Procuring Agency the reports and documents in the numbers, and within the periods as prescribed by the Procuring Agency.

6. Liquidated Damages

6.1. Payments of Liquidated Damages

The Contractor shall pay liquidated damages to the Procuring Agency at the rate per day stated in the **SCC** for each day that the Completion Date is later than the Intended Completion Date. The total amount of liquidated damages shall not exceed the amount defined in the **SCC**. The Procuring Agency may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages shall not affect the Contractor's liabilities.

6.2. Correction for Over-payment

If the Intended Completion Date is extended after liquidated damages have been paid, the Procuring Agency shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The

Contractor shall be paid interest on the overpayment, calculated from the date of payment to the date of repayment, at the rates specified in **SCC**.

6.3. Lack of performance penalty

If the Contractor has not corrected a Defect within the time specified in the Procuring Agency's notice, a penalty for Lack of performance will be paid by the Contractor. The amount to be paid will be calculated as a percentage of the cost of having the Defect corrected, assessed as specified in the Contractor

7. Performance Guarantee

7.1. Within the time stipulated in the acceptance letter from the Procuring Agency, the successful Bidder shall furnish the Performance Guarantee in shape and amount **specified in SCC**.

7.2. The proceeds of the Performance Guarantee shall be payable to the Procuring agency as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.

7.3. The Performance Guarantee shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring agency and shall be in the acceptable form as specified in **SCC**.

7.4. The Performance Guarantee will be discharged by the Procuring agency and returned to the Supplier not later than thirty (30) days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless otherwise **specified in SCC**.

8. Sustainable Procurement

8.1. The Contractor shall conform to the sustainable procurement contractual provisions, if and as specified in the **SCC**.

D. Contractor's Personnel

1. Description of Personnel

1.1. The titles, agreed job descriptions, minimum qualifications, and estimated periods of engagement in the carrying out of the Services of the Contractor's Key Personnel. The Key Personnel listed by title as well as by name are hereby approved by the Procuring Agency.

2. Removal and / or Replacement of Personnel

2.1. Except as the Procuring Agency may otherwise agree, no changes shall be made in the Key Personnel. If, for any reason beyond the reasonable control of the Contractor, it becomes necessary to replace any of the Key Personnel, the Contractor shall provide as a replacement a person of equivalent or better qualifications.

2.2. If the Procuring Agency finds that any of the Personnel have (i) committed serious misconduct or have been charged with having committed a criminal action, or (ii) have reasonable cause to be dissatisfied with the performance of any of the Personnel, then the Contractor shall, at the Procuring Agency's written request specifying the grounds thereof, provide as a replacement a person with qualifications and experience acceptable to the Procuring Agency.

2.3. The Contractor shall have no claim for additional costs arising out of or incidental to any removal and/or replacement of Personnel.

E. Obligations of the Procuring Agency

1. Change in the Applicable Law

1.1. If, after the date of this Contract, there is any change in the Applicable Law with respect to taxes and duties which increases or decreases the cost of the Services rendered by the Contractor, then the remuneration and reimbursable expenses otherwise payable to the Contractor under this Contract shall be increased or decreased accordingly by agreement between the Parties, and corresponding adjustments shall be made to the amounts referred in the SCC.

2. Services and Facilities

2.1. The Procuring Agency shall make available to the Contractor and the Experts, for the purposes of the Services and free of any charge, the services, facilities and property described in the Terms of Reference, at the times and in the manner specified in the Terms of Reference.

2.2. In case that such services, facilities and property shall not be made available to the Contractor, the Parties shall agree on (i) any time extension that it may be appropriate to grant to the Contractor for the performance of the Services, (ii) the manner in which the Contractor shall procure any such services, facilities and property from other sources, and (iii) the additional payments, if any, to be made to the Contractor as a result thereof.

F. Payments to the Contractor

1. Contract Price

1.1. The price payable shall be in Pakistani Rupees unless otherwise specified in the SCC.

2. Terms and Conditions of Payment

2.1. Payments will be made to the Contractor according to the payment schedule stated in the SCC and as per actual invoice submitted by the Contractor.

2.2. Unless otherwise stated in the SCC, the advance payment shall be made against the provision by the Contractor of a bank guarantee for the same amount, and shall be valid for the period stated in the SCC. Any other payment shall be made after the conditions listed in the SCC for such payment have been met, and the Contractor have submitted an invoice to the Procuring Agency specifying the amount due.

3. Quality Control Identifying Defects

3.1. The principle and modalities of Inspection of the Services by the Procuring Agency shall be as indicated in the SCC. The Procuring Agency shall check the Contractor's performance and notify him of any Defects that are

found. Such checking shall not affect the Contractor's responsibilities. The Procuring Agency may instruct the Contractor to search for a Defect and to uncover and test any service that the Procuring Agency considers may have a Defect. Defect Liability Period is as defined in the **SCC**.

3.2. A {INSPECTION}

4. Correction of Defects, and Lack of Performance Penalty

4.1. The Procuring Agency shall give notice to the contractor of any Defects before the end of the Contract. The Defects liability period shall be extended for as long as Defects remain to be corrected.

4.2. Every time notice a Defect is given; the contractor shall correct the notified Defect within the length of time specified by the Procuring Agency's notice.

4.3. If the contractor has not corrected a Defect within the time specified in the Procuring Agency's notice, the Procuring Agency will assess the cost of having the Defect corrected, the contractor will pay this amount, and a Penalty for Lack of Performance.

5. Settlement of Disputes Amicable Settlement

5.1. The Parties shall use their best efforts to settle amicably all disputes arising out of or in connection with this Contract or its interpretation.

6. Dispute Settlement

6.1. Arbitration

If any dispute of any kind whatsoever shall arise between the procuring agency and the contractor in connection with or arising out of the Contract, including without prejudice to the generality of the foregoing, any question regarding its existence, validity or termination, or the execution of the contract, the parties shall seek to resolve any such dispute or difference by mutual consultation. If the parties fail to resolve such a dispute or difference even after negotiations or mediation, then the dispute shall be referred within fourteen (14) days in writing by either party to the Arbitrator, with a copy to the other party.

Any dispute in respect of which a notice of intention to commence arbitration has been given, in accordance with **GCC sub-clause 32.1**, shall be finally settled by arbitration. Arbitration may be commenced prior to or after completion of the Contract. Arbitration proceedings shall be conducted in accordance with Arbitration Act 1940. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless otherwise agreed. The Procuring Agency shall continue to pay the Contractor any undisputed amounts due under the Contract during the resolution of any dispute.



Special Conditions of Contract

SECTION VIII. SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the Conditions of Contract. The corresponding clause number of the GCC is indicated in parentheses.

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract
	<p>Definitions</p> <p>The Procuring Agency is:Islamabad High Court (Islamabad High Court),Research OfficerConstitution Avenue, Sector G-5/1., Islamabad Capital Territory</p> <p>The Supplier is:</p> <p>The title of the subject procurement is:ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM</p>
GCC 2	<p>Applicable/Governing Law:</p> <p>The Contract shall be interpreted in accordance with the laws of Islamic Republic of Pakistan</p>
GCC 3	<p>Language:</p> <p>The language of the Contract, all correspondence and communications to be given, and all other documentation to be prepared and supplied under the Contract shall be in English.</p>

<p>GCC 4</p>	<p>Notices:</p> <p>The addresses for the notices are:</p> <p>Procuring Agency:</p> <p>Islamabad High Court (Islamabad High Court),Research Officer Constitution Avenue, Sector G-5/1., Islamabad Capital Territory +92-300-681-0624 chairman.pc@ihc.gov.pk</p> <p>Contractor/ Bidder:</p> <p>[Name, address and telephone number].</p> <p>The Contractor/ Bidder’s Representative(s)</p> <p>[Name, address, telephone number and e-mail address]</p>
<p>GCC 6.1</p>	<p>The Authorized Representatives are:</p> <p>For the Procuring Agency:</p> <p>Islamabad High Court (Islamabad High Court),Research Officer Constitution Avenue, Sector G-5/1., Islamabad Capital Territory +92-300-681-0624 chairman.pc@ihc.gov.pk</p> <p>For the Bidder:</p> <p>Name:</p> <p>Designation:</p> <p>Address:</p>
<p>GCC 7</p>	<p>Effectiveness of the contract</p> <p>The Contractor/Bidder shall be effective within days from the date of signature of the Contract by both parties</p>
<p>GCC 8</p>	<p>Commencement of Contract:</p> <p>The Contractor/ Bidder shall provide Non-Consultancy Services from the effective date of contract.</p>

<p>GCC 10.2</p>	<p>Expiration of Contract:</p> <p>The time period shall be</p>
<p>GCC 14</p>	<p>Termination</p> <p>In the event of termination of the contract due to any reason as already defined in the General Conditions of Contract, the Bidder shall be responsible for providing to the Authority the Goods till the time of alternate arrangements.</p>
<p>GCC 16</p>	<p>Conflict of Interest:</p> <p>The Procuring Agency reserves the right to determine on a case-by-case basis whether the Bidder should be disqualified from providing goods or services due to a conflict of a nature described in Clause GCC 17.</p>
<p>GCC 20</p>	<p>Liquidated Damages</p> <p>If the Bidder fails to provide services as required under the contract or in case of any data loss/data breach or any incident compromising the data security or other such failures related to any services, the Bidder shall pay to the Procuring Agency as Liquidated Damages at a rate of 0.10% to 10.00% of the Contract value, in accordance with the extent of performance failure & the cost of investigating such incidents as judged by the Authority.</p>
<p>GCC 21</p>	<p>Performance Guarantee:</p> <p>The amount of performance guarantee shall be 10.00% of the contract price in acceptable form of Pay Order, Call at Deposit, Bank Guarantee</p>
<p>GCC 27</p>	<p>Currency of Payment:</p> <p>All the payment to be released to the contractor/Bidder shall be in Pakistani Rupees.</p>
<p>GCC 28</p>	<p>Payment terms:</p> <p>Payment will be made to the Bidder against the procured Goods and services according to the actual invoice or running bills submitted by the Bidder against the services provided within the time given in the conditions of the contract.</p>

GCC 29**Identifying Defects:**

The Authority reserves the right at any time to inspect the premises of the provider to inspect the goods and monitor the goods being provided.

Inspections & Tests Requirements

For being Brand New, bearing relevant reference numbers of the equipment (Certificate from supplier)

For Physical Fitness having No Damages (Certificate from supplier)

For the Country of Origin as quoted by the Supplier (Certificate from manufacturer)

For conformance to specifications and performance parameters, through Prior to delivery inspection (Inspection Report by Procurement Committee / Inspection Team)

For successful operation at site after complete installation, testing and commissioning of the equipment (Installation, Testing and Commissioning Report by Procurement Committee / Inspection Team)

Delivery & Documents

Copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;

Original and two copies of the usual transport document (for example, a negotiable bill of lading, a non-negotiable sea waybill, an inland waterway document, an air waybill, a railway consignment note, a road consignment note, or a multimodal transport document) which the buyer may require to take the goods;

Copies of the packing list identifying contents of each package;

Insurance Certificate;

Manufacturer's or Supplier's Valid Warranty Certificate;

Inspection Certificate issued by the Nominated Inspection Agency (if any), and the Supplier's Factory Inspection Report;

Certificate of Origin.

The above documents would be required even if the equipment has already been imported and is available with the supplier ex-stock

Following is the guidance for Dispute Resolution

1. If any dispute of any kind whatsoever shall arise between the Authority and the Bidder in connection with or arising out of the Contract, including without prejudice to the generality of foregoing, any question regarding its existence, validity, termination and the execution of the Contract – whether during developing phase or after their completion and whether before or after the termination, abandonment or breach of the Contract – the parties shall seek to resolve any such dispute or difference by mutual diligent negotiations in good faith within 14 (fourteen) days following a notice sent by one Party to the other Party in this regard.
2. At future of negotiation the dispute shall be resolved through mediation and mediator shall be appointed with the mutual consent of the both parties.
3. At the event of failure of mediation to resolve the dispute relating to this contract such dispute shall finally be resolved through binding Arbitration by sole arbitrator in accordance with Arbitration Act 1940. The arbitrator shall be appointed by mutual consent of the both parties. The Arbitration shall take place in Islamabad, Pakistan and proceedings will be conducted in English language.
4. The cost of the mediation and arbitration shall be shared by the parties in equal proportion however the both parties shall bear their own costs and lawyer's fees regarding their own participation in the mediation and arbitration. However, the Arbitrator may make an award of costs upon the conclusion of the arbitration making any party to the dispute liable to pay the costs of another party to the dispute.
5. Arbitration proceedings as mentioned in the above clause regarding resolution of disputes may be commenced prior to, during or after completion of the contract.

Notwithstanding any reference to the arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree that the Authority shall pay the Bidder any monies due to the Bidder.

Arbitrator's fee:

The fee shall be specified in Pak Rupees, as determined by the Arbitrator, which shall be shared equally by both parties.

Appointing Authority for Arbitrator:

By the Mutual Consent or in accordance with the provisions of Arbitration Act, 1940, in case the parties fail to reach a consensus on the name of sole arbitrator, any party may submit an application to the Chief Justice Islamabad High Court for appointment of sole arbitrator. The Chief Justice IHC may appoint a former judge of any High Court or Supreme Court as the sole arbitrator to resolve the dispute between the parties.

Rules of procedure for arbitration proceedings:

Any dispute between the Authority and a Bidder who is a national of the Islamic Republic of Pakistan arising in connection with the present Contract shall be referred to adjudication or arbitration in accordance with the laws of the Islamic Republic of Pakistan including Arbitration Act 1940, however above provision shall prevail in referring the case to the Arbitrator.

Place of Arbitration and Award:

The arbitration shall be conducted in English language and place of arbitration shall be at



Bid Securing Declaration

Form 9: Bid Securing Declaration

Date: *[insert date (as day, month and year)]*

Bid No.: **P35054**

To: **Islamabad High Court (Islamabad High Court), Research Officer Constitution Avenue, Sector G-5/1., Islamabad Capital Territory**

We, the undersigned, declare that:

We understand that, according to your conditions, Bids must be supported by a Bid Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration, however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid conditions, because we:

1. have withdrawn or modified our Bid during the period of Bid Validity specified in the Form of Bid;
2. Disagreement to arithmetical correction made to the Bid price; or
3. having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid Validity, (i) failure to sign the contract if required by Procuring Agency to do so or (ii) fail or refuse to furnish the Performance Security or to comply with any other condition precedent to signing the contract specified in the Bidding Documents.

We understand this Bid Securing Declaration shall expire if we are not the successful

Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight (28) days after the expiration of our Bid.



Contract Form

SECTION IX: CONTRACT FORMS

THIS AGREEMENT made the _____ day of _____ 20____ between **Islamabad High Court (Islamabad High Court), Research Officer Constitution Avenue, Sector G-5/1., Islamabad Capital Territory**

(hereinafter called “the Procuring Agency”) of the one part and [name of Bidder] of [city and country of Bidder] (hereinafter called “the Bidder”) of the other part:

WHEREAS the Procuring Agency invited Bids for provision of goods, viz., **ESTABLISHMENT OF TRAINING/CAPACITY BUILDING CENTER AND CONFERENCE ROOM (P35054)** and has accepted a Bids by the Bidder for the provision of Goods in the sum of [contract price in words and figures] (hereinafter called “the Contract Price”).

NOW THIS CONTRACT WITNESSETH AS FOLLOWS:

1. In this Contract words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Contract, In the event of any ambiguity or conflict between the Contract Documents listed below, the order of precedence shall be the order in which the Contract Documents are listed below:-

1. This form of Contract;
2. the Form of Bids and the Price Schedule submitted by the Bidder;
3. the Schedule of Requirements;
4. the Technical Specifications;
5. the Special Conditions of Contract;
6. the General Conditions of the Contract;
7. the Procuring Agency’s Letter of Acceptance; and

8. [add here: any other documents]

3. In consideration of the payments to be made by the Procuring Agency to the Bidder as hereinafter mentioned, the Bidder hereby covenants with the Procuring Agency to provide the Goods related services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

4. The Procuring Agency hereby covenants to pay the Bidder in consideration of the provision of Goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Contract to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Procuring Agency:

.....

Signed, sealed, delivered by _____ the _____ (for the Procuring Agency)

Witness to the signatures of the Bidder:





Integrity Pact

Integrity Pact

DECLARATION OF FEES, COMMISSION AND BROKERAGE ETC. PAYABLE BY THE SUPPLIERS OF GOODS, SERVICES & WORKS IN CONTRACTS WORTH RS.10.00 MILLION OR MORE

Contract Number: Contract Value: Contract Title:

Dated:

[Name of Supplier] hereby declares that it has not obtained or induced the procurement of any contract, right, interest, privilege or other obligation or benefit from Government of Pakistan or any administrative subdivision or agency thereof or any other entity owned or controlled by it (GoP) through any corrupt business practice.

Without limiting the generality of the foregoing [Name of Supplier] represents and warrants that it has fully declared the brokerage, commission, fee etc. paid or payable to anyone and not given or agreed to give and shall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultations fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP, except that which has been expressly declared pursuant hereto.

[Name of Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with GoP and has not taken any action or will not take any action to circumvent the above declaration, representative or warranty.

[Name of Supplier] accepts full responsibility and strict liability for making and false declaration, not making full disclosure, misrepresenting fact or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to GoP under any law, contract or other instrument, be voidable at the option of GoP.

Notwithstanding any rights and remedies exercised by GoP in this regard, [Name of Supplier] agrees to indemnify GoP for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to GoP in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [Name of Supplier] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from GoP.



Performance Guarantee Form

Performance Guarantee Form

To: **Islamabad High Court (Islamabad High Court), Research Officer Constitution Avenue, Sector G-5/1., Islamabad Capital Territory**

WHEREAS *[name of Bidder]* (hereinafter called “the Bidder”) has undertaken, in pursuance of Contract No. *[reference number of the contract]* dated *[insert date]* for provision of Goods (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the Bidder shall furnish you with a Bank Guarantee by a reputable bank for the sum specified therein as security for compliance with the Bidder’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Bidders guarantee:

THEREFORE, WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Bidder, up to a total of *[amount of the guarantee in words and figures]*, and we undertake to pay you, upon your first written demand declaring the Bidder to be in default under the Contract and without cavil or argument, any sum or sums within the limits of *[amount of guarantee]* as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the: *[insert date]*

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]



Annexure

Price Schedule

Financial Submission (Vendor)

Document Required

See Form Under Additional Forms and Documents: **Price Schedule** (page number: 117)





Procurement Forms

Past Experience and Completed Contracts

1	Experience	40 Marks
a	Similar Completed Buildings Projects. (Last 5 years)	20 Marks
1.	03 Projects having value Rs 50 to 60 million or above	20 Marks
1.	Less than 03 Projects having value Rs 50 to 60 million or above	15 Marks
1.	03 Projects having value Rs 40 million to 50 million	10 Marks
1.	03 Projects having value Rs 30 million to 40 million	5 Marks
b)	In Hand similar projects (Last 5 years)	20 Marks
1.	2 Projects or more each having value Rs 40 million or above	20 Marks
1.	1 Projects or more each having value Rs 40 million or above	15 Marks
1.	1 Projects each having value Rs 30 million or above	10 Marks
1.	1 Projects having value Rs 25 million or above	5 Marks

See Form Under Additional Forms and Documents: **Past Experience and Completed Contracts** (page number: 162)

Historical Contract Non-Performance, and Pending Litigation and Litigation History

See Form Under Additional Forms and Documents: **Historical Contract Non-Performance, and Pending Litigation and Litigation History** (page number: 163)

Current Contracts and Their Progress

See Form Under Additional Forms and Documents: **Current Contracts and Their Progress** (page number: 165)

Financial Capacity and Net Worth Evaluation Form

3	Financial Capabilities (Last 3 years)	40 Marks
a	Annual average Construction (Projects only) Turn Over, avg. last 3 years	10 Marks
i)	More than Rs. 70 Million	10 Marks
ii)	Rs. 50 Million to Rs. 70 Million	05 Marks
iii)	Less than Rs. 50 Million	00 Marks
b	Working Capital (avg. for last three year)	15 Marks
i)	More than Rs. 35 Million	15 Marks
ii)	Rs 25 Million to Rs. 35 Million	10 Marks
iii)	Less than Rs. 25 Million	00 Marks
c	Credit Line / Cash in Hand	15 Marks
i)	Bank Statements showing minimum 30 million in hand / Bank Credit Line.	15 Marks
ii)	Bank Statements showing minimum 25 million in hand / Bank Credit Line	10 Marks

See Form Under Additional Forms and Documents: **Financial Capacity and Net Worth Evaluation Form** (page number: 166)

Average Annual Turnover







Additional Forms and Documents

(i): Financial Proposal

**Establishment of TRAINING/CAPACITY BUILDING within the premises of
Islamabad High Court Islamabad (SH: ELECTRIFICATION)**

User Note: This form is to be filled by the Bidder for each individual item and shall submit with
Financial Proposal.

Name of the Firm:

Establishment of Training/Capacity Building Center within the premises of Islamabad High Court Islamabad (SH: Electrification)						
S.#	ITEMS	QTY		RATE	UNIT	AMOUNT
1	Wiring for light or fan point with 1.5 mm ² single core, PVC insulated wire copper conductor wire in 20 mm (3/4") dia uPVC conduit recessed and partely on sufrage in the wall or column, roof etc. including 1mm ² single core PVC insulated wire as ECC as required.	52	Point			
2	Extension/Additional wiring for light, fan ,call bell or light plug point, controlled with same switch with (3/.029") PVC insulated wire in 20 mm (3/4") dia uPVC conduit fitted on surface including 1 mm ² single core, PVC insulated wire as ECC as required.	64	Point			
3	Wiring for plug point with 1.5 mm ² single core, PVC insulated wire copper conductor wire in 20 mm (3/4")dia uPVC conduit recessed in the wall or column, roof etc. including 1mm ² single core PVC insulated wire as ECC as required.	6	Point			
4	Wiring for sub-main with 2x2.5mm single core PVC insulated wire i/c 1.5mm ² single core as ECC in all kind of existing or given conduit cable duct etc complete as required.	200	Mtrs			
5	Wiring for sub-main with 2x4mm single core PVC insulated wire i/c 1.5mm ² single core as ECC in all kind of existing or given conduit cable duct etc complete as required.	100	Mtrs			
6	Wiring for sub-main with 4x 6 mm ² PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire partely fillted on recessed in 25mm dia conduit and 16x25 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	50	Mtrs			
7	Wiring for sub-main with 4x 16 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire partely fillted on recessed in 25mm dia conduit and 16x25 mm uPVC duct fitted on surface including 2.5 mm ² PVC insulated wire single core wire as ECC as required.	40	Mtrs			

8	Providing and fixing of 20mm 3/4" dia PVC conduit with all special such bends, socket junction etc complete in all respect as required.	30	Mtr			
9	Supply & fixing 25mm (1") dia uPVC conduit with all especial such as bends, sockets, Junction etc recessed in the wall or column as required.	30	Mtr			
10	Providing & fixing 10 Amps Polycarbonate flame retardant S.P switch with fancy required gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	32	Nos			
11	Providing & fixing 13 Amps Polycarbonate flame retardant 3-Pin switch socket unit with fancy gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	7	Nos			
12	Providing & fixing 15 Amps Polycarbonate flame retardant 3-Pin switch socket unit with fancy gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	10	Nos			
13	Providing & installing False Ceiling Fan (Box Fan) with remote, 24" (2' x 2') size including connections, complete in all respect as approved by the Engineer Incharge (Voldam / Pak / Royal)	20	Nos			
14	Providing and fixing of fancy type LED spot light 12-14 watts with wall base and making inter connection etc. complete as required. (Philips or equivalent)	96	Nos			
15	Providing & fixing Cubical type metal sheet Distribution board with locking arrangement as per drawing ,vermin protected duly powder coated paint i/c all fastening material including wiring with suitable gauge PVC x PVC wire complete as required.	4	Sft			
16	Providing & fixing 75 to 100 Amps,(Low Breaking Capacity) T.P MCCB fixed on existing board , I/c inter-connection as required.	1	Nos			
17	Providing & fixing 70 to 100 Amps, 4 pole, three phase bus bar strip fitted in given Distribution board complete with bus bar insulator, screws, bolts etc as required.	1	Job			
18	Providing & fixing 6 to 32 Amps, S.P MCCB fixed on existing board , I/c inter-connection as required.	25	Nos			

19	Providing & fixing pilot lamp set fitted on existing board I/c connection as required.	6	Set			
20	Polished Wooden strips, 2 inch x 1 inch x 2 inch for fixing the lighting strip for light shade effects	1200	Sft			
21	Providing, installation, testing and commission in of Warm Rope light	700	Rft			
					Total	


Signature: _____

Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.
5 All certificates are to be attached with this form.



(ii): Financial Proposal

**Establishment of TRAINING/CAPACITY BUILDING within the premises of
Islamabad High Court Islamabad
(SH: AIR CONDITIONING)**

User Note: This form is to be filled by the Bidder for each individual item and shall submit with Financial Proposal.

Name of the Firm:

Establishment of Training/Capacity Building within the premises of Islamabad High Court Islamabad (SH: Air Conditioning)						
S.No	Description	Qty	Unit	Rate	Unit	Amount
1	Providing, installation, testing and commissioning of Cassette Type, 4 Ton, Air Conditioner, DC Inverter, in the specified place. The job includes connection of copper piping of outdoor unit fitted on roof or angle iron frame, making inter connection of the unit with suitable sizes of wire also piping for condensed water etc. as required approved make Gree T-3 Series or equivalent.	3	Job			
2	Providing, installation, testing and commissioning of Cassette Type, 2 Ton, Air Conditioner, DC Inverter, in the specified place. The job includes connection of copper piping of outdoor unit fitted on roof or angle iron frame, making inter connection of the unit with suitable sizes of wire also piping for condensed water etc. as required approved make Gree T-3 Series or equivalent.	2	Job			
3	Providing, installation, testing and commissioning of Refrigerant Copper Pipe, 22 gauge with all type of fittings like, elbow, clamping, aero flex insulation, wrapping tape, etc. complete in all respect as approved by the Engineer Incharge.					
a	1/4"	400	Rft			
b	3/8"	400	Rft			
c	5/8"	800	Rft			
4	Wiring for sub-main with 2x 4 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x16 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	800	Rft			
5	Wiring for sub-main with 4x 6 mm ² PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x25 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	750	Rft			
6	Wiring for sub-main with 4x 10 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x38 mm uPVC duct fitted on surface including 2.5 mm ² PVC insulated wire single core wire as ECC as required.	200	Rft			

7	Providing & laying 3 core, 110/.0076mm ² , standard copper conductor, PVC insulated & PVC sheathed cable in all kinds of existing or given conduit / cable duct as required. (Pakistan cable, Fast or equivalent)	780	Rft			
8	Providing & laying 4 core, 110/.0076mm ² , standard copper conductor, PVC insulated & PVC sheathed cable in all kinds of existing or given conduit / cable duct as required. (Pakistan cable, Fast or equivalent)	780	Rft			
9	Providing & fixing 6 to 32 Amps, S.P MCCB fixed on existing board, I/c inter-connection as required.	10	Nos			
10	Providing & fixing 10 to 60 Amps, (Low Breaking Capacity) T.P MCCB fixed on existing board, I/c inter-connection as required.	4	Nos			
11	Providing & fixing Cubical type metal sheet Distribution board with locking arrangement as per drawing, vermin protected duly powder coated paint i/c all fastening material including wiring with suitable gauge PVC x PVC wire complete as required.	3	Sft			
12	Making core cutting in the RCC or Brick wall for crossing of refrigerant piping, duly pilaster and making good the damage as required.	6	Nos			
13	Supply & fixing 25mm (1") dia uPVC conduit with all especial such as bends, sockets, Junction etc. fitted on surface as required.	1000	Rft			
14	Supply & fixing 30mm (1¼") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	970	Rft			
15	Providing & fixing of 40x40 mm uPVC duct fitted on surface as required.	500	Rft			
16	Providing & fixing of 40x60 mm uPVC duct fitted on surface as required.	400	Rft			
17	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	700	Rft			
				TOTAL		

Signature: _____

Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.

5 All certificates are to be attached with this form.

(iii): Financial Proposal

**Establishment of TRAINING/CAPACITY BUILDING within the premises of
Islamabad High Court Islamabad
(SH: Audio/Video Conferencing, Sound System, CCTV)**

User Note: This form is to be filled by the Bidder for each individual item and shall submit with Financial Proposal.

Name of the Firm:

Establishment of Training/Capacity Building Center within the premises of Islamabad High Court Islamabad (SH: Audio/Video Conferencing, Sound System, CCTV)						
S. No	Description	Qty	Unit	Rate	Unit	Amount
	<u>Sub Head I: Audio Conference System</u>					
1	Providing, installation, testing, and commissioning of flush-mounted digital delegate unit complete with detachable gooseneck microphone, built-in loudspeaker with auto-mute, microphone push button with LED indicator, request-to-speak functions, including all necessary panels, base unit, cabling, connectors, mounting accessories, and tools, fully integrated and operational as part of a digital conference system, complete in all respect. Brahler, Bosch or equivalent (USA/European)					
	Functional Requirements					
	Flush-mounted design for table integration					
	Detachabele gooseneck microphone (short or long stem as required)					
	Built-in loudspeaker with automatic mute when microphone is active					
	Microphone activation button with LED status indicator					
	Request-to-speak button for delegate operation					
	Priority/override button for chairman unit (where applicable)					
	Full digital audio transmission with high clarity and low latency					
	Plug-and-play connectivity within the conference system					
	Components (Complete Set)					
	Each unit shall include, but not be limited to, the following:					
	1. Flush microphone connection panel					
	2. Flush microphone control/button panel					
	3. Flush priority button panel (for chairman unit only)					
	4. Flush loudspeaker panel					
	5. Flush base/interface unit					
	6. Detachable gooseneck microphone with locking mechanism					
	7. Interconnection/system cables (minimum 2m and 10m lengths or as required)					

	8. Mounting and fixing accessories				
	9. Flush positioning and alignment tools				
	10. Extraction/removal tools				
	11. Couplers/connectors as required				
	12. End caps/finishing accessories				
	General Requirements				
	All components shall be fully compatible and from a single system family				
	The system shall support continuous operation without audio feedback or interference				
	Installation shall include complete wiring, termination, configuration, testing, and commissioning				
	The unit shall be delivered in fully functional and operational condition				
	Compliance with relevant international standards for conference systems and safety	25	Job		
2	Providing, installation, testing, and commissioning of flush-mounted digital chairman/delegate unit complete with detachable gooseneck microphone, built-in loudspeaker with auto-mute, microphone push button with LED indicator, request-to-speak and priority (chairman) functions, including all necessary panels, base unit, cabling, connectors, mounting accessories, and tools, fully integrated and operational as part of a digital conference system. Brahler, Bosch or equivalent (USA/European)				
	Functional Requirements				
	Flush-mounted design for table integration				
	Detachable gooseneck microphone (short or long stem as required)				
	Built-in loudspeaker with automatic mute when microphone is active				
	Microphone activation button with LED status indicator				
	Request-to-speak button for delegate operation				
	Priority/override button for chairman unit (where applicable)				
	Full digital audio transmission with high clarity and low latency				
	Plug-and-play connectivity within the conference system				
	Components (Complete Set)				
	Each unit shall include, but not be limited to, the following:				
	1. Flush microphone connection panel				
	2. Flush microphone control/button panel				
	3. Flush priority button panel (for chairman unit only)				
	4. Flush loudspeaker panel				
	5. Flush base/interface unit				
	6. Detachable gooseneck microphone with locking mechanism				
	7. Interconnection/system cables (minimum 2m and 10m lengths or as required)				
	8. Mounting and fixing accessories				
	9. Flush positioning and alignment tools				

	10. Extraction/removal tools				
	11. Couplers/connectors as required				
	12. End caps/finishing accessories				
	General Requirements				
	All components shall be fully compatible and from a single system family				
	The system shall support continuous operation without audio feedback or interference				
	Installation shall include complete wiring, termination, configuration, testing, and commissioning				
	The unit shall be delivered in fully functional and operational condition				
	Compliance with relevant international standards B63:B71 for conference systems and safety	1	Job		
3	Supply, installation, testing, and commissioning of a conference system server with minimum Intel Core i7/equivalent processor, 16 GB RAM, 256 GB SSD, dual 1 Gbps Ethernet ports, high-efficiency power supply, pre-installed server operating system and conference management software, including all required licenses, accessories, configuration, and integration, complete and fully operational. Brahler, Bosch or equivalent (USA/European)				
	Minimum Technical Specifications				
	Processor: Minimum Intel Core i7 / equivalent, ~2.4 GHz or higher				
	Memory: 16 GB RAM minimum				
	Storage: 256 GB SSD minimum for fast boot and reliability				
	Network Interfaces: Minimum 2 × 1 Gbps Ethernet ports (for segregation of conference and office networks)				
	Power Supply: Approx. 230–280 W, high-efficiency (≥ 85%), wide input range				
	Supply Voltage: 100–240 VAC, 50/60 Hz				
	Form Factor: Compact, suitable for desk, rack, or display mounting				
	Energy Efficiency: ENERGY STAR / equivalent compliant				
	Surge Protection: Capable of handling power surges up to 2 kV				
	Functional Requirements				
	Pre-installed server operating system (latest stable version)				
	Pre-installed and configured conference management software				
	Built-in or configured DHCP/server services as required				
	Capability to support minimum 500–750 conference devices (or as per system design)				
	Support for network segregation between control and enterprise networks				
	Fast startup and high reliability using solid-state storage				
	Remote management capability (e.g., Wake-on-LAN, remote access)				
	General Requirements				

	Fully compatible with the proposed digital conference system				
	Complete with all necessary licenses, cables, and accessories				
	Installation, configuration, testing, and commissioning included				
	Delivered in fully functional and operational condition	1	Job		
4	Providing, installation, testing, and commissioning of an audio distributing switch with built-in acoustic feedback suppression, echo cancellation, and equalization, equipped with minimum 3 × RJ-45 Hi-PoE ports and 1 × RJ-45 PoE port, suitable for digital conference systems, including all accessories, connections, configuration, and integration, complete and fully operational. Brahler, Bosch or equivalent (USA/Eruropean)				
	Minimum Technical Specifications				
	Built-in acoustic feedback suppression				
	Integrated echo cancellation and audio equalization (EQ)				
	Minimum 3 × RJ-45 Hi-PoE ports for powering conference devices				
	Minimum 1 × RJ-45 PoE port for additional connectivity				
	High-performance switching capacity suitable for large-scale conference systems (up to 500–750 devices or as required)				
	Support for low-latency digital audio transmission				
	Compact and versatile form factor suitable for desk, rack, or wall mounting				
	Functional Requirements				
	Reliable audio distribution and network switching within the conference system				
	Seamless integration with conference control units and delegate devices				
	Support for power and data over Ethernet (PoE/Hi-PoE)				
	Stable operation with protection against audio feedback and signal distortion				
	Plug-and-play or easily configurable setup				
	General Requirements				
	Fully compatible with the proposed digital conference system				
	Complete with all required power supplies, mounting accessories, and connectors				
	Installation, configuration, testing, and commissioning included				
	Delivered in fully functional and operational condition	1	Job		
5	Supply, installation, testing, and commissioning of factory-terminated communication cable, minimum 25 meters length, with RJ45 connectors incorporating power pins, low smoke zero halogen (LSZH) flame-retardant sheath, compliant with EN 50575 standards, complete with all necessary terminations, accessories, and connections, fully installed and operational. Brahler, Bosch or equivalent (USA/Eruropean)	1	Job		

6	Installation, Commissioning programming, Configuration, compete Job with training					
		1	Job			
	<u>Sub Head II: Video Conference System</u>					
1	Providing, installation, testing, and commissioning of a professional IP-based PTZ camera suitable for surveillance, broadcasting, and conferencing applications, with high-quality CMOS sensor (minimum 1/2.8" or equivalent), Full HD and 4K UHD support, optical zoom (minimum 50× in Full HD and 30× in 4K mode), wide-angle coverage approx. 60° ±2°, HDR imaging, low-light noise reduction, motorized pan-tilt-zoom with preset and patrol functions, and simultaneous multi-format outputs including HDMI, 3G-SDI, USB, and IP streaming (RTSP/RTMP or equivalent), fully compatible with standard VMS and conference systems, complete with all accessories and mounting hardware, fully operational. Brahler, Bosch or equivalent (USA/European)					
	Minimum Technical Specifications					
	Image Sensor: High-quality CMOS sensor (minimum 1/2.8" or equivalent)					
	Resolution:					
	Full HD (1920 × 1080) minimum					
	4K UHD support (where applicable)					
	Optical Zoom:					
	Minimum 50× (Full HD mode)					
	Minimum 30× (4K mode)					
	Lens: Wide-angle coverage approx. 60° (±2°)					
	Imaging Features:					
	HDR (High Dynamic Range)					
	Low-light performance with noise reduction					
	Auto exposure and white balance					
	Video Outputs					
	The camera shall support simultaneous outputs including:					
	HDMI (minimum 2.0 or equivalent)					
	3G-SDI					
	USB (minimum 2.0)					
	IP streaming (RTSP/RTMP or equivalent protocols)					
	PTZ Functionality					
	Motorized Pan, Tilt, and Zoom control					
	Smooth and precise movement for tracking					
	Preset positions and programmable patrol functions					
	Stable operation during zoom and motion					
	Network & Integration					
	IP-based streaming with multi-stream support					
	Compatible with standard Video Management Systems (VMS)					
	Suitable for integration with conferencing and AV systems					
	General Requirements					
	Complete with all required mounting hardware, power supply, and accessories					

	Installation, configuration, testing, and commissioning included				
	Delivered in fully functional and operational condition	1	Job		
2	Providing, installation, testing and commissioning of Wall / Ceiling mounting bracket for PTZ980 camera for top mounting of the camera steel, light grey painted	1	Job		
3	Supply and configuration of a video conferencing (VC) software suite with multi-point conferencing capability (minimum 4–8 sites, expandable), supporting standard communication protocols including SIP and H.323, with integration capability for PTZ cameras via IP-based control protocols (e.g., VISCA or equivalent), support for IP-based video routing, screen sharing and content presentation, recording and playback functionality, remote management, and scheduling features. The software shall be capable of integration with digital conference systems and shall support camera control and automatic or semi-automatic speaker tracking based on external audio/control inputs where applicable.	1	Job		
4	Providing, installation, testing, and commissioning of a 5-port PoE network switch suitable for data and power transmission over Ethernet, compliant with IEEE 802.3af/at standards (or equivalent), with plug-and-play functionality, suitable for integration with IP-based devices, complete with all necessary accessories, configuration, and commissioning, fully operational	1	Job		
5	Providing, installation, testing and commissioning of Core i7, 14 th Generation , computer system having atleast 16GB RAM, 1 TB Hard Disk, complete with with HD monitor Dell, HP or equivalent	1	Job		
6	Providing, installation, testing and commissioning of CAT-6 cables with RJ-45 connectors	1	Job		
7	Providing, installation, testing, and commissioning of a 98-inch interactive flat panel display with UHD 4K resolution (3840 × 2160), LED-backlit or equivalent display technology, multi-touch interactive capability with support for multiple simultaneous users, high-precision touch with palm rejection, anti-glare and scratch-resistant glass, wide viewing angle, high brightness suitable for indoor environments, multiple connectivity options including HDMI, USB, LAN, and wireless screen mirroring, built-in interactive whiteboard/annotation and split-screen functionality, embedded OS or OPS support, built-in speakers, and compatible wall ceiling mount or floor stand installation with all required accessories, configuration, testing, and commissioning, fully operational. Hikvision, Smart Technologies or equivalent)				
	Minimum Technical Specifications				
	Screen Size: Approx. 98 inches (diagonal)				
	Resolution: UHD 4K (3840 × 2160) or higher				
	Display Type: LED-backlit LCD or equivalent flat panel technology				
	Aspect Ratio: 16:9				

	Touch Technology: Multi-touch interactive (supporting multiple simultaneous users)				
	Touch Features:				
	High precision touch response				
	Palm rejection / anti-blocking functionality				
	Low latency writing and interaction				
	Surface: Anti-glare, scratch-resistant protective glass				
	Viewing: Wide viewing angle suitable for group collaboration				
	Brightness: Suitable for well-lit indoor environments				
	Connectivity & Interfaces				
	The display shall support multiple input/output interfaces including:				
	HDMI inputs (multiple)				
	USB ports for touch and media input				
	VGA input (optional or equivalent legacy support)				
	LAN/Ethernet connectivity				
	Wireless connectivity (Wi-Fi and screen mirroring support)				
	Functional Features				
	Built-in interactive whiteboard and annotation tools				
	Screen sharing and mirroring compatible with major platforms (Windows, Android, iOS or equivalent)				
	Split-screen or multi-window display capability				
	Embedded operating system (Android or equivalent) or OPS module support				
	Built-in speakers for audio playback				
	Installation Requirements				
	Compatible with wall/ceiling-mount or floor stand installation				
	Heavy-duty mounting structure suitable for 98-inch display				
	Complete with all required brackets, cables, accessories, configuration, testing, and commissioning				
	Delivered in fully operational condition				
	General Requirements				
	Suitable for integration into modern AV / collaboration systems				
	All components shall be from compatible and reliable manufacturer ecosystem				
	Fully tested and commissioned for operational use	1	Job		
8	Installation, Commissioning programming, Configuration, compete Job with training	1	Job		
	<u>Sub Head III: Sound System</u>				
	Mixer Amplifier				
1	Providing, installation, testing, and commissioning of a professional mixer amplifier system suitable for public address and announcement applications, with multi-zone audio distribution capability and priority-based input handling. Brahler, Bosch or equivalent (USA/Eruropean)				
	Minimum Technical Specifications				

	Power Output: Minimum 240 W RMS or equivalent				
	Zones: Minimum 2-zone audio output				
	Frequency Response: Approx. 50 Hz to 20 kHz or better				
	Audio Inputs:				
	Minimum 6 × microphone/line inputs				
	1 × telephone / emergency input with priority function				
	Minimum 3 × music inputs				
	Priority Functions:				
	VOX (voice-activated priority)				
	Emergency override with highest priority				
	Input priority management for announcements				
	Audio Output & Control				
	100V line output (or equivalent constant voltage system)				
	Master/mixed audio output (balanced XLR or equivalent)				
	Music output capability				
	3-wire or equivalent volume override functionality				
	Support for zone-based volume control				
	Connectivity				
	Interface for call station (RJ-45 or equivalent)				
	Interface for wall control panel (RJ-45 or equivalent)				
	Network or control interface for system integration				
	Expandable for paging and announcement systems				
	Mechanical & Installation				
	19-inch rack mountable, 2U height or equivalent				
	Suitable for standard AV rack installation				
	Durable enclosure for continuous operation				
	Standards & Compliance				
	Designed in compliance with relevant international safety and EMC standards (e.g., EN 60065 or equivalent)				
	Suitable for continuous public address operation in commercial environments				
	General Requirements				
	Fully compatible with PA / announcement / evacuation systems				
	Complete with all necessary accessories, connectors, configuration, testing, and commissioning				
	Delivered in fully operational condition	1	Job		
	Speaker				
2	Providing, installation, testing, and commissioning of high-performance two-way cabinet type loudspeakers suitable for ceiling or wall mounting, designed for indoor and semi-outdoor public address and background music applications, complete with all mounting accessories and installation hardware. Brahler, Bosch or equivalent (USA/European)				
	Minimum Technical Specifications				

	Speaker Type: cabinet loudspeaker				
	Drivers:				
	Low frequency driver approximately 8-inch or equivalent				
	High frequency driver approximately 1-inch or equivalent				
	Rated Power: Minimum 30 W RMS or equivalent				
	Peak Power Handling: Minimum 45 W or higher				
	Frequency Response: Approx. 70 Hz to 20 kHz (± 3 dB or better)				
	Sensitivity: Approx. 88–92 dB (1W/1m) or better				
	Maximum Sound Pressure Level: Suitable for public address applications (approx. 110 dB continuous or equivalent)				
	Coverage Pattern: Wide dispersion (approx. $90^\circ \times 90^\circ$ or better)				
	Nominal Impedance: 8 ohms or equivalent low impedance operation				
	System Compatibility				
	Suitable for low impedance and constant voltage (70V / 100V) systems via built-in or external transformer				
	Transformer tap settings for adjustable power matching (where applicable)				
	Integrated passive crossover network for frequency separation				
	Enclosure & Installation				
	Cabinet-type rugged enclosure suitable for wall or ceiling mounting				
	Weather-resistant construction suitable for indoor and semi-outdoor use				
	Ingress protection rating IP54 or equivalent (dust and splash resistant)				
	Complete with adjustable wall bracket or mounting hardware				
	General Requirements				
	Suitable for public address, paging, and background music systems				
	Uniform sound dispersion for speech intelligibility and music reproduction				
	Complete with all accessories, connectors, brackets, testing, and commissioning	4	Job		
3	Supply, installation, testing and commissioning of 2-core, 1.5 mm ² stranded copper speaker cable (LSZH, low smoke zero halogen) suitable for 300/500 V, having resistance as per IEC standards (approx. 13-14 Ohms per KM), complete with all terminations, conduits and accessories, as required.	100	Rft		
4	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	100	Rft		
	<u>Sub Head IV: CCTV System</u>				

1	Supply, installation, testing and commissioning of Bullet / Mini Dome IP camera having following specifications:- Image device: At least 1/3 inch, Resolution & frames/sec: At least 4 MP/25fps, Video Compression: H.265,H.264, MJPEG, Focal length: fixed of 2.8mm,4mm or 8mm. Min illumination: 0 lux(B/W), 0.15 lux (Colour), Infrared viewable length: At least 30 m, Weather proof standard: IP 66 at least, Vandal proof standard: At least IK10, complete in all respect as approved by the Engineer Incharge. Hikvision / Dahua or equivalent	7	Job			
2	Wiring of CCTV Camera with STP Cat-6 in existing PVC conduit/duct i/c connectors complete in all respect as required.	100	Mtr			
3	Supply, installation, testing and commissioning of 16Channel NVR8 PoE/Poe+ ports having following specifications:-Max recording rate: 100Mbps, embedded system: Linux or latest, VGA and HDMI(upto 4K support), Compression:H.265, H.264, MJPEG, Internal storage: upto 2 SATA (Max 12TB), 128Mbps bandwidth, ARB support, easy config. Monitoring: Web viewer and Mobile viewer, Camera support: ONVIF complete in all respect as approved by the Engineer Incharge. Hikvision / Dahua or equivalent	1	Job			
4	Providing, punchin, testing and commissioning of RJ-45 connector, complete in all respect as approved by the engineer incharge.	24	Nos			
5	Providing, Fixing & Installing 8 port POE Giga Bit switches, complete in all respect as approved by the engineer incharge as required.	1	Job			
6	Supply, installation and commissioning of 4TB Surveillance Grade Hard Drive complete in all respect as required.	1	Job			
7	Providing and installing of40-43" LED smart TV latest model suitable for operation on 220/230 V, 50 Hz AC supply including USB / HDMI Ports, Video In, Audio In, switchable to HDMI-I to HDMI-II via wireless remote, flexible cord, shoe, Wi-Fi, Bluetooth, wall bracket, rawal bolts, etc, complete with electric connection, as approved by the engineer Incharge as required. Samsung, Sony, or equivalent	1	Nos			
8	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	100	Mtr			
	<u>Sub Head V: Acoustic Treatment</u>					
1	Sound proofing and decoration of the conference room 2' x 2' wooden frame build with 1" x 1½"thick wooden bar, 2mm thick sheet at the back, 2' x 2' panel filled with Rock wool netted in the iron net , ½ inch thick sheet at the front with perforated wholes, ½" thick foam and fabric at the top including carpentry works, nails, Glue inclusive of all necessary material for fixing the panels on the wall, With transportation	2450	Sft			
	<u>Sub Head V: Online UPS</u>					

Providing, installation, testing, and commissioning of a 6 kVA online uninterruptible power supply (UPS) system with external battery bank, suitable for continuous power backup of critical IT, AV, and communication equipment. APC, Riello or equivalent					
Minimum Technical Specifications					
Capacity: Minimum 6 kVA / 6 kW or equivalent					
UPS Type: Online double conversion technology					
Output Waveform: Pure sine wave					
Phase: Single-phase input and output					
Efficiency: Up to 90% or higher at full load					
Transfer Time: 0 ms (true online operation)					
Crest Factor: Minimum 3:1 or better					
Input Specifications					
Input voltage range: approximately 110 – 300 V (or equivalent wide range)					
Nominal input voltage: 220 / 230 / 240 V AC					
Input frequency: 40 – 70 Hz (auto sensing)					
Hardwired input connection (single phase with neutral and earth)					
Output Specifications					
Output voltage: 220 / 230 / 240 V AC (adjustable)					
Output frequency: 50/60 Hz ±3% or better					
Stable regulated output suitable for sensitive electronic loads					
Battery System					
Compatible with external sealed lead-acid or equivalent battery bank					
Recharge time: approximately 4–6 hours to 90% capacity					
Battery backup time: minimum 10–15 minutes at 50% load (or as designed)					
Battery life expectancy: 3–5 years or better					
Functional Features					
Intelligent battery management system					
Automatic internal bypass for fault conditions					
ECO mode for energy saving operation					
LCD/LED display for status monitoring (load, battery, input/output)					
Communication interfaces: USB and RS-232 or equivalent					
SNMP/network monitoring capability (optional or expandable)					
General Requirements					
Suitable for continuous operation of IT, AV, and communication systems					
Complete with all required accessories, cabling, battery rack, and protection devices					
Installation, configuration, testing, and commissioning included					
Delivered in fully operational condition	1	Job			

2	Providing & fixing Polycarbonate flame retardant floor box of suitable size with provision of 2 data & voice socket i/c I/O and 2 light plug,vermin protected duly powder coated paint i/c all fastening material, complete in all respect including connection as required.	2	Jobs			
					Total	
Abstract of Cost						
Sub Head I: Audio Conference System						
Sub Head II: Video Conference System						
Sub Head III: Sound System						
Sub Head IV: CCTV System						
Sub Head V: Acoustic Treatment						
Sub Head V: Online UPS						
TOTAL						


Signature: _____

Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.
5 All certificates are to be attached with this form.



(iv): Financial Proposal

**Establishment of CONFERENCE ROOM within the premises of Islamabad High Court, Islamabad
(SH: ELECTRIFICATION)**

User Note: This form is to be filled by the Bidder for each individual item and shall submit with Financial Proposal.

Name of the Firm:

Establishment of Conference Room within the premises of Islamabad High Court Islamabad (SH: Electrification)						
S.#	ITEMS	QTY		RATE	UNIT	AMOUNT
1	Wiring for light or fan point with 1.5 mm ² single core, PVC insulated wire copper conductor wire in 20 mm (3/4")dia uPVC conduit recessed and partely on sufrage in the wall or column, roof etc. including 1mm ² single core PVC insulated wire as ECC as required.	30	Point			
2	Extension/Additional wiring for light, fan ,call bell or light plug point, controlled with same switch with (1.5mm ²) PVC insulated wire in 20 mm (3/4")dia uPVC conduit fitted on surface including 1 mm ² single core, PVC insulated wire as ECC as required.	28	Point			
3	Wiring for plug point with 1.5 mm ² single core, PVC insulated wire copper conductor wire in 20 mm (3/4")dia uPVC conduit recessed in the wall or column, roof etc. including 1mm ² single core PVC insulated wire as ECC as required.	4	Point			
4	Wiring for sub-main with 2x2.5mm single core PVC insulated wire i/c 1.5mm ² single core as ECC in all kind of existing or given conduit cable duct etc complete as required.	100	Mtrs			
5	Wiring for sub-main with 2x4mm single core PVC insulated wire i/c 1.5mm ² single core as ECC in all kind of existing or given conduit cable duct etc complete as required.	80	Mtrs			
6	Wiring for sub-main with 4x 6 mm ² PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire partely fillted on recessed in 25mm dia conduit and 16x25 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	40	Mtrs			
7	Wiring for sub-main with 4x 16 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire partely fillted on recessed in 25mm diad conduite and 16x25 mm uPVC duct fitted on surface including 2.5 mm ² PVC insulated wire	40	Mtrs			

	single core wire as ECC as required.					
8	Providing and fixing of 20mm 3/4" dia PVC conduit with all special such bends,socket junction etc complete in all respect as required.	30	Mtr			
9	Supply & fixing 25mm (1") dia uPVC conduit with all especial such as bends, sockets, Junction etc recessed in the wall or column as required.	30	Mtr			
10	Providing & fixing 10 Amps Polycarbonate flame retardant S.P switch with fancy required gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	14	Nos			
11	Providing & fixing 13 Amps Polycarbonate flame retardant 3-Pin switch socket unit with fancy gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	4	Nos			
12	Providing & fixing 15 Amps Polycarbonate flame retardant 3-Pin switch socket unit with fancy gang plate fixed on die fabricated, powder coated metal board recessed in wall or column including connection as required.(Schneider / Philips)	4	Nos			
13	Providing & installing False Ceiling Fan (Box Fan) with remote, 24" (2' x 2') size including connections, complete in all respect as approved by the Engineer Incharge (Voldam / Pak / Royal)	12	Nos			
14	Providing and fixing of fancy type LED spot light 12-14 watts with wall base and making inter connection etc complete as required. (Philips or equivalent)	42	Nos			
15	Providing & fixing Cubical type metal sheet Distribution board with locking arrangement as per drawing ,vermin protected duly powder coated paint i/c all fastening material including wiring with suitable gauge PVC x PVC wire complete as required.	4	Sft			
16	Providing & fixing 75 to100 Amps,(Low Breaking Capacity) T.P MCCB fixed on existing board , I/c inter-connection as required.	1	Nos			
17	Providing & fixing 70 to 100 Amps, 4 pole, three phase bus bar strip fitted in given Distribution board complete with bus bar insulator, screws, bolts etc as required.	1	Job			

18	Providing and fixing of 6-32 Amps single pole moulded case circuit breaker with new one as per existing size and sample etc complete as required.	20	Nos			
19	Providing & fixing pilot lamp set fitted on existing board I/c connection as required.	6	Set			
20	Polished Wooden strips, 2 inch x 1 inch x 2 inch for fixing the lighting strip for light shade effects	1000	Sft			
21	Providing, installation, testing and commissionin of Warm Rope light i/c making interconnection etc complete as required.	600	Rft			
					Total Rs.	

Signature: _____


Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.

5 All certificates are to be attached with this form.



(v): Financial Proposal

**Establishment of CONFERENCE ROOM within the premises of Islamabad High Court, Islamabad
(SH: AIR CONDITIONING)**

User Note: This form is to be filled by the Bidder for each individual item and shall submit with Financial Proposal.

Name of the Firm:

Establishment of Conference Room within the premises of Islamabad High Court Islamabad (SH: Air Conditioning)						
S.No	Description	Qty	Unit	Rate	Unit	Amount
1	Providing, installation, testing and commissioning of Cassette Type, 2 Ton, Air Conditioner, DC Inverter, in the specified place. The job includes connection of copper piping of outdoor unit fitted on roof or angle iron frame, making inter connection of the unit with suitable sizes of wire also piping for condensed water etc as required approved make Gree T-3 Series or equivalent.	3	Job			
2	Providing, installation, testing and commissioning of Refrigerant Copper Pipe, 22 gauge with all type of fittings like, elbow, clamping, aero flex insulation, wrapping tape, etc complete in all respect as approved by the Engineer Incharge.					
a	1/4"	400	Rft			
b	5/8"	400	Rft			
3	Wiring for sub-main with 2x 4 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x16 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	800	Rft			
4	Wiring for sub-main with 4x 6 mm ² PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x25 mm uPVC duct fitted on surface including 1.5 mm ² PVC insulated wire single core wire as ECC as required.	750	Rft			
5	Wiring for sub-main with 4x 10 mm ² , PVC insulated wire 300/500 volts grade, single core, stranded copper conductor wire in 16x38 mm uPVC duct fitted on surface including 2.5 mm ² PVC insulated wire single core wire as ECC as required.	200	Rft			
6	Providing & laying 3 core, 110/.0076mm ² , standard copper conductor, PVC insulated & PVC sheathed cable in all kinds of existing or given conduit / cable duct as required. (Pakistan cable, Fast or equivalent)	780	Rft			

7	Providing & laying 4 core, 110/.0076mm ² , standard copper conductor, PVC insulated & PVC sheathed cable in all kinds of existing or given conduit / cable duct as required. (Pakistan cable, Fast or equivalent)	780	Rft			
8	Providing & fixing 6 to 32 Amps, S.P MCCB fixed on existing board , I/c inter-connection as required.	10	Nos			
9	Providing & fixing 10 to 60 Amps,(Low Breaking Capacity) T.P MCCB fixed on existing board , I/c inter-connection as required.	4	Nos			
10	Providing & fixing Cubical type metal sheet Distribution board with locking arrangement as per drawing ,vermin protected duly powder coated paint i/c all fastening material including wiring with suitable gauge PVC x PVC wire complete as required.	4	Sft			
11	Making core cutting in the RCC or Brick wall for crossing of referigent piping, duly pilaster and making good the damage as required.	6	Nos			
12	Supply & fixing 25mm (1") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	1000	Rft			
13	Supply & fixing 30mm (1¼") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	970	Rft			
14	Providing & fixing of 40x40 mm uPVC duct fitted on surface as required.	500	Rft			
15	Providing & fixing of 40x60 mm uPVC duct fitted on surface as required.	400	Rft			
16	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	700	Rft			
				TOTAL		

Signature: _____

Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.
5 All certificates are to be attached with this form.

(vi): Financial Proposal

**Establishment of CONFERENCE ROOM within the premises of Islamabad High Court Islamabad
(SH: Audio/Video Conferencing, Sound System, CCTV)**

User Note: This form is to be filled by the Bidder for each individual item and shall submit with Financial Proposal.
Name of the Firm:

Establishment of Conference Room within the premises of Islamabad High Court Islamabad (SH: Audio/Video Conferencing, Sound System, CCTV)						
S. No	Description	Qty	Unit	Rate	Unit	Amount
	<u>Sub Head I: Audio Conference System</u>					
1	Providing, installation, testing, and commissioning of flush-mounted digital delegate unit complete with detachable gooseneck microphone, built-in loudspeaker with auto-mute, microphone push button with LED indicator, request-to-speak functions, including all necessary panels, base unit, cabling, connectors, mounting accessories, and tools, fully integrated and operational as part of a digital conference system, complete in all respect. Brahler, Bosch or equivalent (USA/European)					
	Functional Requirements					
	Flush-mounted design for table integration					
	Detachable gooseneck microphone (short or long stem as required)					
	Built-in loudspeaker with automatic mute when microphone is active					
	Microphone activation button with LED status indicator					
	Request-to-speak button for delegate operation					
	Priority/override button for chairman unit (where applicable)					
	Full digital audio transmission with high clarity and low latency					
	Plug-and-play connectivity within the conference system					
	Components (Complete Set)					
	Each unit shall include, but not be limited to, the following:					
	1. Flush microphone connection panel					
	2. Flush microphone control/button panel					
	3. Flush priority button panel (for chairman unit only)					
	4. Flush loudspeaker panel					
	5. Flush base/interface unit					
	6. Detachable gooseneck microphone with locking mechanism					
	7. Interconnection/system cables (minimum 2m and 10m lengths or as required)					
	8. Mounting and fixing accessories					

	9. Flush positioning and alignment tools					
	10. Extraction/removal tools					
	11. Couplers/connectors as required					
	12. End caps/finishing accessories					
	General Requirements					
	All components shall be fully compatible and from a single system family					
	The system shall support continuous operation without audio feedback or interference					
	Installation shall include complete wiring, termination, configuration, testing, and commissioning					
	The unit shall be delivered in fully functional and operational condition					
	Compliance with relevant international standards for conference systems and safety	12	Job			
2	Providing, installation, testing, and commissioning of flush-mounted digital chairman/delegate unit complete with detachable gooseneck microphone, built-in loudspeaker with auto-mute, microphone push button with LED indicator, request-to-speak and priority (chairman) functions, including all necessary panels, base unit, cabling, connectors, mounting accessories, and tools, fully integrated and operational as part of a digital conference system. Brahler, Bosch or equivalent (USA/European)					
	Functional Requirements					
	Flush-mounted design for table integration					
	Detachable gooseneck microphone (short or long stem as required)					
	Built-in loudspeaker with automatic mute when microphone is active					
	Microphone activation button with LED status indicator					
	Request-to-speak button for delegate operation					
	Priority/override button for chairman unit (where applicable)					
	Full digital audio transmission with high clarity and low latency					
	Plug-and-play connectivity within the conference system					
	Components (Complete Set)					
	Each unit shall include, but not be limited to, the following:					
	1. Flush microphone connection panel					
	2. Flush microphone control/button panel					
	3. Flush priority button panel (for chairman unit only)					
	4. Flush loudspeaker panel					
	5. Flush base/interface unit					
	6. Detachable gooseneck microphone with locking mechanism					
	7. Interconnection/system cables (minimum 2m and 10m lengths or as required)					
	8. Mounting and fixing accessories					
	9. Flush positioning and alignment tools					
	10. Extraction/removal tools					

	11. Couplers/connectors as required					
	12. End caps/finishing accessories					
	General Requirements					
	All components shall be fully compatible and from a single system family					
	The system shall support continuous operation without audio feedback or interference					
	Installation shall include complete wiring, termination, configuration, testing, and commissioning					
	The unit shall be delivered in fully functional and operational condition					
	Compliance with relevant international standards B63:B71 for conference systems and safety	1	Job			
3	Supply, installation, testing, and commissioning of a conference system server with minimum Intel Core i7/equivalent processor, 16 GB RAM, 256 GB SSD, dual 1 Gbps Ethernet ports, high-efficiency power supply, pre-installed server operating system and conference management software, including all required licenses, accessories, configuration, and integration, complete and fully operational. Brahler, Bosch or equivalent (USA/European)					
	Minimum Technical Specifications					
	Processor: Minimum Intel Core i7 / equivalent, ~2.4 GHz or higher					
	Memory: 16 GB RAM minimum					
	Storage: 256 GB SSD minimum for fast boot and reliability					
	Network Interfaces: Minimum 2 × 1 Gbps Ethernet ports (for segregation of conference and office networks)					
	Power Supply: Approx. 230–280 W, high-efficiency (≥ 85%), wide input range					
	Supply Voltage: 100–240 VAC, 50/60 Hz					
	Form Factor: Compact, suitable for desk, rack, or display mounting					
	Energy Efficiency: ENERGY STAR / equivalent compliant					
	Surge Protection: Capable of handling power surges up to 2 kV					
	Functional Requirements					
	Pre-installed server operating system (latest stable version)					
	Pre-installed and configured conference management software					
	Built-in or configured DHCP/server services as required					
	Capability to support minimum 500–750 conference devices (or as per system design)					
	Support for network segregation between control and enterprise networks					
	Fast startup and high reliability using solid-state storage					
	Remote management capability (e.g., Wake-on-LAN, remote access)					
	General Requirements					
	Fully compatible with the proposed digital					

	conference system					
	Complete with all necessary licenses, cables, and accessories					
	Installation, configuration, testing, and commissioning included					
	Delivered in fully functional and operational condition	1	Job			
4	Providing, installation, testing, and commissioning of an audio distributing switch with built-in acoustic feedback suppression, echo cancellation, and equalization, equipped with minimum 3 × RJ-45 Hi-PoE ports and 1 × RJ-45 PoE port, suitable for digital conference systems, including all accessories, connections, configuration, and integration, complete and fully operational. Brahler, Bosch or equivalent (USA/Eruropean)					
	Minimum Technical Specifications					
	Built-in acoustic feedback suppression					
	Integrated echo cancellation and audio equalization (EQ)					
	Minimum 3 × RJ-45 Hi-PoE ports for powering conference devices					
	Minimum 1 × RJ-45 PoE port for additional connectivity					
	High-performance switching capacity suitable for large-scale conference systems (up to 500–750 devices or as required)					
	Support for low-latency digital audio transmission					
	Compact and versatile form factor suitable for desk, rack, or wall mounting					
	Functional Requirements					
	Reliable audio distribution and network switching within the conference system					
	Seamless integration with conference control units and delegate devices					
	Support for power and data over Ethernet (PoE/Hi-PoE)					
	Stable operation with protection against audio feedback and signal distortion					
	Plug-and-play or easily configurable setup					
	General Requirements					
	Fully compatible with the proposed digital conference system					
	Complete with all required power supplies, mounting accessories, and connectors					
	Installation, configuration, testing, and commissioning included					
	Delivered in fully functional and operational condition	1	Job			
5	Supply, installation, testing, and commissioning of factory-terminated communication cable, minimum 25 meters length, with RJ45 connectors incorporating power pins, low smoke zero halogen (LSZH) flame-retardant sheath, compliant with EN 50575 standards, complete with all necessary terminations, accessories, and connections, fully installed and operational. Brahler, Bosch or equivalent (USA/Eruropean)	1	Job			

6	Installation, Commissioning programming, Configuration, compete Job with training	1	Job			
	Sub Head II: Video Interactive Display					
1	Providing, installation, testing, and commissioning of a 98-inch interactive flat panel display with UHD 4K resolution (3840 × 2160), LED-backlit or equivalent display technology, multi-touch interactive capability with support for multiple simultaneous users, high-precision touch with palm rejection, anti-glare and scratch-resistant glass, wide viewing angle, high brightness suitable for indoor environments, multiple connectivity options including HDMI, USB, LAN, and wireless screen mirroring, built-in interactive whiteboard/annotation and split-screen functionality, embedded OS or OPS support, built-in speakers, and compatible wall ceiling mount or floor stand installation with all required accessories, configuration, testing, and commissioning, fully operational. Hikvision, Smart Technologies or equivalent)					
	Minimum Technical Specifications					
	Screen Size: Approx. 98 inches (diagonal)					
	Resolution: UHD 4K (3840 × 2160) or higher					
	Display Type: LED-backlit LCD or equivalent flat panel technology					
	Aspect Ratio: 16:9					
	Touch Technology: Multi-touch interactive (supporting multiple simultaneous users)					
	Touch Features:					
	High precision touch response					
	Palm rejection / anti-blocking functionality					
	Low latency writing and interaction					
	Surface: Anti-glare, scratch-resistant protective glass					
	Viewing: Wide viewing angle suitable for group collaboration					
	Brightness: Suitable for well-lit indoor environments					
	Connectivity & Interfaces					
	The display shall support multiple input/output interfaces including:					
	HDMI inputs (multiple)					
	USB ports for touch and media input					
	VGA input (optional or equivalent legacy support)					
	LAN/Ethernet connectivity					
	Wireless connectivity (Wi-Fi and screen mirroring support)					
	Functional Features					
	Built-in interactive whiteboard and annotation tools					
	Screen sharing and mirroring compatible with major platforms (Windows, Android, iOS or equivalent)					
	Split-screen or multi-window display capability					
	Embedded operating system (Android or equivalent) or OPS module support					

	Built-in speakers for audio playback					
	Installation Requirements					
	Compatible with wall/ceiling-mount or floor stand installation					
	Heavy-duty mounting structure suitable for 98-inch display					
	Complete with all required brackets, cables, accessories, configuration, testing, and commissioning					
	Delivered in fully operational condition					
	General Requirements					
	Suitable for integration into modern AV / collaboration systems					
	All components shall be from compatible and reliable manufacturer ecosystem					
	Fully tested and commissioned for operational use	1	Job			
2	Providing, installation, testing and commissioning of CAT-6 cables with RJ-45 connectors	1	Job			
3	Installation, Commissioning programming, Configuration, compete Job with training	1	Job			
	<u>Sub Head III: Sound System</u>					
	Mixer Amplifier					
1	Providing, installation, testing, and commissioning of a professional mixer amplifier system suitable for public address and announcement applications, with multi-zone audio distribution capability and priority-based input handling. Brahler, Bosch or equivalent (USA/European)					
	Minimum Technical Specifications					
	Power Output: Minimum 240 W RMS or equivalent					
	Zones: Minimum 2-zone audio output					
	Frequency Response: Approx. 50 Hz to 20 kHz or better					
	Audio Inputs:					
	Minimum 6 × microphone/line inputs					
	1 × telephone / emergency input with priority function					
	Minimum 3 × music inputs					
	Priority Functions:					
	VOX (voice-activated priority)					
	Emergency override with highest priority					
	Input priority management for announcements					
	Audio Output & Control					
	100V line output (or equivalent constant voltage system)					
	Master/mixed audio output (balanced XLR or equivalent)					
	Music output capability					
	3-wire or equivalent volume override functionality					
	Support for zone-based volume control					
	Connectivity					
	Interface for call station (RJ-45 or equivalent)					

	Interface for wall control panel (RJ-45 or equivalent)				
	Network or control interface for system integration				
	Expandable for paging and announcement systems				
	Mechanical & Installation				
	19-inch rack mountable, 2U height or equivalent				
	Suitable for standard AV rack installation				
	Durable enclosure for continuous operation				
	Standards & Compliance				
	Designed in compliance with relevant international safety and EMC standards (e.g., EN 60065 or equivalent)				
	Suitable for continuous public address operation in commercial environments				
	General Requirements				
	Fully compatible with PA / announcement / evacuation systems				
	Complete with all necessary accessories, connectors, configuration, testing, and commissioning				
	Delivered in fully operational condition	1	Job		
	Speaker				
2	Providing, installation, testing, and commissioning of high-performance two-way cabinet type loudspeakers suitable for ceiling or wall mounting, designed for indoor and semi-outdoor public address and background music applications, complete with all mounting accessories and installation hardware. Brahler, Bosch or equivalent (USA/European)				
	Minimum Technical Specifications				
	Speaker Type: cabinet loudspeaker				
	Drivers:				
	Low frequency driver approximately 8-inch or equivalent				
	High frequency driver approximately 1-inch or equivalent				
	Rated Power: Minimum 30 W RMS or equivalent				
	Peak Power Handling: Minimum 45 W or higher				
	Frequency Response: Approx. 70 Hz to 20 kHz (± 3 dB or better)				
	Sensitivity: Approx. 88–92 dB (1W/1m) or better				
	Maximum Sound Pressure Level: Suitable for public address applications (approx. 110 dB continuous or equivalent)				
	Coverage Pattern: Wide dispersion (approx. $90^\circ \times 90^\circ$ or better)				
	Nominal Impedance: 8 ohms or equivalent low impedance operation				
	System Compatibility				
	Suitable for low impedance and constant voltage (70V / 100V) systems via built-in or external transformer				
	Transformer tap settings for adjustable power matching (where applicable)				
	Integrated passive crossover network for frequency				

	separation					
	Enclosure & Installation					
	Cabinet-type rugged enclosure suitable for wall or ceiling mounting					
	Weather-resistant construction suitable for indoor and semi-outdoor use					
	Ingress protection rating IP54 or equivalent (dust and splash resistant)					
	Complete with adjustable wall bracket or mounting hardware					
	General Requirements					
	Suitable for public address, paging, and background music systems					
	Uniform sound dispersion for speech intelligibility and music reproduction					
	Complete with all accessories, connectors, brackets, testing, and commissioning	4	Job			
3	Supply, installation, testing and commissioning of 2-core, 1.5 mm ² stranded copper speaker cable (LSZH, low smoke zero halogen) suitable for 300/500 V, having resistance as per IEC standards (approx. 13-14 Ohms per KM), complete with all terminations, conduits and accessories, as required.	100	Rft			
4	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	100	Rft			
	Sub Head IV: CCTV System					
1	Supply, installation, testing and commissioning of Bullet / Mini Dome IP camera having following specifications:- Image device: At least 1/3 inch, Resolution & frames/sec: At least 4 MP/25fps, Video Compression: H.265,H.264, MJPEG, Focal length: fixed of 2.8mm,4mm or 8mm. Min illumination: 0 lux(B/W), 0.15 lux (Colour), Infrared viewable length: At least 30 m, Weather proof standard: IP 66 at least, Vandal proof standard: At least IK10, complete in all respect as approved by the Engineer Incharge. Hikvision / Dahua or equivalent	5	Job			
2	Wiring of CCTV Camera with STP Cat-6 in existing PVC conduit/duct i/c connectors complete in all respect as required.	200	Mtr			
3	Supply, installation, testing and commissioning of 16Channel NVR8 PoE/Poe+ ports having following specifications:-Max recording rate: 100Mbps, embedded system: Linux or latest, VGA and HDMI (upto 4K support), Compression:H.265, H.264, MJPEG, Internal storage: upto 2 SATA (Max 12TB), 128Mbps bandwidth, ARB support, easy config. Monitoring: Web viewer and Mobile viewer, Camera support: ONVIF complete in all respect as approved by the Engineer Incharge. Hikvision / Dahua or equivalent	1	Job			
4	Providing, punchin, testing and commissioning of RJ-45 connector, complete in all respect as approved by the engineer incharge.	20	Nos			
5	Providing, Fixing & Installing 8 port POE Giga Bit switches, complete in all respect as approved by the engineer incharge as required.	1	Job			
6	Supply, installation and commissioning of 4TB Surveillance Grade Hard Drive complete in all	1	Job			

	respect as required.					
7	Providing and installing of 40-43" LED smart TV latest model suitable for operation on 220/230 V, 50 Hz AC supply including USB / HDMI Ports, Video In, Audio In, switchable to HDMI-I to HDMI-II via wireless remote, flexible cord, shoe, wifi, bluetooth, wall bracket, rawal bolts, etc, complete with electric connection, as approved by the engineer incharge as required. Samsung, Sony, or equivalent	1	Nos			
8	Supply & fixing 20mm (3/4") dia uPVC conduit with all especial such as bends, sockets, Junction etc fitted on surface as required.	200	Mtr			
	<u>Sub Head V: Acoustic Treatment</u>					
1	Sound proofing and decoration of the conference room 2' x 2' wooden frame build with 1" x 1½" thick wooden bar, 2mm thick sheet at the back, 2' x 2' panel filled with Rock wool netted in the iron net ½ inch thick sheet at the front with perforated wholes, ½" thick foam and fabric at the top including carpentry works, nails, Glue inclusive of all necessary material for fixing the panels on the wall, With transportation	1750	Sft			
	<u>Sub Head V: Online UPS</u>					
	Providing, installation, testing, and commissioning of a 6 kVA online uninterruptible power supply (UPS) system with external battery bank, suitable for continuous power backup of critical IT, AV, and communication equipment. APC, Riello or equivalent					
	Minimum Technical Specifications					
	Capacity: Minimum 6 kVA / 6 kW or equivalent					
	UPS Type: Online double conversion technology					
	Output Waveform: Pure sine wave					
	Phase: Single-phase input and output					
	Efficiency: Up to 90% or higher at full load					
	Transfer Time: 0 ms (true online operation)					
	Crest Factor: Minimum 3:1 or better					
	Input Specifications					
	Input voltage range: approximately 110 – 300 V (or equivalent wide range)					
	Nominal input voltage: 220 / 230 / 240 V AC					
	Input frequency: 40 – 70 Hz (auto sensing)					
	Hardwired input connection (single phase with neutral and earth)					
	Output Specifications					
	Output voltage: 220 / 230 / 240 V AC (adjustable)					
	Output frequency: 50/60 Hz ±3% or better					
	Stable regulated output suitable for sensitive electronic loads					
	Battery System					
	Compatible with external sealed lead-acid or equivalent battery bank					

	Recharge time: approximately 4–6 hours to 90% capacity				
	Battery backup time: minimum 10–15 minutes at 50% load (or as designed)				
	Battery life expectancy: 3–5 years or better				
	Functional Features				
	Intelligent battery management system				
	Automatic internal bypass for fault conditions				
	ECO mode for energy saving operation				
	LCD/LED display for status monitoring (load, battery, input/output)				
	Communication interfaces: USB and RS-232 or equivalent				
	SNMP/network monitoring capability (optional or expandable)				
	General Requirements				
	Suitable for continuous operation of IT, AV, and communication systems				
	Complete with all required accessories, cabling, battery rack, and protection devices				
	Installation, configuration, testing, and commissioning included				
	Delivered in fully operational condition	1	Job		
2	Providing & fixing Polycarbonate flame retardant floor box of suitable size with provision of 2 data & voice socket i/c I/O and 2 light plug, vermin protected duly powder coated paint i/c all fastening material, complete in all respect including connection as required.	2	Jobs		
				Total	
	Abstract of Cost				
	Sub Head I: Audio Conference System				
	Sub Head II: Video Conference System				
	Sub Head III: Sound System				
	Sub Head IV: CCTV System				
	Sub Head V: Acoustic Treatment				
	Sub Head V: Online UPS				
	TOTAL				

Signature: _____

Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.

5 All certificates are to be attached with this form.

(vii): Financial Proposal

Establishment of CONFERENCE ROOM within the premises of Islamabad High Court Islamabad

(CIVIL WORKS)

User Note: This form is to be filled by the Bidder for each individual item and shall submit with Financial Proposal.

Name of the Firm:

Establishment of Conference Room within the premises of Islamabad High Court, Islamabad (Civil Works)							
S.No	Item	Description	Qty		Rate	Unit	Amount
1	Wooden Floor	P/F of Wooden floor i.c base work complete in all aspects with skirting	900	Sft			
2	Ceiling	Re-fixing of dampa roof ceiling i.c uninstallation, cleaning, repainting, and installation of approved type of ceiling	900	Sft			
3	Media Wall / Feature Wall	P/F of Media wall complete as per approved drawings & instructions including framing, panneling, finishing and electrical provision.	190	Sft			
4	Wooden Box	Providing and Fixing of Wooden Box Type storage unit along wall comprising of 3/4" thick MDF/ partice board carcass, internal shelves, vertical/ horizontal partitions, back pannel finished with approved laminated veer/polish including edge bending necessary screws adhesives and all hardware (hinges, handles, drawer channels) complete in all respect as per approved drawings & instructions.	30	Sft			
5	Conference Table	P/F of Conference Table of approved design, made of high quality Wanut wood finshes with laminated / veneer finish, including edging, modesty pannel, cable magnet box wire outlet etc complete as per approved drawings & instructions (Interwood or Equivalent)	1	No			
6	Conference Chairs	P/F of Conference chair with cushioned seat back, upholstered in fabric/ leatherette having ergonomic design, fixed/ adjustable arms, MS/ wooden frame, powdered coated / chrome finish base etc. complete as per approved	15	No			

		drawings & instructions (Interwood or Equivalent)					
7	Three Seater Sofa	P/F of Three Seater Sofa of approved design comprising of hardwood/ seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc complete as per approved drawings & instructions (Interwood or Equivalent)	4	No			
8	Sinle Seater Sofa	P/F of Single Seater Sofa of approved design comprising of hardwood/ seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc complete as per approved drawings & instructions (Interwood or Equivalent)	2	No			
9	Centre Table	P/F of Cenre Table with MDF/wooden base & 8-10 mm thick tempered glass etc complete as per approved drawings & instructions (Interwood or Equivalent)	1	No			
10	Side Table	P/F of Side Tables with MDF/wooden base & 8-10 mm thick tempered glass etc complete as per approved drawings & instructions (Interwood or Equivalent)	3	No			
10	Moterized Curtain	Re-fixing of curtain cloth, adjustment, re sewing and machines calibration	1.00	Job			
11	Shelve	P/F solid Wooden shelves with high quality veneer polish including glass etc. complete as per approved drawings & instructions (Interwood or Equivalent)	60	Sft			
TOTAL RS.							

Signature: _____

Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.

5 All certificates are to be attached with this form.

(viii): Financial Proposal

**Establishment of TRAINING / CAPACITY CENTER within the premises of
Islamabad High Court, Islamabad
(CIVIL WORKS)**

User Note: This form is to be filled by the Bidder for each individual item and shall submit with Financial Proposal.

Name of the Firm:

Establishment of Training / Capacity Center within the premises of Islamabad High Court, Islamabad (Civil Works)							
S.No	Item	Description	Qty		Rate	Unit	Amount
1	Wooden Floor	P/F of Wooden floor i.c base work complete in all aspects with skirting	1,820	Sft			
2	Ceiling	Re-fixing of damp roof ceiling i.c uninstallation, cleaning, repainting, and installation of approved type of ceiling	1,820	Sft			
3	Media Wall / Feature Wall	P/F of Media wall complete as per approved drawings & instructions including framing, paneling, finishing and electrical provision.	300	Sft			
4	Wooden Box	Providing and Fixing of Wooden Box Type storage unit along wall comprising of 3/4" thick MDF/ particle board carcass, internal shelves, vertical/ horizontal partitions, back panel finished with approved laminated veer/polish including edge bending necessary screws adhesives and all hardware (hinges,handles,drawer channels) complete in all respect as per approved drawings & instructions.	50	Sft			
5	Conference Table	P/F of Conference Table of approved design, made of high quality Walnut wood finishes with laminated / veneer finish, including edging, modesty panel, cable magnet box wire outlet etc complete as per approved drawings & instructions (Interwood or Equivalent)	1	No			
6	Conference Chairs	P/F of Conference chair with cushioned seat back, upholstered in fabric/ leatherette having ergonomic design, fixed/ adjustable arms, MS/ wooden frame, powdered coated / chrome finish base etc. complete as per approved drawings & instructions (Interwood or Equivalent)	20	No			
7	Three Seater	P/F of Three Seater Sofa of		No			

	Sofa	approved design comprising of hardwood/ seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc. complete as per approved drawings & instructions (Interwood or Equivalent)	9				
8	Sinle Seater Sofa	P/F of Single Seater Sofa of approved design comprising of hardwood/ seasoned wooden frame, high density foam, high resilience, premium fabric/ leather upholstered, polish wooden ledgs etc complete as per approved drawings & instructions (Interwood or Equivalent)	6	No			
9	Centre Table	P/F of Centre Table with MDF/wooden base & 8-10 mm thick tempered glass etc. complete as per approved drawings & instructions (Interwood or Equivalent)	4	No			
10	Side Table	P/F of Side Tables with MDF/wooden base & 8-10 mm thick tempered glass etc. complete as per approved drawings & instructions (Interwood or Equivalent)	6	No			
10	Moterized Curtain	Re-fixing of curtain cloth, adjustment, re sewing and machines calibration	7.00	Job			
11	Coffee Counter	P/F Coffee Counter with solid surface / granite top , high gloss laminated/ veneer finish, soft closed hardware, including top shelves, high quality veneer polish etc. complete as per approved drawings & instructions (Interwood or Equivalent)	40	Sft			
12	Shelve	P/F solid Wooden shelves with high quality veneer polish including glass etc. complete as per approved drawings & instructions (Interwood or Equivalent)	50	Sft			
TOTAL RS.							

Signature: _____

Designation: _____

Date _____

Official Stamp _____

4 Bidders may use additional sheets if required.


5 All certificates are to be attached with this form.

***DRAWINGS**



Layout of Training / Capacity Building Center with in the premises of Islamabad High Court

Proposed Furniture Layout Plan



Interior Views



EPADS



EPADS




EPADS




EPADS


**PROPOSED LAYOUT OF CONFERENCE ROOM WITH IN THE PREMISES OF ISLAMABAD
HIGH COURT.
Proposed Furniture Layout Plan**



EPADS

Interior Views





Past Experience / Contracts

Contracts over <i>[insert amount]</i> during the last three years:				
Procuring Agency	Value	Year	Goods/Services Supplied	Country of Destination



Historical Contract Non-Performance, and Pending Litigation and Litigation History

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

<input type="checkbox"/> Not debarred due to deviation from commitment of Bid Securing Declaration- <input type="checkbox"/> Not debarred due to non-performance			
Year	Non-performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and PKR equivalent)
<i>[insert year]</i>	<i>[insert amount and percentage]</i>	Contract Identification: <i>[indicate complete contract name/ number, and any other identification]</i> Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Reason(s) for nonperformance: <i>[indicate main reason(s)]</i>	<i>[insert amount]</i>
Pending Litigation, in accordance with Section III, Qualification Criteria and Requirements			
<input type="checkbox"/> Pending litigation in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.3 as indicated below.			
Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), US\$ PKR Equivalent (exchange rate)

<i>[insert year]</i>	<i>[insert amount]</i>	Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Agency" or "Supplier"]</i> Status of dispute: <i>[Indicate if it is being treated by the Adjudicator, under Arbitration or being dealt with by the Judiciary]</i>	<i>[insert amount]</i>
<input type="checkbox"/> No consistent history of court/arbitral award decisions in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.4. <input type="checkbox"/> Consistent history of court/arbitral award decisions in accordance with Section III, Qualification Criteria and Requirements, Sub-Factor 2.4 as indicated below.			
Year of award	Outcome as percentage of Net Worth	Contract Identification	Total Contract Amount (currency), PKR Equivalent (exchange rate)
<i>[insert year]</i>	<i>[insert percentage]</i>	Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Agency: <i>[insert full name]</i> Address of Procuring Agency: <i>[insert street/city/country]</i> Matter in dispute: <i>[indicate main issues in dispute]</i> Party who initiated the dispute: <i>[indicate "Procuring Agency" or "Supplier"]</i> Court/ arbitral award decision: <i>[Indicate if the award decision was against the Applicant or any member of a joint venture.]y]</i>	<i>[insert amount]</i>

Current Contract Commitments / Contracts in Progress Form

1. Name of Contract(s)
2. Procuring Agency Contact Information [insert address, telephone, fax, e-mail address]
3. Value of outstanding contracts [current PKR equivalent]
4. Estimated Delivery Date
5. Average monthly invoices over the last six months (PKR/mon.)

Financial Situation and Performance

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

1. Financial data

Type of Financial information in (currency)	Historic information for previous <i>[insert number]</i> years, <i>[insert in words]</i> (amount in currency, currency, exchange rate*, PKR equivalent)				
	Year 1	Year 2	Year 3		
Statement of Financial Position (Information from Balance Sheet)					
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)					
Current Assets (CA)					
Current Liabilities (CL)					
Working Capital (WC)					
Information from Income Statement					
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information					
Cash Flow from Operating Activities					

* Refer ITA 14 for the exchange rate

3. Financial documents

The Applicant and in case of JV, members of JV shall provide copies of financial statements for *[number]* years pursuant Section III, Qualifications Criteria and Requirements. The financial statements shall:

- (a) reflect the financial situation of the Applicant or in case of JV member, and not an affiliated entity (such as parent company or group member).
 - (b) be independently audited or certified in accordance with local legislation.
 - (c) be complete, including all notes to the financial statements.
 - (d) correspond to accounting periods already completed and audited.
- Attached are copies of financial statements¹ for the *[number]* years required above; and complying with the requirements.

¹ If the most recent set of financial statements is for a period earlier than 12 months from the date of Application, the reason for this should be justified.

Average Annual Turnover (Annual Sales Value)

[The following table shall be filled in for the Applicant and for each member of a Joint Venture]

Applicant's Name: *[insert full name]*

Date: *[insert day, month, year]*

Joint Venture Member Name: *[insert full name]*

IFP No. and title: *[insert IFP number and title]*

Page *[insert page number]* of *[insert total number]* pages

Annual Turnover Data			
Year	Amount Currency	Exchange rate* (If applicable)	PKR equivalent
<i>[indicate calendar year]</i>	<i>[insert amount and indicate currency]</i>		
		Average Annual Turnover **	

* Refer ITA for date and source of exchange rate.

** Total PKR equivalent for all years divided by the total number of years. See Section III, Qualification Criteria and Requirements, ITA.